

OS-SKILL5

To Apply Single Quotes, Preserve Literal Content, Ignore Variable Expansion, Store Quoted Strings, Validate Parsing Results, Test Edge Cases.

To Apply Double Quotes, Preserve Spaces, Allow Variable Expansion, Parse Nested Tokens, Validate Outputs, Test Quoted Commands.

```
srivalli@DESKTOP-6S9T6SD: ~ × + v
srivalli@DESKTOP-6S9T6SD:~$ OSLab
OSLab: command not found
srivalli@DESKTOP-6S9T6SD:~$ cd OSLab
srivalli@DESKTOP-6S9T6SD:~/OSLab$ pwd
/home/srivalli/OSLab
srivalli@DESKTOP-6S9T6SD:~/OSLab$ mkdir Skill5
srivalli@DESKTOP-6S9T6SD:~/OSLab$ cd Skill5
srivalli@DESKTOP-6S9T6SD:~/OSLab/Skill5$ pwd
/home/srivalli/OSLab/Skill5
srivalli@DESKTOP-6S9T6SD:~/OSLab/Skill5$ nano quotes.c
srivalli@DESKTOP-6S9T6SD:~/OSLab/Skill5$ gcc quotes.c -o quotes
srivalli@DESKTOP-6S9T6SD:~/OSLab/Skill5$ ./quotes
===== SKILL 5: QUOTED STRING PARSER =====

1. Single Quotes
2. Double Quotes
Enter your choice: 1

Enter a single-quoted string: 'Hello $USER World'

--- SINGLE QUOTE PARSING ---
Stored literal string: Hello $USER World
Variable expansion: IGNORED
Parsing result: VALID

Parsing completed successfully.
```



srivalli@DESKTOP-6S9T6SD: ~



```
srivalli@DESKTOP-6S9T6SD:~/OSLab/Skill5$ ./quotes
```

```
===== SKILL 5: QUOTED STRING PARSER =====
```

```
1. Single Quotes
```

```
2. Double Quotes
```

```
Enter your choice: 2
```

```
Enter a double-quoted string: "Hello $USER World"
```

```
--- DOUBLE QUOTE PARSING ---
```

```
Variable expansion detected: $USER
```

```
Stored string: Hello <expanded> World
```

```
Spaces preserved: YES
```

```
Parsing result: VALID
```

```
Parsing completed successfully.
```

```
srivalli@DESKTOP-6S9T6SD:~/OSLab/Skill5$ ./quotes
```

```
===== SKILL 5: QUOTED STRING PARSER =====
```

```
1. Single Quotes
```

```
2. Double Quotes
```

```
Enter your choice: 1
```

```
Enter a single-quoted string: 'Hello $USER
```

```
--- SINGLE QUOTE PARSING ---
```

```
Error: Missing closing single quote.
```

```
Parsing completed successfully.
```

```
srivalli@DESKTOP-6S9T6SD:~/OSLab/Skill5$ ./quotes
===== SKILL 5: QUOTED STRING PARSER =====
```

```
1. Single Quotes
2. Double Quotes
Enter your choice: 2
```

```
Enter a double-quoted string: "Hello 123 World"
```

```
--- DOUBLE QUOTE PARSING ---
Stored string: Hello 123 World
Spaces preserved: YES
Parsing result: VALID
```

```
Parsing completed successfully.
```

```
srivalli@DESKTOP-6S9T6SD:~/OSLab/Skill5$ ./quotes
===== SKILL 5: QUOTED STRING PARSER =====
```

```
1. Single Quotes
2. Double Quotes
Enter your choice: 2
```

```
Enter a double-quoted string: "ls -l /home"
```

```
--- DOUBLE QUOTE PARSING ---
Stored string: ls -l /home
Spaces preserved: YES
Parsing result: VALID
```

```
Parsing completed successfully.
```

```
srivalli@DESKTOP-6S9T6SD:~/OSLab/Skill5$ ./quotes
===== SKILL 5: QUOTED STRING PARSER =====
```

```
1. Single Quotes
2. Double Quotes
Enter your choice: 2
```

```
Enter a double-quoted string: "echo Hello $USER 123"
```

```
--- DOUBLE QUOTE PARSING ---
Variable expansion detected: $USER
Stored string: echo Hello <expanded> 123
Spaces preserved: YES
Parsing result: VALID
```

```
Parsing completed successfully.
```

```
srivalli@DESKTOP-6S9T6SD:~/OSLab/Skill5$ nano quotes.c
srivalli@DESKTOP-6S9T6SD:~/OSLab/Skill5$ gcc quotes.c -o quotes
srivalli@DESKTOP-6S9T6SD:~/OSLab/Skill5$ ./quotes
===== SKILL 5: QUOTED STRING PARSER =====

1. Single Quotes
2. Double Quotes
Enter your choice: 2

Enter a double-quoted string: "echo Hello $USER 123"

--- DOUBLE QUOTE PARSING ---
Variable expansion detected: $USER
Stored string: echo Hello <expanded> 123
Spaces preserved: YES
Parsing result: VALID

--- NESTED TOKENS ---
Token 1: echo
Token 2: Hello
Token 3: <expanded>
Token 4: 123

Parsing completed successfully.
srivalli@DESKTOP-6S9T6SD:~/OSLab/Skill5$ |
```