#### AMENDMENT NO. 1 NOVEMBER 2022

#### TO

# IS 5822: 1994 CODE OF PRACTICE FOR LAYING OF ELECTRICALLY WELDED STEEL PIPES FOR WATER SUPPLY

(Second Revision)

```
(Page 1, clause 1.1, line 3) – Substitute 'IS 3589' for 'IS 3589: 1991'.

(Page 1, clause 1.2, line 2) – Substitute 'IS 3589' for 'IS 3589: 1991'.

(Page 1, clause 1.2, line 3) – Substitute 'IS 2062' for 'IS 2060: 1992'.

(Page 1, clause 1.2, line 4) – Substitute 'IS 814' for 'IS 814: 1991'.

(Page 1, clause 2.1) – Substitute the following for the existing:
```

'The standards given in Annex A contain provisions, which through reference in this text, constitute provisions of this standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated at Annex A.'

```
(Page 2, clause 4.2.4, last line) – Substitute 'IS 1200 (Part 1)' for 'IS 1200 (Part 1): 1992'.

(Page 2, clause 4.2.5, last line) – Substitute 'IS 4081' for 'IS 4081: 1986'.

(Page 3, clause 4.3.4, line 7) – Substitute 'IS 2720 (Part 7)' for 'IS 2720 (Part 7): 1980'.

(Page 5, clause 6.1, line 2) – Substitute 'IS 816' for 'IS 816: 1969'.

(Page 5, clause 6.1, last line) – Substitute 'IS 814' for 'IS 814: 1991'.

(Page 5, clause 6.2, line 2) – Substitute 'IS 3600 (Part 1)' for 'IS 3600 (Part 1): 1985'.

(Page 5, clause 6.2.2, line 5) – Substitute 'IS 4853' for 'IS 4853: 1982'.

(Page 5, clause 6.2.2, line 6) – Substitute 'IS 4260' for 'IS 4260: 1986'.

(Page 5, clause 8.2.1, last line) – Substitute 'IS 3114' for 'IS 3114: 1994'.

(Page 6, clause 10.2, para 2, line 2) – Substitute 'IS 14846' for 'IS 780: 1984 and IS 2906: 1984'.

(Page 7, clause 12.1, last line) – Substitute 'IS 10221: 2008' for 'IS 10221: 1982'.
```

**Price Group 2** 

(*Page* 9, *Annex* A) – Substitute the following Annex in place of the existing:

## ANNEX A

(*Clause* 2.1)

## LIST OF REFERRED INDIAN STANDARDS

IS No.	Title	IS No.	Title
814 : 2004	Covered electrodes for manual metal arc welding of carbon and carbon manganese steel ( <i>sixth revision</i> )	4081 2013 :	Blasting and related drilling operations – Code of safety (second revision)
816:1969	Code of practice for use of metal are welding for general construction of wild steel ( <i>first revision</i> )	4260 2004 :	Recommended practice for ultrasonic testing of butt welds in ferritic steel (third revision)
1200 (Part 1): 1992	Method of measurement of building and civil engineering works: Part 1 Earthwork (fourth revision)	4853 : 1982	Recommended practice for radiographic inspection of fusion welded butt joints in steel pipes ( <i>first revision</i> )
2062 : 2011	Hot rolled medium and high tensile structural steel (seventh revision)	5330 : 1984	for penstocks with expansion joints
2720 (Part 7): 1980	Method of test for soils: Part 7 Determination of water content dry density relation using light compaction (second revision)	5555 1970	(first revision)  Code of procedure for conducting field studies on atmospheric corrosion of metals
3114 : 1994 : 3589 : 2001	Code of practice for laying of cast iron pipes (second revision)  Steel pipes water and sewage (168.3	7808 : 1975	Code of procedure for conducting studies on underground corrosion of metals
3600 (Part 1) : 1985/	to 2 540 mm outside diameter) – Specification ( <i>third revision</i> )  Methods of testing fusion welded joints and welded joints and weld	10221 : 2008	Coating and wrapping of underground mild steel pipelines – Code of practice (first revision)
ISO 9018: 2015	metal in steel: Part 1 Cruciform fillet weld tensile test metal in steel: Part 1 Cruciform fillet weld	12288 1987	: Code of practice of use and laying for ductile iron pipes
	tensile test	14846 : 2000	Sluice valves for water works purposes (50 to 1 200 mm size)

(Page 10, clause **B-9.2**) – Substitute the following for the existing:

### 'B-9.2 Nominal Thickness

The minimum nominal thickness of steel pipe is calculated as sum of the following:

a) thickness of shell, t derived from the formula given below,

$$t = \frac{P.D}{(2a \times f \times e) + P}$$

where,

t = thickness of shell, in mm;

P = internal design pressure, in N/mm<sup>2</sup>;

D = outside diameter, in mm;

a = design factor (0.6 for working pressure and 0.9 for test pressure inclusive of surge pressure);

f = specified minimum yield stress, in N/mm2; and

e = weld efficiency of the joint (0.9 for shop welding and 0.8 for field welding).

- b) thickness for corrosion allowance, if any; and
- c) permitted manufacturing tolerance for reduction in thickness of steel plate as given in IS 3589 which is to be applied on sum of (a) and (b).

The minimum nominal thickness arrived at is subject to the minimum value of the various preferred thicknesses given for the concerned diameter in IS 3589.'

(Page 10, clause **B-9.3**, last line) – Substitute 'IS 2062' for 'IS 2062 : 1992'.

(Page 10, clause **B-10.1**, line 5) – Substitute 'IS 5555 or IS 7808' for 'IS 5555: 1990 or IS 7808: 1975'.

(Page 10, clause **B-14.2**, line 2) – Substitute 'IS 5330' for 'IS 5330 : 1984'.

(CED 24)

Publication Unit, BIS, New Delhi, India