

AVAILABLE PAVERS




• Different designs and Sizes Avaliable Contact for More Details



RUBBER MOULD PAVERS

ZIG ZAG



TRI PAVERS



Material: Cement Thickness: 60 mm

Coverage area (application): Outdoor



RUBBER MOULD PAVERS

5 SERIES PAVERS

Material: Cement Thickness: 60 mm


Coverage area (application): Outdoor





RUBBER MOULD PAVERS Wave pool / Flexi Pavers





Material: Cement Thickness: 60 mm

Coverage area (application): Outdoor



STEEL MOULD PAVERS

I SHAPE





•Colour: Red & Grey(Shown in the picture)

•Thick: 60 mm (+ - 2 to 3 mm) •Coverage: 100 Sft. 314 Nos

•Application: Driveways, Residential Commercial Complex Out Door Parking, Garage



Rubber MOULD PAVERS



I SHAPE



•Colour: Red & Grey(Shown in the picture)


•Thick: 60 mm (+ - 2 to 3 mm) •Coverage: 100 Sft. 314 Nos

• Application: Driveways, Residential Commercial Complex Out Door Parking, Garage



Grass Pavers







Material: Cement

Thickness and Size: 12x12x60mm & 600x400x80mm

Coverage area (application): Gras Pavers



Material: Cement


Thickness and Size: 600x300 – M30/M40 Coverage area (application): Water Drain

Saucer N Kerb 600x300xM309





Weight Less Ash Bricks







Technical Specifications

TYPE	Length	Height/ Width	Thickness
Block	600 mm	200mm	100 ,125,150,200,225,250 & 300 mm





Interlock Brick



Concrete Interlock Brick



Clay Interlock Brick

•Colour: Red & Grey (Shown in the picture)

•Thick: 60 & 80 mm (+ - 2 to 3 mm)

•Coverage: 100 Sft. 314 Nos

• Application: Wall construction and building construction.



KERB STONE



Precast 450/450/150 mm

PCC Other sizes available are: Kerbstones 600*300*100mm Kerbstones 100/300/600 Kerbstones 125/300/600 Kerbstones 150/300/450 Kerbstones 150/450/450



Pre cast 600/450/100 mm



Hydraulic 330/430/140 mm



•Colour: Grey(Shown in the picture)

•Thick: Different size avaliable

•Application: Driveways, Residential Commercial Complex Out Door Parking, Garage



Readymade Drainage Pathway & Slabs



Material: Cement

Thickness and Size: Varies

Coverage area (application): Drinage





RCC RINGS / CHAIRS / DRAINCOVER



•Colour: Grey(Shown in the picture)

•Thick: Different size avaliable

•Application: well





DRAINCOVER



COMPOUND WALLS





•Colour: Grey(Shown in the picture)

•Thick: Different size avaliable

•Application: WALL



Pebbels / Gravels









•Colour: Grey(Shown in the picture)

•Thick: Different size avaliable

•Application: WALL