namei:

```
srivatsan@MSI:/mnt/c/Users/sriva/devops-lab$ namei -l "$PWD/app/private/config/secrets.txt"
f: /mnt/c/Users/sriva/devops-lab/app/private/config/secrets.txt
drwxr-xr-x root      root      /
drwxr-xr-x root      root      mnt
drwxrwxrwx srivatsan srivatsan c
dr-xr-xr-x srivatsan srivatsan Users
drwxrwxrwx srivatsan srivatsan sriva
drwxrwxrwx srivatsan srivatsan devops-lab
drwxrwxrwx srivatsan srivatsan app
drwxrwxrwx srivatsan srivatsan private
drwxrwxrwx srivatsan srivatsan config
-rwxrwxrwx srivatsan srivatsan secrets.txt
```

vmstat:

```
srivatsan@MSI:/mnt/c/Users/sriva/devops-lab$ vmstat 1 5
procs -----------memory---------- ---swap-- -----io---- -system-- -------cpu-------
 r  b   swpd   free   buff  cache   si   so    bi    bo   in   cs us sy id wa st gu
 0  0      0 6706084  55248 840232    0    0  1636   314  370    0  0  0 100  0  0  0
 0  0      0 6705992  55248 840280    0    0     0     0  150   76  0  0 100  0  0  0
 0  0      0 6705992  55248 840280    0    0     0     0  102   60  0  0 100  0  0  0
 0  0      0 6705992  55248 840280    0    0     0     0   93   56  0  0 100  0  0  0
 0  0      0 6706492  55248 840280    0    0     0     0  162  122  0  0 100  0  0  0
```

getent:

```
srivatsan@MSI:/mnt/c/Users/sriva/devops-lab$ getent hosts localhost
::1             localhost
srivatsan@MSI:/mnt/c/Users/sriva/devops-lab$ getent hosts example.com
2606:4700:10::6814:179a example.com
2606:4700:10::ac42:93f3 example.com
srivatsan@MSI:/mnt/c/Users/sriva/devops-lab$ getent passwd "$USER"
srivatsan:x:1000:1000::/home/srivatsan:/bin/bash
```

flock:

```
srivatsan@MSI:/mnt/c/Users/sriva/devops-lab$ flock -n /tmp/devops-lab.lock ./scripts/deploy.sh &
sleep 1
flock -n /tmp/devops-lab.lock ./scripts/deploy.sh \
  || echo "Another deployment is running"
wait
[1] 634
Deployment started
Another deployment is running
Deployment finished
[1]+  Done                    flock -n /tmp/devops-lab.lock ./scripts/deploy.sh
```

stat:

```
srivatsan@MSI:/mnt/c/Users/sriva/devops-lab$ stat app/app.txt
stat -c '%a %U:%G %s bytes %n' app/app.txt
  File: app/app.txt
  size: 13              Blocks: 0          IO Block: 4096   regular file
Device: 0,70    Inode: 8444249302059651  Links: 1
Access: (0777/-rwxrwxrwx)  Uid: ( 1000/srivatsan)   Gid: ( 1000/srivatsan)
Access: 2026-10-21 09:33:28.338262500 +0000
Modify: 2026-10-21 09:33:28.338262500 +0000
Change: 2026-10-21 09:33:28.338262500 +0000
 Birth: -
777 srivatsan:srivatsan 13 bytes app/app.txt
```

readlink:

```
srivatsan@MSI:/mnt/c/Users/sriva/devops-lab$ ln -s app/app.txt app/current.txt
readlink app/current.txt
readlink -f app/current.txt
app/app.txt
```

time:

```
srivatsan@MSI:/mnt/c/Users/sriva/devops-lab$ time sleep 2
time tar -czf /tmp/devops-lab-backup.tar.gz app config data

real    0m2.002s
user    0m0.000s
sys     0m0.002s

real    0m0.022s
user    0m0.002s
sys     0m0.003s
```

logger:

```
srivatsan@MSI:/mnt/c/Users/sriva/devops-lab$ logger -t devops-lab "Deployment test started"
logger -p user.warning -t devops-lab "Test warning"
```

nc:

```
srivatsan@MSI:/mnt/c/Users/sriva/devops-lab$ python3 -m http.server 8080 --bind 127.0.0.1 \
  > /tmp/devops-lab-http.log 2>&1 &
SERVER_PID=$!
sleep 1
[1] 735
srivatsan@MSI:/mnt/c/Users/sriva/devops-lab$ nc -vz -w 3 127.0.0.1 8080
Connection to 127.0.0.1 8080 port [tcp/http-alt] succeeded!
srivatsan@MSI:/mnt/c/Users/sriva/devops-lab$ kill "$SERVER_PID"
wait "$SERVER_PID" 2>/dev/null || true
```

prlimit:

```
srivatsan@MSI:/mnt/c/Users/sriva/devops-lab$ prlimit --pid $$
prlimit --pid $$
ulimit -n
RESOURCE   DESCRIPTION                             SOFT      HARD UNITS
AS         address space limit                unlimited unlimited bytes
CORE       max core file size                         0 unlimited bytes
CPU        CPU time                           unlimited unlimited seconds
DATA       max data size                      unlimited unlimited bytes
FSIZE      max file size                      unlimited unlimited bytes
LOCKS      max number of file locks held      unlimited unlimited locks
MEMLOCK    max locked-in-memory address space  67108864  67108864 bytes
MSGQUEUE   max bytes in POSIX mqueues            819200    819200 bytes
NICE       max nice prio allowed to raise             0         0
NOFILE     max number of open files              10240   1048576 files
NPROC      max number of processes               31141     31141 processes
RSS        max resident set size              unlimited unlimited bytes
RTPRIO     max real-time priority                     0         0
RTTIME     timeout for real-time tasks        unlimited unlimited microsecs
SIGPENDING max number of pending signals          31141     31141 signals
STACK      max stack size                       8388608 unlimited bytes
RESOURCE   DESCRIPTION                             SOFT      HARD UNITS
AS         address space limit                unlimited unlimited bytes
CORE       max core file size                         0 unlimited bytes
CPU        CPU time                           unlimited unlimited seconds
DATA       max data size                      unlimited unlimited bytes
FSIZE      max file size                      unlimited unlimited bytes
LOCKS      max number of file locks held      unlimited unlimited locks
MEMLOCK    max locked-in-memory address space  67108864  67108864 bytes
MSGQUEUE   max bytes in POSIX mqueues            819200    819200 bytes
NICE       max nice prio allowed to raise             0         0
NOFILE     max number of open files              10240   1048576 files
NPROC      max number of processes               31141     31141 processes
RSS        max resident set size              unlimited unlimited bytes
RTPRIO     max real-time priority                     0         0
RTTIME     timeout for real-time tasks        unlimited unlimited microsecs
SIGPENDING max number of pending signals          31141     31141 signals
STACK      max stack size                       8388608 unlimited bytes
10240
```