

Snowflake HandsOn Practice


Check Current user, role, warehouse, database, schema:




Create Database “SRIVATSAN_RETAIL_DB”:




Create Schema “RAW” in the “SRIVATSAN_RETAIL_DB”:




Created warehouse “SRIVATSAN_RETAIL_WH”:




Created “SALES” Table in the “SRIVATSAN_RETAIL_DB.RAW” Schema:







Created “SRIVATSAN_RETAIL_CSV_FORMAT”:




Created Stage “SRIVATSAN_RETAIL_STAGE”:




Upload csv in the stage:




Copy the data from the stage to the “SALES” table:




SELECT COUNT(*) AS TOTAL_RECORDS FROM SRIVATSAN_RETAIL_DB.RAW.SALES:




SELECT * FROM SRIVATSAN_RETAIL_DB.RAW.SALES ORDER BY ORDER_ID;



SELECT ORDER_ID, COUNT(*) AS RECORD_COUNT FROM SRIVATSAN_RETAIL_DB.RAW.SALES GROUP BY ORDER_ID HAVING COUNT(*)>1;



DROP DATABASE IF EXISTS SRIVATSAN_RETAIL_DB:



DROP WAREHOUSE IF EXISTS SRIVATSAN_RETAIL_WH:

