


dmesg -w:




systemd-analyze blame :




sar:




resolvectl status:

```
srivatsan@MSI:/mnt/c/Users/sriva$ resolvectl status
Global
         Protocols: -LLMNR -mDNS -DNSOverTLS DNSSEC=no/unsupported
  resolv.conf mode: foreign
Current DNS Server: 10.255.255.254
       DNS Servers: 10.255.255.254

Link 2 (eth0)
    Current Scopes: none
         Protocols: -DefaultRoute -LLMNR -mDNS -DNSOverTLS DNSSEC=no/unsupported
  Default Route: no
srivatsan@MSI:/mnt/c/Users/sriva$
```

tcpdump:

```
srivatsan@MSI:/mnt/c/Users/sriva$ sudo tcpdump
tcpdump: verbose output suppressed, use -v[v]... for full protocol decode
listening on eth0, link-type EN10MB (Ethernet), snapshot length 262144 bytes
00:54:02.264573 IP MSI.mshome.net.netbios-dgm > 172.21.47.255.netbios-dgm: UDP, length 201
00:54:20.548923 IP 172.21.42.165.53056 > ntp-nts-2.ps6.canonical.com.ntske: Flags [S], seq 3641612474, win 64240, options [mss 1460,sackOK,TS val 4248307876 ecr 0,nop,wscale 10], length 0
00:54:21.574578 IP 172.21.42.165.53056 > ntp-nts-2.ps6.canonical.com.ntske: Flags [S], seq 3641612474, win 64240, options [mss 1460,sackOK,TS val 4248308902 ecr 0,nop,wscale 10], length 0
00:54:22.598777 IP 172.21.42.165.53056 > ntp-nts-2.ps6.canonical.com.ntske: Flags [S], seq 3641612474, win 64240, options [mss 1460,sackOK,TS val 4248309926 ecr 0,nop,wscale 10], length 0
^C
4 packets captured
4 packets received by filter
0 packets dropped by kernel
srivatsan@MSI:/mnt/c/Users/sriva$
```

duf:

```
srivatsan@MSI:/mnt/c/Users/sriva$ duf
```

11 local devices

| MOUNTED ON | SIZE | USED | AVAIL | USE% | TYPE | FILESYSTEM |
|---|---|---|---|---|---|---|
| / | 1006.9G | 1.5G | 954.1G | 0.2% | ext4 | /dev/sdd |
| /mnt/c | 375.5G | 284.7G | 90.8G | 75.8% | 9p | C:\ |
| /mnt/d | 447.1G | 295.3G | 151.8G | 66.1% | 9p | D:\ |
| /mnt/wslg/distro | 1006.9G | 1.5G | 954.1G | 0.2% | ext4 | /dev/sdd |
| /mnt/wslg/doc | 3.8G | 80.0K | 3.8G | 0.0% | overlay | none |
| /mnt/wslg/versions.txt | 3.8G | 80.0K | 3.8G | 0.0% | overlay | none |
| /usr/lib/linux-tools/6.18.54.1-microsoft-standard-WSL2 | 96.4M | 96.4M | 0B | 100.0% | ext4 | /dev/sdb |
| /usr/lib/modules/6.18.54.1-microsoft-standard-WSL2 | 3.8G | 0B | 3.8G | 0.0% | overlay | none |
| /usr/lib/wsl/drivers | 375.5G | 284.7G | 90.8G | 75.8% | 9p | drivers |
| /usr/lib/wsl/lib | 3.8G | 0B | 3.8G | 0.0% | overlay | none |
| /usr/src/linux-headers-6.18.54.1-microsoft-standard-WSL2 | 96.4M | 96.4M | 0B | 100.0% | ext4 | /dev/sdb |

19 special devices

| MOUNTED ON | SIZE | USED | AVAIL | USE% | TYPE | FILESYSTEM |
|---|---|---|---|---|---|---|
| /dev | 3.8G | 0B | 3.8G | 0.0% | devtmpfs | none |
| /dev/shm | 3.8G | 0B | 3.8G | 0.0% | tmpfs | none |
| /init | 3.8G | 3.3M | 3.8G | 0.1% | rootfs | rootfs |
| /mnt/wsl | 3.8G | 4.0K | 3.8G | 0.0% | tmpfs | none |
| /mnt/wslg | 3.8G | 36.0K | 3.8G | 0.0% | tmpfs | none |
| /mnt/wslg/run/user/1000 | 779.5M | 12.0K | 779.5M | 0.0% | tmpfs | tmpfs |
| /proc/sys/fs/binfmt_misc/status | 3.8G | 552.0K | 3.8G | 0.0% | tmpfs | none |
| /run | 3.8G | 552.0K | 3.8G | 0.0% | tmpfs | none |
| /run/credentials/getty@tty1.service | 1.0M | 0B | 1.0M | 0.0% | tmpfs | none |
| /run/credentials/systemd-journald.service | 1.0M | 0B | 1.0M | 0.0% | tmpfs | none |
| /run/credentials/systemd-resolved.service | 1.0M | 0B | 1.0M | 0.0% | tmpfs | none |
| /run/lock | 3.8G | 0B | 3.8G | 0.0% | tmpfs | none |
| /run/shm | 3.8G | 0B | 3.8G | 0.0% | tmpfs | none |
| /run/user | 3.8G | 36.0K | 3.8G | 0.0% | tmpfs | none |
| /run/user | 3.8G | 36.0K | 3.8G | 0.0% | tmpfs | none |
| /run/user/1000 | 779.5M | 12.0K | 779.5M | 0.0% | tmpfs | tmpfs |

pidstat:

```
srivatsan@MSI:/mnt/c/Users/sriva$ pidstat
Linux 6.18.54.1-microsoft-standard-WSL2 (MSI)   11/01/26        _x86_64_        (12 CPU)

00:57:58      UID       PID    %usr %system  %guest   %wait    %CPU   CPU  Command
00:57:58        0         1    0.07    0.09    0.00    0.01    0.16     3  systemd
00:57:58        0        48    0.01    0.01    0.00    0.00    0.02    11  systemd-journal
00:57:58      989        65    0.01    0.00    0.00    0.00    0.01     5  systemd-resolve
00:57:58        0        87    0.01    0.02    0.00    0.01    0.02     1  systemd-udevd
00:57:58        0       126    0.00    0.00    0.00    0.00    0.00     7  chronyd-starter
00:57:58      995       139    0.01    0.00    0.00    0.00    0.02     4  dbus-daemon
00:57:58        0       158    0.02    0.01    0.00    0.00    0.03     2  networkd-dispat
00:57:58        0       168    0.01    0.01    0.00    0.00    0.01     0  systemd-logind
00:57:58        0       181    0.00    0.01    0.00    0.00    0.01     7  wsl-pro-service
00:57:58      100       219    0.01    0.00    0.00    0.00    0.01     4  rsyslogd
00:57:58      988       298    0.01    0.00    0.00    0.00    0.01     7  chronyd
00:57:58        0       368    0.02    0.01    0.00    0.00    0.02    11  unattended-upgr
00:57:58        0       413    0.00    0.01    0.00    0.00    0.01     2  Relay(414)
00:57:58     1000       414    0.01    0.01    0.00    0.00    0.02     8  bash
00:57:58        0       415    0.00    0.00    0.00    0.00    0.00    11  login
00:57:58     1000       456    0.01    0.00    0.00    0.00    0.01     9  systemd
00:57:58     1000       484    0.00    0.00    0.00    0.00    0.00    11  bash
00:57:58        0       843    0.00    0.00    0.00    0.00    0.00     3  packagekitd
00:57:58      987       848    0.01    0.00    0.00    0.00    0.01    10  polkitd
srivatsan@MSI:/mnt/c/Users/sriva$
```

nice:

```
srivatsan@MSI:/mnt/c/Users/sriva$ nice python3 -c "exit()"clear
  File "<string>", line 1
    exit()clear
          ^^^^^
SyntaxError: invalid syntax
srivatsan@MSI:/mnt/c/Users/sriva$ nice python3 -c "print("Hello")"
Traceback (most recent call last):
  File "<string>", line 1, in <module>
    print(Hello)
          ^^^^^
NameError: name 'Hello' is not defined
srivatsan@MSI:/mnt/c/Users/sriva$ nice python3 -c "print('Hello')"
Hello
```

tree:

```
srivatsan@MSI:/mnt/c/Users/sriva/devops-lab$ tree -L 3
.
├── app
│   ├── app.txt
│   ├── current.txt -> app/app.txt
│   └── private
│       └── config
├── config
│   └── app.conf
├── data
│   ├── subdir
│   │   └── nested.txt
│   └── temp.txt
├── logs
└── scripts
    └── deploy.sh

9 directories, 6 files
```

strace:

```
srivatsan@MSI:/mnt/c/Users/sriva/devops-lab$ strace -f ls
execve("/usr/bin/ls", ["ls"], 0x7ffd030d1c78 /* 27 vars */) = 0
brk(NULL)                               = 0x653dea55e000
mmap(NULL, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7dda9281a000
access("/etc/ld.so.preload", R_OK)      = -1 ENOENT (No such file or directory)
openat(AT_FDCWD, "/etc/ld.so.cache", O_RDONLY|O_CLOEXEC) = 3
fstat(3, {st_mode=S_IFREG|0644, st_size=21139, ...}) = 0
mmap(NULL, 21139, PROT_READ, MAP_PRIVATE, 3, 0) = 0x7dda92814000
close(3)                                = 0
openat(AT_FDCWD, "/usr/lib/x86_64-linux-gnu/libsystemd.so.0", O_RDONLY|O_CLOEXEC) = 3
read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\0\0\0\0\0\0\0\0"..., 832) = 832
fstat(3, {st_mode=S_IFREG|0644, st_size=1127960, ...}) = 0
mmap(NULL, 1128840, PROT_READ, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7dda92700000
mmap(0x7dda92719000, 749568, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x19000) = 0x7dda92719000
mmap(0x7dda927d0000, 237568, PROT_READ, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0xd0000) = 0x7dda927d0000
mmap(0x7dda9280a000, 36864, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x10a000) = 0x7dda9280a000
mmap(0x7dda92813000, 2440, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x7dda92813000
close(3)                                = 0
openat(AT_FDCWD, "/usr/lib/x86_64-linux-gnu/libselinux.so.1", O_RDONLY|O_CLOEXEC) = 3
```