comm:

```
srivatsan@MSI:~$ printf "apple\nbanana\n" | sort > a.txt
printf "banana\norange\n" | sort > b.txt
comm a.txt b.txt
apple
                banana
        orange
```

fold:

```
srivatsan@MSI:~$ cat sample.txt | fold -w 50
ddsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdfsfad
sfadsfasd
ddsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdfsfad
sfadsfasd
ddsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdfsfad
sfadsfasd
ddsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdfsfad
sfadsfasd
ddsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdfsfad
sfadsfasd
ddsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdfsfad
sfadsfasd
ddsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdfsfad
sfadsfasd
ddsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdfsfad
sfadsfasd
ddsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdfsfad
sfadsfasd
ddsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdfsfad
sfadsfasd
ddsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdfsfad
sfadsfasd
ppdsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdff
ppdsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdff
ppdsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdff
ppdsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdff
ppdsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdff
ppdsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdff
ppdsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdff
ppdsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdff
ppdsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdff
ppdsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdff
srivatsan@MSI:~$
```

nl:

```
srivatsan@MSI:~$ nl sample.txt
     1  ddsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdfsfadsfadsfasd
     2  ddsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdfsfadsfadsfasd
     3  ddsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdfsfadsfadsfasd
     4  ddsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdfsfadsfadsfasd
     5  ddsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdfsfadsfadsfasd
     6  ddsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdfsfadsfadsfasd
     7  ddsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdfsfadsfadsfasd
     8  ddsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdfsfadsfadsfasd
     9  ddsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdfsfadsfadsfasd
    10  ddsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdfsfadsfadsfasd
    11  ddsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdfsfadsfadsfasd
    12  ppdsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdff
    13  ppdsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdff
    14  ppdsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdff
    15  ppdsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdff
    16  ppdsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdff
    17  ppdsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdff
    18  ppdsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdff
    19  ppdsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdff
    20  ppdsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdff
    21  ppdsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdff
    22  ppdsfadsfadsfasdfdsfadsfadsfasdfdsfadsfadsfasdff
srivatsan@MSI:~$
```

xargs:

```
srivatsan@MSI:~$ printf 'a.txt\nb.txt\n' | xargs ls -l
-rw-r--r-- 1 srivatsan srivatsan 13 Oct 25 05:57 a.txt
-rw-r--r-- 1 srivatsan srivatsan 14 Oct 25 05:57 b.txt
srivatsan@MSI:~$
```

env:

```
srivatsan@MSI:~$ env APP_ENV=testing sh -c 'echo "$APP_ENV"'
testing
```

printenv:

```
srivatsan@MSI:~$ printenv HOME
/home/srivatsan
```

type:

```
srivatsan@MSI:~$ type python3
python3 is /usr/bin/python3
srivatsan@MSI:~$ type cd
cd is a shell builtin
srivatsan@MSI:~$ type bash
bash is /usr/bin/bash
srivatsan@MSI:~$ type ls
ls is aliased to `ls --color=auto'
srivatsan@MSI:~$
```

command:

```
srivatsan@MSI:~$ command -v bash
/usr/bin/bash
srivatsan@MSI:~$ command -v vim
/usr/bin/vim
srivatsan@MSI:~$
```

umask:

```
srivatsan@MSI:~$ umask
umask 027
touch private.txt
ls -l private.txt
0022
-rw-r----- 1 srivatsan srivatsan 0 Oct 25 06:03 private.txt
srivatsan@MSI:~$
```

seq:

```
srivatsan@MSI:~$ seq 1 10
seq 10 2 20
1
2
3
4
5
6
7
8
9
10
10
12
14
16
18
20
srivatsan@MSI:~$
```