Apropos:

```
srivatsan@MSI:~/linux-practice$ apropos copy
cp (1)               - copy files and directories
dd (1)               - Copy, and optionally convert, a file system resource
debconf-copydb (1)   - copy a debconf database
git-checkout-index (1) - Copy files from the index to the working tree
gnucp (1)            - copy files and directories
gnudd (1)            - convert and copy a file
gnuinstall (1)       - copy files and set attributes
install (1)          - Copy SOURCE to DEST or multiple SOURCE(s) to the existing DIRECTORY, while setting permission modes and owner/group
objcopy (1)          - copy and translate object files
rsync (1)            - a fast, versatile, remote (and local) file-copying tool
rust-cp (1)          - Copy SOURCE to DEST, or multiple SOURCE(s) to DIRECTORY.
rust-dd (1)          - Copy, and optionally convert, a file system resource
rust-install (1)     - Copy SOURCE to DEST or multiple SOURCE(s) to the existing DIRECTORY, while setting permission modes and owner/group
rust-tee (1)         - Copy standard input to each FILE, and also to standard output.
scp (1)              - OpenSSH secure file copy
ssh-copy-id (1)      - use locally available keys to authorise logins on a remote machine
string_copying (7)   - copying strings and character sequences
tee (1)              - Copy standard input to each FILE, and also to standard output.
x86_64-linux-gnu-objcopy (1) - copy and translate object files
srivatsan@MSI:~/linux-practice$ apropos vim
apparmor.vim (5)     - vim syntax highlighting file for AppArmor profiles
rvim (1)             - Vi IMproved, a programmer's text editor
vim (1)              - Vi IMproved, a programmer's text editor
vimdiff (1)          - edit between two and eight versions of a file with Vim and show differences
vimtutor (1)         - the Vim tutor
srivatsan@MSI:~/linux-practice$ apropos bash
bash (1)             - GNU Bourne-Again SHell
bash-builtins (7)    - bash built-in commands, see bash(1)
bashbug (1)          - report a bug in bash
builtins (7)         - bash built-in commands, see bash(1)
dh_bash-completion (1) - install bash completions for package
rbash (1)            - restricted bash, see bash(1)
ubuntu-insights_completion_bash (1) - Generate the autocompletion script for bash
srivatsan@MSI:~/linux-practice$
```

chattr:

```
srivatsan@MSI:~/linux-practice$ ls
departments-2.txt  departments.txt  employees.txt  protected.txt  report.txt
srivatsan@MSI:~/linux-practice$ ls -l
total 16
-rw-r--r-- 1 srivatsan srivatsan  38 Nov  4 11:57 departments-2.txt
-rw-r--r-- 1 srivatsan srivatsan  30 Nov  4 11:57 departments.txt
-rw-r--r-- 1 srivatsan srivatsan  78 Nov  4 11:57 employees.txt
-rw-r--r-- 1 srivatsan srivatsan   0 Nov  4 11:59 protected.txt
-rw-r--r-- 1 srivatsan srivatsan 209 Nov  4 11:57 report.txt
srivatsan@MSI:~/linux-practice$ lsattr protected.txt
----i---------e------- protected.txt
srivatsan@MSI:~/linux-practice$ sudo chattr -i protected.txt
srivatsan@MSI:~/linux-practice$ lsattr protected.txt
--------------e------- protected.txt
srivatsan@MSI:~/linux-practice$
```

cksum:

```
srivatsan@MSI:~/linux-practice$ cksum employees.txt
241473777 78 employees.txt
srivatsan@MSI:~/linux-practice$ cksum employees.txt departments.txt
241473777 78 employees.txt
4200715999 30 departments.txt
```

comm:

```
srivatsan@MSI:~/linux-practice$ comm departments.txt departments-2.txt
comm: file 1 is not in sorted order
                Finance
HR
        IT
                Marketing
        Operations
                Sales
IT
comm: input is not in sorted order
srivatsan@MSI:~/linux-practice$ comm -12 departments.txt departments-2.txt
comm: file 1 is not in sorted order
Finance
Marketing
Sales
comm: input is not in sorted order
srivatsan@MSI:~/linux-practice$ comm -23 departments.txt departments-2.txt
comm: file 1 is not in sorted order
HR
IT
comm: input is not in sorted order
srivatsan@MSI:~/linux-practice$
```

csplit:

```
srivatsan@MSI:~/linux-practice$ csplit report.txt '/We will use/' '{*}'
95
114
srivatsan@MSI:~/linux-practice$ ls -lh xx*
-rw-r--r-- 1 srivatsan srivatsan  95 Nov  4 12:03 xx00
-rw-r--r-- 1 srivatsan srivatsan 114 Nov  4 12:03 xx01
srivatsan@MSI:~/linux-practice$
```

fold:

```
srivatsan@MSI:~/linux-practice$ fold -w 30 report.txt
Linux Command Practice
This is a sample report create
d to understand different Linu
x commands.
We will use this file to pract
ice splitting, numbering and f
ormatting text.
Each command has a different p
urpose.
srivatsan@MSI:~/linux-practice$ fold -w 30 report.txt > wrapped.txt
srivatsan@MSI:~/linux-practice$ cat wrapped.txt
Linux Command Practice
This is a sample report create
d to understand different Linu
x commands.
We will use this file to pract
ice splitting, numbering and f
ormatting text.
Each command has a different p
urpose.
srivatsan@MSI:~/linux-practice$ cat report.txt
Linux Command Practice
This is a sample report created to understand different Linux commands.
We will use this file to practice splitting, numbering and formatting text.
Each command has a different purpose.
srivatsan@MSI:~/linux-practice$
```

getfacl:

```
srivatsan@MSI:~/linux-practice$ getfacl employees.txt
# file: employees.txt
# owner: srivatsan
# group: srivatsan
user::rw-
group::r--
other::r--

srivatsan@MSI:~/linux-practice$ getfacl ~/linux-practice
getfacl: Removing leading '/' from absolute path names
# file: home/srivatsan/linux-practice
# owner: srivatsan
# group: srivatsan
user::rwx
group::r-x
other::r-x

srivatsan@MSI:~/linux-practice$
```

mktemp:

```
srivatsan@MSI:~/linux-practice$ mktemp
/tmp/tmp.RvzKgoQuVm
srivatsan@MSI:~/linux-practice$ mktemp -d
/tmp/tmp.Ofqor3n7P8
srivatsan@MSI:~/linux-practice$ mktemp practice_XXXXXX.txt
practice_PDTn0o.txt
srivatsan@MSI:~/linux-practice$
```

nl:

```
srivatsan@MSI:~/linux-practice$ nl report.txt
     1  Linux Command Practice
     2  This is a sample report created to understand different Linux commands.
     3  We will use this file to practice splitting, numbering and formatting text.
     4  Each command has a different purpose.
srivatsan@MSI:~/linux-practice$ nl -ba employees.txt
     1  Alice HR 25000
     2  Bob IT 35000
     3  Charlie Finance 30000
     4  David HR 28000
     5  Eva IT 40000
srivatsan@MSI:~/linux-practice$
```

iconv:

```
srivatsan@MSI:~/linux-practice$ file names.txt
names.txt: ASCII text
srivatsan@MSI:~/linux-practice$ iconv -f UTF-8 -t ASCII names.txt -o names_ascii.txt
srivatsan@MSI:~/linux-practice$ iconv -f UTF-8 -t UTF-16 names.txt -o names_utf16.txt
srivatsan@MSI:~/linux-practice$ file names_utf16.txt
names_utf16.txt: Unicode text, UTF-16, little-endian text
srivatsan@MSI:~/linux-practice$
```