

# Rajalakshmi Engineering College

Name: Srivin Kumar  
Email: 240701535@rajalakshmi.edu.in  
Roll no: 240701535  
Phone: 8122519442  
Branch: REC  
Department: CSE - Section 3  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 4\_Q3

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : Coding

##### 1. Problem Statement

Bechan Chacha is seeking help to filter out valid mobile numbers from a list provided by his crush. He can only pick his crush's number if the list contains valid mobile numbers.

A mobile number is considered valid if:

It has exactly 10 digits. It consists only of numeric values (0–9). It does not begin with zero.

Your task is to determine whether each mobile number in the list is valid or not.

##### ***Input Format***

The first line contains an integer T, representing the number of mobile numbers

to check.

The next T lines each contain a string S, representing a mobile number.

### **Output Format**

For each mobile number S, the output print "YES" if it is valid.

Otherwise, print "NO".

Refer to the sample output for formatting specifications.

### **Sample Test Case**

Input: 1  
9876543210

Output: YES

### **Answer**

```
import java.util.Scanner;
class MobileNumberValidator {
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);
        int T = Integer.parseInt(scanner.nextLine());
        for (int i = 0; i < T; i++) {
            String mobile = scanner.nextLine();
            if (isValidMobile(mobile)) {
                System.out.println("YES");
            } else {
                System.out.println("NO");
            }
        }
        scanner.close();
    }

    private static boolean isValidMobile(String s) {
        if (s.length() != 10) return false;
        if (!s.matches("[1-9][0-9]{9}")) return false;
        return true;
    }
}
```

}

**Status :** Correct

**Marks : 10/10**