```
In [1]: #Experiment no.12
In [3]: #Aim :To perform and analysis of Random Forest
In [4]: #Name:Srushti Bawane
#Roll no.:5
#sec:B
#sub:ET 1
#date:21-07-2025
```

Importing the Libraries

```
In [5]: import pandas as pd
import numpy as np
```

Data acquisitionuing Pandas

```
In [6]:
         import os
 In [7]: os.getcwd()
Out[7]: 'C:\\Users\\RH'
 In [8]: os.chdir('C:\\Users\\RH\\Downloads')
 In [9]: data=pd.read_csv("heart - heart.csv")
In [10]: data.head()
Out[10]:
             age sex cp trestbps chol fbs restecg thalach exang oldpeak slope ca thal to
                                                                                             3
              52
                    1
                        0
                               125
                                    212
                                           0
                                                    1
                                                          168
                                                                    0
                                                                            1.0
                                                                                    2
                                                                                       2
              53
                               140
                                    203
                                                    0
                                                          155
                                                                            3.1
                                                    1
                                                                    1
              70
                    1
                        0
                               145
                                    174
                                           0
                                                          125
                                                                           2.6
                                                                                    0
                                                                                       0
                                                                                             3
              61
                               148
                                     203
                                                          161
                                                                    0
                                                                           0.0
                                                                                             3
              62
                    0
                        0
                               138
                                    294
                                           1
                                                    1
                                                          106
                                                                    0
                                                                            1.9
                                                                                    1
                                                                                       3
                                                                                             2
In [11]: data.tail()
```

Out[11]:		age	sex	ср	trestbps	chol	fbs	restecg	thalach	exang	oldpeak	slope	ca	tha
	1020	59	1	1	140	221	0	1	164	1	0.0	2	0	2
	1021	60	1	0	125	258	0	0	141	1	2.8	1	1	3
	1022	47	1	0	110	275	0	0	118	1	1.0	1	1	2
	1023	50	0	0	110	254	0	0	159	0	0.0	2	0	2
	1024	54	1	0	120	188	0	1	113	0	1.4	1	1	3
	4													•

In [12]: data.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 1025 entries, 0 to 1024
Data columns (total 14 columns):

- 0. 00.	00-0			, -			
#	Column	Non-N	Null Count	Dtype			
0	age	1025	non-null	int64			
1	sex	1025	non-null	int64			
2	ср	1025	non-null	int64			
3	trestbps	1025	non-null	int64			
4	chol	1025	non-null	int64			
5	fbs	1025	non-null	int64			
6	restecg	1025	non-null	int64			
7	thalach	1025	non-null	int64			
8	exang	1025	non-null	int64			
9	oldpeak	1025	non-null	float64			
10	slope	1025	non-null	int64			
11	ca	1025	non-null	int64			
12	thal	1025	non-null	int64			
13	target	1025	non-null	int64			
1.0	C1 16	4/4\	:-+(1/12)				

dtypes: float64(1), int64(13)

memory usage: 112.2 KB

In [13]: data.describe()

Out	[13]:
-----	-----	----

	age	sex	ср	trestbps	chol	fbs	r
count	1025.000000	1025.000000	1025.000000	1025.000000	1025.00000	1025.000000	1025.0
mean	54.434146	0.695610	0.942439	131.611707	246.00000	0.149268	0.5
std	9.072290	0.460373	1.029641	17.516718	51.59251	0.356527	0.5
min	29.000000	0.000000	0.000000	94.000000	126.00000	0.000000	0.0
25%	48.000000	0.000000	0.000000	120.000000	211.00000	0.000000	0.0
50%	56.000000	1.000000	1.000000	130.000000	240.00000	0.000000	1.0
75%	61.000000	1.000000	2.000000	140.000000	275.00000	0.000000	1.0
max	77.000000	1.000000	3.000000	200.000000	564.00000	1.000000	2.0
max	77.000000	1.000000	3.000000	200.000000	564.00000	1.000000	2.0

```
In [14]: data.shape
Out[14]: (1025, 14)
In [15]: data.size
Out[15]: 14350
In [16]: data.ndim
Out[16]: 2
```

Data preprocessing _ data cleaning _ missing value treatment

In [17]: # check Missing Value by record data.isna() Out[17]: cp trestbps chol fbs restecg thalach exang oldpeak slope age sex **0** False Fa **1** False Fa **2** False Fa 3 False Fa 4 False Fa 1020 False Fa **1021** False Fa 1022 False Fa 1023 False Fa 1024 False Fa 1025 rows × 14 columns In [18]: data.isna().any()

```
Out[18]: age
                    False
                    False
         sex
                   False
         ср
         trestbps False
         chol
                  False
         fbs
                   False
         restecg
                  False
         thalach
                  False
         exang
                   False
         oldpeak
                  False
         slope
                   False
         ca
                   False
                    False
         thal
         target
                    False
         dtype: bool
In [19]: data.isna().sum()
Out[19]: age
                    0
         sex
         ср
         trestbps
         chol
         fbs
         restecg
         thalach
         exang
         oldpeak
         slope
         ca
         thal
         target
         dtype: int64
```

Independent and Dependent Variables

```
In [21]: x=data.drop("target", axis=1)
    y=data["target"]
```

Splitting of DataSet into train and Test

```
In [23]: #splitting the data into training and testing data sets
    from sklearn.model_selection import train_test_split
    x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.2 ,random_state=42)
```

Random Forest Classifier