Cucumber Report

Start : Oct 22, 4:29:49.494 pm

End : Oct 22, 4:29:59.059 pm

Duration : 9.565 s

Features	Scenarios	Steps
PASSED - 0	PASSED - 0	PASSED - 9
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 15

1

1

25

0 %

0 %

36 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Disputes module	*9.565 s*	*1*	*0*	*1*	*0*	*25*	*9*	*1*	*15*

#	Feature Name	Scenario Name
1	*Disputes module*	*login to the application*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@smoketesting	1	0	1	0	1	0	1	0
@smoktesting	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Disputes module*	1	0	1	0	9.565 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Disputes module	login to the application	25	9	1	15	9.562 s

Disputes module

FAILED	DURATION - 9.565 s		Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 25 Pass - 9 Fail - 1 Skip - 15	
/ 4:29:49.494 pm // 4:29:59.059 pm /						

login to the application

FAILED	DURATION - 9.562 s			Steps Total - 25 Pass - 9 Fail - 1 Skip - 15	
/ 4:29:49.497 pm // 4:29:59.059 pm /					
Disputes module					
@smoketesting @smoktesting					

#	Step / Hook Details	Status	Duration
1	Given user should enter the valid user name	PASSED	0.146 s
2	When user can enter the valid password	PASSED	0.065 s
3	And click on the login button	PASSED	0.072 s
4	And if it is then click yes button	PASSED	0.364 s
5	And user logged into the application successfully	PASSED	0.000 s
6	And user can click on receivables module icon	PASSED	0.942 s
7	And user can navigate to the accounts screen	PASSED	0.261 s
8	And user can check the all customers check box	PASSED	0.612 s
9	And user can click on total due pushbutton	PASSED	0.127 s
10	And user can drill down on customer number	FAILED	0.133 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression (//div[contains(@id, 'receivable-react-table-id')]//table//tbody/tr[1]/td[3]/div because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '(//div[contains(@id, 'receivable-react-table-id')]//table//tbody/tr[1]/td[3]/div' is not a valid XPath expression. (Session info: chrome=141.0.7390.107) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		

#	Step / Hook Details	Status	Duration

	[75eb6e7cc612d96435f60532c6332c30, findElement {using=xpath, value=(//div[contains(@id, 'receivable-react-table-id')]//table//tbody/ tr[1]/td[3]/div}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.107, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Users\sruthi\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49619}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49619/devtoo..., se:cdpVersion: 141.0.7390.107, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75eb6e7cc612d96435f60532c6332c30
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy22.isDisplayed(Unknown Source)
	  at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)
	  at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)
	  at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:287)
	  at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656)
	  at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:652)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)
	  at pages.DisputesPageLogin.drilldownTransaction(DisputesPageLogin.java:156)
	  at stepDefination.DisputeloginPage.user_can_drill_down_on_customer_number(DisputeloginPage.java:68)
	  at ?.user can drill down on customer number(file:///C:/Users/sruthi/Downloads/Disputes/Disputes/./src/test/resources/Features/Disputelogin. feature:14)
	* Not displayable characters are replaced by '?'.		

11	And user can navigate to transcation screen successfully	SKIPPED	0.000 s
12	And user can select dispute amount	SKIPPED	0.001 s
13	And user can click on dispute moduleicon	SKIPPED	0.000 s
14	And user can navigate to the disputes	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
15	And user can drilldown on the disputenumber	SKIPPED	0.000 s
16	And user should navigate to the dispute details screen successfully	SKIPPED	0.000 s
17	And user can click on selftransfer action	SKIPPED	0.000 s
18	And user sucessfully selftransfer the dispute	SKIPPED	0.001 s
19	And user can click on dispute stage dropdown	SKIPPED	0.000 s
20	And user can select the disputewip successfully	SKIPPED	0.000 s
21	And user can drilldown on disputeitem number	SKIPPED	0.000 s
22	And user can navigate to disputeitem details screen	SKIPPED	0.000 s
23	And user can click on select action dropdown	SKIPPED	0.000 s
24	And user can select the approved successfully	SKIPPED	0.001 s
25	Then user can click on cancel button	SKIPPED	0.000 s
	AFTER - applicationHooks.ApplicationHook.tearDown(io.cucumber.java.Scenario) login_to_the_application 	PASSED	0.144 s