







Router0

Physical Config CLI Attributes

**GLOBAL**

- Settings
- Algorithm Settings

**ROUTING**

- Static
- RIP

**INTERFACE**

- FastEthernet0/0
- FastEthernet1/0
- Serial2/0**
- Serial3/0
- FastEthernet4/0
- FastEthernet5/0

**Serial2/0**

Port Status ☒ On

Duplex ☒ Full Duplex

Clock Rate 64000

IP Configuration

IPv4 Address	192.168.12.1
Subnet Mask	255.255.255.0

Tx Ring Limit 10

Equivalent IOS Commands

```
Router(config-router)#
Router(config-router)#end
Router#configure terminal
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#interface FastEthernet0/0
Router(config-if)#
Router(config-if)#exit
Router(config)#interface Serial2/0
Router(config-if)#
```

☐ Top

Router0

Physical Config CLI Attributes

**GLOBAL**

Settings

Algorithm Settings

**ROUTING**

Static

RIP

**INTERFACE**

FastEthernet0/0

FastEthernet1/0

Serial2/0

Serial3/0

FastEthernet4/0

FastEthernet5/0

**FastEthernet0/0**

Port Status ☒ On

Bandwidth ☐ 100 Mbps ☐ 10 Mbps ☒ Auto

Duplex ☐ Half Duplex ☒ Full Duplex ☒ Auto

MAC Address 0001 9739 3514

IP Configuration

IPv4 Address 192.168.10.1

Subnet Mask 255.255.255.0

Tx Ring Limit 10

Equivalent IOS Commands

```
Router(config-router)#
^SYS-5-CONFIG_I: Configured from console by console

Router(config-router)#
Router(config-router)#end
Router#configure terminal
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#interface FastEthernet0/0
Router(config-if)#
```

☐ Top