

[SHIELD] IGNISYL - User Activity Report

Report Generated:	2025-12-26 08:33:45
Report Type:	User Activity Analysis
Classification:	CONFIDENTIAL
Period:	Last 30 Days

Executive Summary

This report analyzes user activity patterns across the organization. Over the reporting period, 100 activities were recorded from 6 users, with 23 high-risk activities requiring attention. The following sections provide detailed breakdowns of activity types, user behavior patterns, and risk distributions.

1. Activity Type Breakdown

Activity Type	Count	Percentage
After Hours Access	11	11.0%
File Download	9	9.0%
File Upload	9	9.0%
Privileged Action	8	8.0%
Usb Access	8	8.0%
Email Received	8	8.0%
File Access	7	7.0%
Honeypot Access	6	6.0%
Logout	6	6.0%
Email Sent	6	6.0%

2. Hourly Activity Distribution

Hour	Activities	Visual Distribution
00:00-02:59	14	
03:00-05:59	11	
06:00-08:59	12	
09:00-11:59	14	
12:00-14:59	12	
15:00-17:59	7	
18:00-20:59	14	
21:00-23:59	16	

3. Department Activity Analysis

Department	Total Activities	High Risk	Avg Risk Score
Operations	23	11	56.6
Engineering	18	4	33.4
Security	15	1	33.3
HR	15	4	36.7
Finance	15	2	37.5
Unknown	14	1	31.6

4. User Risk Score Distribution

Risk Range	User Count	Percentage
0-20 (Low)	5	83.3%
21-40 (Moderate)	1	16.7%
41-60 (Elevated)	0	0.0%
61-80 (High)	0	0.0%
81-100 (Critical)	0	0.0%

5. Detected Behavioral Anomalies

Anomaly Type	Occurrences	Severity
Off-hours access attempts	23	High

Unusual data volume transfers	20	High
Access from new locations	17	High
Privilege escalation attempts	11	High
Rapid successive login failures	8	Medium

6. Recommendations

- Monitor users with risk scores above 60 more closely with enhanced logging.
- Schedule security awareness training for departments with high-risk activity counts.
- Implement time-based access controls for sensitive systems during off-hours.
- Review and update access privileges for users showing anomalous behavior patterns.
- Consider implementing multi-factor authentication for high-risk user groups.
- Establish baseline behavioral profiles for each department to improve anomaly detection.