


# Task-7

D Sai Sruthik Reddy



# Level - 0

```
File Actions Edit View Help
(sruthikreddy@10)-[~/Desktop]
$ ssh bandit0@bandit.labs.overthewire.org -p 2220
This is a OverTheWire game server. More information on http://www.overthewire.org/wargames

bandit0@bandit.labs.overthewire.org's password:
Linux bandit.otw.local 5.4.8 x86_64 GNU/Linux

Bandit: Level 0 → Level 1

The password for the next level is stored in a file called readme located in the home
directory. Use the password to log into bandit1 using SSH. Whenever you find a password
for a level, use it (port 2220) to log into that level and continue the game.

Level 2 → Level 3

Welcome to OverTheWire!

If you find any problems, please report them to Steven or morla on
irc.overthewire.org.
```

```
Level 19 → Level 20
bandit0@bandit:~$ ls
readme
Level 20 → Level 21
bandit0@bandit:~$ cat readme
boJ9jbbUNNfktd780OpsqOltutMc3MY1
bandit0@bandit:~$
```

Password : boJ9jbbUNNfktd780OpsqOltutMc3MY1

# Level-1

```
(sruthikreddy@10)-[~/Desktop]
$ ssh bandit1@bandit.labs.overthewire.org -p 2220
This is a OverTheWire game server. More information on http://www.overthewire.org/wargames
bandit1@bandit.labs.overthewire.org's password:
Linux bandit.otw.local 5.4.8 x86_64 GNU/Linux
```

Level 1 → Level 2  
Level 2 → Level 3  
Level 3 → Level 4  
Level 4 → Level 5  
Level 5 → Level 6  
Level 6 → Level 7  
Level 7 → Level 8  
Level 8 → Level 9  
Level 9 → Level 10  
Level 10 → Level 11  
Level 11 → Level 12  
Level 12 → Level 13  
Level 13 → Level 14

Welcome to OverTheWire!

If you find any problems, please report them to Steven or morla on  
irc.overthewire.org.

```
OverTheWire: Level Goal
File Actions Edit View Help
bandit1@bandit:~$ ls -al
total 24
-rw-r--r-- 1 bandit2 bandit1 33 May 7 2020 -
drwxr-xr-x 2 root root 4096 May 7 2020 .
drwxr-xr-x 41 root root 4096 May 7 2020 ..
-rw-r--r-- 1 root root 220 May 15 2017 .bash_logout
-rw-r--r-- 1 root root 3526 May 15 2017 .bashrc
-rw-r--r-- 1 root root 675 May 15 2017 .profile
bandit1@bandit:~$ cat ./-
CV1DtqXWVFXTvM2F0k09SHz0YwRINYA9
bandit1@bandit:~$
```

Password: CV1DtqXWVFXTvM2F0k09SHz0YwRINYA9

## Level -2

```
(sruthikreddy@10)-[~/Desktop]
$ ssh bandit2@bandit.labs.overthewire.org -p 2220
This is a OverTheWire game server. More information on http://www.overthewire.org/wargames
```

```
bandit2@bandit.labs.overthewire.org's password:
Linux bandit.otw.local 5.4.8 x86_64 GNU/Linux
```

```
Level 12 → Level 13
Level 3 → Level 4
Level 4 → Level 5
Level 5 → Level 6
Level 6 → Level 7
Level 7 → Level 8
Level 8 → Level 9
Level 9 → Level 10
Level 10 → Level 11
Level 11 → Level 12
Level 13 → Level 14
```

Welcome to OverTheWire!

If you find any problems, please report them to Steven or morla on  
irc.overthewire.org.

```
OverTheWire: Level Goal
File Actions Edit View Help
bandit2@bandit:~$ ls -al
total 24
drwxr-xr-x  2 root    root    4096 May  7  2020 .
drwxr-xr-x 41 root    root    4096 May  7  2020 ..
-rw-r--r--  1 root    root     220 May 15  2017 .bash_logout
-rw-r--r--  1 root    root   3526 May 15  2017 .bashrc
-rw-r--r--  1 root    root    675 May 15  2017 .profile
-rw-r-----  1 bandit3 bandit2  33 May  7  2020 spaces in this filename
bandit2@bandit:~$ cat spaces\ in\ this\ filename
UmHadQclWmgdLOKQ3YNggjWxGoRMb5luK
bandit2@bandit:~$
```

**Password:UmHadQclWmgdLOKQ3YNggjWxGoRMb5luK**

## LEVEL-3

```
(sruthikreddy@10)-[~/Desktop]
```

```
$ ssh bandit3@bandit.labs.overthewire.org -p 2220
```

This is a OverTheWire game server. More information on <http://www.overthewire.org/wargames>

bandit3@bandit.labs.overthewire.org's password:

Linux bandit.otw.local 5.4.8 x86\_64 GNU/Linux

```
bandit3@bandit:~$ ls -la
.  ..  .bash_logout  .bashrc  inhere  .profile
bandit3@bandit:~$ cd inhere
bandit3@bandit:~/inhere$ ls -la
.  ..  .hidden
bandit3@bandit:~/inhere$ cat .hidden
pIwrPrtPN36QITSp3EQaw936yaFoFgAB
bandit3@bandit:~/inhere$
```

Password: plwrPrtPN36QITSp3EQaw936yaFoFgAB



## LEVEL 4

```
(sruthikreddy@10)-[~/Desktop]
$ ssh bandit4@bandit.labs.overthewire.org -p 2220
This is a OverTheWire game server. More information on http://www.overthewire.org/wargames

bandit4@bandit.labs.overthewire.org's password:
Linux bandit.otw.local 5.4.8 x86_64 GNU/Linux
```

```
bandit4@bandit:~/inhere$ ls -a
.  ..  -file00  -file01  -file02  -file03  -file04  -file05  -file06  -file07  -file08  -file09
bandit4@bandit:~/inhere$ cat ./-file07
koReBOKuIDDepwhWk7jZC0RTdopnAYKh
bandit4@bandit:~/inhere$
```

PASSWORD: koReBOKuIDDepwhWk7jZC0RTdopnAYKh

# Level-5

```
(sruthikreddy@10)-[~/Desktop]
$ ssh bandit5@bandit.labs.overthewire.org -p 2220
This is a OverTheWire game server. More information on http://www.overthewire.org/wargames

bandit5@bandit.labs.overthewire.org's password:
Linux bandit.otw.local 5.4.8 x86_64 GNU/Linux
```

```
OverTheWire: Level 5 Goal [x] + bandit5@bandit: ~/inhere
File Actions Edit View Help
overthewire.org/wargames/bandit/bandit5.html
bandit5@bandit:~/inhere$ ls -a
. maybehere00 maybehere02 maybehere04 maybehere06 maybehere08 maybehere10 maybehere12 maybehere14 maybehere16 maybehere18
.. maybehere01 maybehere03 maybehere05 maybehere07 maybehere09 maybehere11 maybehere13 maybehere15 maybehere17 maybehere19
bandit5@bandit:~/inhere$ find . -type f -size 1033c
./maybehere07/.file2
bandit5@bandit:~/inhere$ open ./maybehere07/.file2
Couldn't get a file descriptor referring to the console
bandit5@bandit:~/inhere$
bandit5@bandit:~/inhere$ cat ./maybehere07/.file2
DXjZPULLxYr17uwoI01bNLQbtFemEgo7
```

Password: DXjZPULLxYr17uwoI01bNLQbtFemEgo7

# LEVEL-6


```
bandit6@bandit:~$ find / -type f -user bandit7 -group bandit6 -size 33c
find: '/root': Permission denied
find: '/home/bandit28-git': Permission denied
find: '/home/bandit30-git': Permission denied
find: '/home/bandit5/inhere': Permission denied
find: '/home/bandit27-git': Permission denied
find: '/home/bandit29-git': Permission denied
find: '/home/bandit31-git': Permission denied
find: '/lost+found': Permission denied
find: '/etc/ssl/private': Permission denied
find: '/etc/polkit-1/localauthority': Permission denied
find: '/etc/lvm/archive': Permission denied
find: '/etc/lvm/backup': Permission denied
find: '/sys/fs/pstore': Permission denied
find: '/proc/tty/driver': Permission denied
find: '/proc/932/task/932/fdinfo/6': No such file or directory
find: '/proc/932/fdinfo/5': No such file or directory
find: '/cgroup2/csessions': Permission denied
find: '/boot/lost+found': Permission denied
find: '/tmp': Permission denied
find: '/run/lvm': Permission denied
find: '/run/screen/S-bandit1': Permission denied
find: '/run/screen/S-bandit10': Permission denied
find: '/run/screen/S-bandit29': Permission denied
find: '/run/screen/S-bandit25': Permission denied
find: '/run/screen/S-bandit30': Permission denied
find: '/run/screen/S-bandit9': Permission denied
find: '/run/screen/S-bandit28': Permission denied
find: '/run/screen/S-bandit18': Permission denied
find: '/run/screen/S-bandit20': Permission denied
find: '/run/screen/S-bandit12': Permission denied
find: '/run/screen/S-bandit5': Permission denied
find: '/run/screen/S-bandit7': Permission denied
find: '/run/screen/S-bandit16': Permission denied
find: '/run/screen/S-bandit26': Permission denied
find: '/run/screen/S-bandit8': Permission denied
find: '/run/screen/S-bandit15': Permission denied
find: '/run/screen/S-bandit4': Permission denied
find: '/run/screen/S-bandit3': Permission denied
find: '/run/screen/S-bandit19': Permission denied
find: '/run/screen/S-bandit31': Permission denied
find: '/run/screen/S-bandit17': Permission denied
find: '/run/screen/S-bandit2': Permission denied
find: '/run/screen/S-bandit22': Permission denied
find: '/run/screen/S-bandit21': Permission denied
find: '/run/screen/S-bandit14': Permission denied
find: '/run/screen/S-bandit13': Permission denied
find: '/run/screen/S-bandit24': Permission denied
find: '/run/screen/S-bandit23': Permission denied
find: '/run/shm': Permission denied
find: '/run/lock/lvm': Permission denied
find: '/var/spool/bandit24': Permission denied
```

```
find: '/run/screen/S-bandit13': Permission denied
find: '/run/screen/S-bandit24': Permission denied
find: '/run/screen/S-bandit23': Permission denied
find: '/run/shm': Permission denied
find: '/run/lock/lvm': Permission denied
find: '/var/spool/bandit24': Permission denied
find: '/var/spool/cron/crontabs': Permission denied
find: '/var/spool/rsyslog': Permission denied
find: '/var/tmp': Permission denied
find: '/var/lib/apt/lists/partial': Permission denied
find: '/var/lib/polkit-1': Permission denied
/var/lib/dpkg/info/bandit7.password
find: '/var/log': Permission denied
find: '/var/cache/apt/archives/partial': Permission denied
find: '/var/cache/ldconfig': Permission denied
bandit6@bandit:~$ cat /var/lib/dpkg/info/bandit7.password
HKBPTKQnIay4Fw76bEy8PVxKEDQRKTzs
bandit6@bandit:~$
```

Password: HKBPTKQnIay4Fw76bEy8PVxKEDQRKTzs



# LEVEL 7



```
OverTheWire: Level Goal
File Actions Edit View Help
bandit7@bandit:~$ ls -a
. .. .bash_logout .bashrc data.txt .profile
bandit7@bandit:~$ cat data.txt | grep "millionth"
millionth cvX2JJJa4CFALtqS87jk27qwqGhBM9pLV
bandit7@bandit:~$
```

The terminal window shows the user 'bandit7' at the 'bandit' host. They run 'ls -a' to list files, including 'data.txt'. Then they run 'cat data.txt | grep "millionth"', which outputs the password 'cvX2JJJa4CFALtqS87jk27qwqGhBM9pLV'.

PASSWORD: cvX2JJJa4CFALtqS87jk27qwqGhBM9pLV

## LEVEL 8

```
bandit8@bandit:~$ sort data.txt | uniq -c
10 07KC3ukwX7kswl8Le9ebb3H3s0oNTsR2
10 0efnqHY1ZTNRu4LsDX4D73DsXIq7RuJ
10 0N65ZPpNGkUJePzFxcCRZRXVrCbUGfm
10 0Xo6DLyK5izRqEtBA7sW2SRmlAixWYSg
10 10XitczY5Dz7UMoseKIEFWszzwQrylfw
10 1ETSSkgjfQj1cJeFzXLJWzKzza3iWcJa
10 1T6qw9I32d71cS3TTvwmVp1WsxPFDJ9I
10 2bFz9F0yRwxGzVCZ4Er04bk00qfUrzWb
10 2CxmtCkpNL5ZjuoNzAtShkPXf5T43W7s
10 337o85y40ymIh99WPUtotkb114evfAkC
10 33xpPQhjt4Q2mqtx4sCVRwH2Zyh82E8R
10 4SMqyZZstep75cte6xxKpVL49pKUKv8N
10 5AdqWjoJ0Edx5tJmZVBM00K2e4arD3ZW
10 5c08XuoQWrzsyOwdht8zgUIVWSRDaec
10 6PF22p608TphCTot9ApZx8VfGuo8rd5
10 7KaMzgnYMUeMIS9vuT3Dvsc06qfqa9u
10 7uhj3nhe4AS0esnEZHBAZN67fJ8BFjM
10 8jtZmvqp9PTi8tp1oybBM663NQh3fhII
10 8NtHZNWzCA8HswoJSCU70jg8nP3eKpsA
10 aR2QhaBoDMncvJqPWkvLXMzEx9meBIbX
10 BccauS9LeE8NUz4HVLXUwE8M1LwisPLG
10 bRnktWnDxFy2RPZIshXJikswEzJGvJ9
10 cIPbot7oYveUPNxDMhv1hiri50CqpkTG
10 cR6riSWC0ST7ALZ2i1e47r3gc0QxShGo
10 CUqLkjIo0Jz9fNgrjPxiPa7PGGC1wpTQ
10 dGnfd2LoqTi01MBf2vmqw1KKEWSHfMKJ
10 dqd5wTV01cVPJoEY7GGkCdGxG6ZYqW98
10 dqnvnNxL4QR3ALq95ckhZwEp177cRgF4
10 DqPqVp8YCjZ1vFscLwTg13EuSc2D52X
10 dV0aGGhk6mB4ZJX1aTTluAUiVLTWToTYr
10 DxxLvJl6cGHXL70W4xqS7Qrfny1K01l
10 e5HFL4ur1rAxPPv2mHzg1uYKMuos4fwP
10 Ef509iQpb5gQJsJz5dMXLxpeAfkblOrw
10 eTHlmI3pFZ4FQASs32Dm0ETVZWHLp0I1
10 f0tri5KLH5eiTU0zQ0qWvXTsr1lekqnU
10 f6ZuiZizTliaM0kVYXZMudtaReSYMnkP
10 flyKxCbHB8uLTaIB5LXqQNuJj3yj00eh
10 g1Vkh2pk3cmr6aY4np1Dcpm0HF7G9IDT
10 g9xRXSLVNiV4EhUAL1p6uPUWcyEewDK6
10 gqyF9CW3NNiGW27AtWVNPqp3i1fxTMY
10 h2IsJoN6fe0ne0qrTQxeiu0P44hMWwbk
10 hA60fhj75FPgqnCKEJ9g6pLSKapxxmGC
10 Hq6uxRAkKPNLhH6eRSFDzXtvVt0CSsee
10 I3fc578VLa7m0Q1t9zArPPOPY7aDVBCJ
10 iIaOHQG7ZLdimomwMQaGIF7vib1RmXBh
```

```
10 UASW6CQwD6MRzftu6FAfyXBK0cVvnBLP
10 UJiCNvDNfgb3fccCj8PjjnAXHqUM63Uyj
10 UjsVbcqKeJqdCZQCDMkzv6A9X7hLbNE4
1 UsvVyFSfZZWbi6wgC7dAFyFuR6jQQUhr
10 UVnZvhiVQECraz5jl8U14sMVZQhjuXia
10 V2d9umHiuPLYLIDsuHj0fr0EmreCZMaA
10 v9zaxkVA0dIOLITZY2uoCtB1fX2gmly9
10 VkBAEWyIibVkeURZV5mowiGg6i3m7Be0
10 vkBAEWyIibVkeURZV5mowiGg6i3m7Be0
```


PASSWORD: UsvVyFSfZZWbi6wgC7dAFyFuR6jQQUhr

## LEVEL 9

```
bandit9@bandit:~$ strings data.txt | grep "="
===== the*2i"4
=:G e
===== password
<I=zsGi
Z)===== is
A=|t&E
Zdb=
c^ LAh=3G
*SF=s
&===== truKLdjsbJ5g7yyJ2X2R0o3a5HQJFuLk
S=A.H&^
bandit9@bandit:~$
```

PASSWORD: truKLdjsbJ5g7yyJ2X2R0o3a5HQJFuLk

## LEVEL 10



A terminal window titled "Sublime Text" with a menu bar (File, Actions, Edit, View, Help) and a toolbar. The terminal shows the user "bandit10@bandit" in the "~" directory. They run the command "base64 -d data.txt", which outputs "The password is IFukwKGsFW8MOq3IRFqrxE1hxTNEbUPR". The prompt returns to "bandit10@bandit:~\$".

```
bandit10@bandit:~$ base64 -d data.txt
The password is IFukwKGsFW8MOq3IRFqrxE1hxTNEbUPR
bandit10@bandit:~$
```

PASSWORD: IFukwKGsFW8MOq3IRFqrxE1hxTNEbUPR



# LEVEL 11

OverTheWire: Level Goal x ROT13 - CyberChef

File Actions Edit View Help

```
bandit11@bandit:~$ cat data.txt
Gur cnffjbeq vf 5Gr8L4qetPEsPk8htqjhRK8XSP6x2RHH
bandit11@bandit:~$
```

rot13.com

[About ROT13](#)

Gur cnffjbeq vf 5Gr8L4qetPEsPk8htqjhRK8XSP6x2RHH

ROT13 ▼

The password is 5Te8Y4drgCRfCx8ugdwuEX8KFC6k2EUu

PASSWORD: 5Te8Y4drgCRfCx8ugdwuEX8KFC6k2EUu


# Level 12

```
bandit12@bandit: /tmp/sruthik
File Actions Edit View Help
bandit12@bandit:/tmp/sruthik$ ls
data.txt
bandit12@bandit:/tmp/sruthik$ xxd -r data.txt > data
bandit12@bandit:/tmp/sruthik$ ls
data data.txt
bandit12@bandit:/tmp/sruthik$ file data
data: gzip compressed data, was "data2.bin", last modified: Thu May  7 18:14:30 2020, max compression, from Unix
bandit12@bandit:/tmp/sruthik$ cd data
-bash: cd: data: Not a directory
bandit12@bandit:/tmp/sruthik$ mv data file.gz
bandit12@bandit:/tmp/sruthik$ ls
data.txt file.gz
bandit12@bandit:/tmp/sruthik$ gzip -d file.gz
bandit12@bandit:/tmp/sruthik$ ls
data.txt file
bandit12@bandit:/tmp/sruthik$ file file
file: bzip2 compressed data, block size = 900k
bandit12@bandit:/tmp/sruthik$ mv file file.bz2
bandit12@bandit:/tmp/sruthik$ bzip2 -d file.bz2
bzip2: Can't open input file file.bz: No such file or directory
bandit12@bandit:/tmp/sruthik$ bzip2 -d file.bz2
bandit12@bandit:/tmp/sruthik$ ls
data.txt file
bandit12@bandit:/tmp/sruthik$ file file
file: gzip compressed data, was "data4.bin", last modified: Thu May  7 18:14:30 2020, max compression, from Unix
bandit12@bandit:/tmp/sruthik$ mv file file.gz
bandit12@bandit:/tmp/sruthik$ ls
data.txt file.gz
bandit12@bandit:/tmp/sruthik$ gzip -d file.gz
bandit12@bandit:/tmp/sruthik$ ls
data.txt file
bandit12@bandit:/tmp/sruthik$ file file
file: POSIX tar archive (GNU)
bandit12@bandit:/tmp/sruthik$ mv file file.tar
bandit12@bandit:/tmp/sruthik$ ls
data.txt file.tar
bandit12@bandit:/tmp/sruthik$ man tar
bandit12@bandit:/tmp/sruthik$ tar xf file.tar
bandit12@bandit:/tmp/sruthik$ ls
data5.bin data.txt file.tar
bandit12@bandit:/tmp/sruthik$ file data5.bin
data5.bin: POSIX tar archive (GNU)
bandit12@bandit:/tmp/sruthik$ rm file.tar
bandit12@bandit:/tmp/sruthik$ ls
data5.bin data.txt
bandit12@bandit:/tmp/sruthik$ rm data
rm: cannot remove 'data': No such file or directory
bandit12@bandit:/tmp/sruthik$ rm data.txt
bandit12@bandit:/tmp/sruthik$ ls
data5.bin
bandit12@bandit:/tmp/sruthik$ mv data5.bin data.tar
bandit12@bandit:/tmp/sruthik$ ls
```

```
data5.bin
bandit12@bandit:/tmp/sruthik$ mv data5.bin data.tar
bandit12@bandit:/tmp/sruthik$ ls
data.tar
bandit12@bandit:/tmp/sruthik$ tar xf data.tar
tar: data.txt: Cannot open: No such file or directory
tar: Error is not recoverable: exiting now
bandit12@bandit:/tmp/sruthik$ ls
data.tar
bandit12@bandit:/tmp/sruthik$ tar xf data.tar
bandit12@bandit:/tmp/sruthik$ ls
data6.bin data.tar
bandit12@bandit:/tmp/sruthik$ file data6.bin
data6.bin: bzip2 compressed data, block size = 900k
bandit12@bandit:/tmp/sruthik$ man bzip2
bandit12@bandit:/tmp/sruthik$ mv data6.bin data.bz2
bandit12@bandit:/tmp/sruthik$ ls
data.bz2 data.tar
bandit12@bandit:/tmp/sruthik$ bzip2 -d data.bz2
bandit12@bandit:/tmp/sruthik$ ls
data data.tar
bandit12@bandit:/tmp/sruthik$ mv data data.tar
bandit12@bandit:/tmp/sruthik$ ls
data.tar
bandit12@bandit:/tmp/sruthik$ tar xf data.tar
bandit12@bandit:/tmp/sruthik$ ls
data8.bin data.tar
bandit12@bandit:/tmp/sruthik$ file data8.bin
data8.bin: gzip compressed data, was "data9.bin", last modified: Thu May  7 18:14:30 2020, max compression, from Unix
bandit12@bandit:/tmp/sruthik$ mv data8.bin data.gz
mv: cannot stat 'data8.bin': No such file or directory
bandit12@bandit:/tmp/sruthik$ ls
data8.bin
-bash: ls: command not found
bandit12@bandit:/tmp/sruthik$ ls
data8.bin data.tar
bandit12@bandit:/tmp/sruthik$ gzip -d data.gz
gzip: data.gz: No such file or directory
bandit12@bandit:/tmp/sruthik$ ls
data8.bin data.tar
bandit12@bandit:/tmp/sruthik$ mv data8.bin data.gz
mv: cannot stat 'data8.bin': No such file or directory
bandit12@bandit:/tmp/sruthik$ mv data8.bin data.gz
bandit12@bandit:/tmp/sruthik$ gzip -d data8.gz
gzip: data8.gz: No such file or directory
bandit12@bandit:/tmp/sruthik$ ls
data8.gz data.tar
bandit12@bandit:/tmp/sruthik$ gzip -d data8.gz
bandit12@bandit:/tmp/sruthik$ ls
data data.tar
bandit12@bandit:/tmp/sruthik$ cat data
The password is 8ZjyCRiBWFYkneahHwxCv3wb2a1ORpYL
bandit12@bandit:/tmp/sruthik$
```

PASSWORD: 8ZjyCRiBWFYkneahHwxCv3wb2a1ORpYL

# Level 13



```
OverTheWire: Level Goal x 10113 - CyberChef
File Actions Edit View Help
bandit14@bandit:~$ ls -a
. .. .OG.bash_logout .bashrc .profile .ssh
bandit14@bandit:~$ cat /etc/bandit_pass/bandit14
4wcYUJFw0k0XLShlDzztnTBHiqxU3b3e
bandit14@bandit:~$
```

**Password: 4wcYUJFw0k0XLShlDzztnTBHiqxU3b3e**

# Level 14

```
bandit14@bandit:~$ clear
bandit14@bandit:~$ nc localhost 30000
4wcYUJFw0k0XLShlDzztnTBHixU3b3e
Correct!
BfMYroe26WYalil77FoDi9qh59eK5xNr
```

```
bandit14@bandit:~$
```

SSH Information

Host: bandit.labs.overthewire.org

Bandit Level 14 →

**PASSWORD: BfMYroe26WYalil77FoDi9qh59eK5xNr**



# LEVEL 15

```
bandit15@bandit:~$ ls
bandit15@bandit:~$ ls -a
.  ..  .bandit14.password  .bash_logout  .bashrc  .profile
bandit15@bandit:~$ nc localhost 30001
BfMYroe26WYalil77FoDi9qh59eK5xNr
bandit15@bandit:~$ ls -a
.  ..  .bandit14.password  .bash_logout  .bashrc  .profile
bandit15@bandit:~$ ncat --ssl localhost 30001
BfMYroe26WYalil77FoDi9qh59eK5xNr
Correct!
cluFn7wTiGryunymYOu4RcffSxQluehd
Host: bandit.labs.overthewire.org
Port: 2220
```

**PASSWORD: cluFn7wTiGryunymYOu4RcffSxQluehd**