

EXPERIMENT-6

Sruthi K S

RMCA –B

Roll No:25

1. SELECT cname FROM deposit UNION (SELECT cname FROM borrow);

```
SELECT cname FROM deposit UNION (SELECT cname FROM borrow)
```

☐ Show all | Number of rows: 25 ▼ Filter rows:

+ Options

cname
anil
sunil
mehul
madhuri
pramod
sandip
shivani
kranti
minu

2. SELECT D1.cname FROM deposit D1 WHERE D1.bname IN (SELECT D2.bname FROM deposit D2 WHERE D2.cname = 'sunil');

```
SELECT D1.cname FROM deposit D1 WHERE D1.bname IN (SELECT D2.bname FROM deposit D2 WHERE D2.cname = 'sunil')
```

☐ Profiling [Edit inline] [Export]

☐ Show all | Number of rows: 25 ▼ Filter rows:

+ Options

← T →	cname
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	sunil

3. SELECT C1.cname FROM customer C1, deposit D1, branch B1 WHERE C1.city = 'nagpur' and C1.cname = D1.cname AND D1.bname = B1.bname AND B1.city IN ('bombay','delhi');

```
SELECT C1.cname FROM customer C1,deposit D1, branch B1 WHERE C1.city = 'nagpur' and C1.cname in ('bombay','delhi')
```

☐ Profile

☐ Show all | Number of rows: 25 ▼ Filter rows:

+ Options

← T →

☐

Edit

Copy

Delete

cname

madhuri

4. SELECT Distinct(customer.cname) from customer,deposit WHERE city='nagpur';

```
SELECT Distinct(customer.cname) from customer,deposit WHERE city='nagpur'
```

☐ Show all | Number of rows: 25 ▼ Filter rows:

+ Options

cname

madhuri

pramod

5. SELECT B1.city FROM deposit D1, branch B1 WHERE D1.bname = B1.bname AND D1.cname IN ('sunil' , 'anil');

```
SELECT B1.city FROM deposit D1, branch B1 WHERE D1.bname = B1.bname AND D1.cname in ('sunil','anil')
```

☐ Show all | Number of rows: 25 ▼ Filter rows:

+ Options

← T →

☐

Edit

Copy

Delete

city

nagpur

6. SELECT B1.city FROM branch B1 WHERE B1.bname IN (SELECT D1.bname FROM deposit D1 WHERE D1.cname IN ('anil','sunil'));

```
SELECT B1.city FROM branch B1 WHERE B1.bname IN (SELECT D1.bname FROM deposit
```

☐ Show all

Number of rows: 25 ▼

Filter rows:

+ Options



city



Edit



Copy



Delete

nagpur