

Celebal Summer Internship 2026

Week 2 Task: Superstore sales data(objectives)

Submitted by : Shauryansh chauhan (MMDU)

PROCEDURE:

CREATE DATABASE superstore;


USE superstore;

SHOW TABLES;

-- SEC- 1: DATA EXPLORATION--

-- Q1. View first 10 records

SELECT * FROM superstore LIMIT 10;



The screenshot shows a SQL IDE interface. On the left is a 'SCHEMAS' sidebar with a tree view containing 'sh12', 'superstore', and 'sys'. The 'superstore' schema is expanded, showing 'Tables', 'Views', 'Stored Procedures', and 'Functions'. The main window has a tab for 'SQL File 8'. The query editor contains the following SQL code:

```
4 • SHOW TABLES;
5
6 -- SEC- 1: DATA EXPLORATION
7 -- Q1. View first 10 records
8 • SELECT * FROM superstore LIMIT 10;
9
10 -- Q2. Count total number of rows
11 • SELECT COUNT(*) AS Total_Rows
```

Below the query editor is the 'Result Grid' showing 10 rows of data. The columns are: Row ID, Order ID, Order Date, Ship Date, Ship Mode, Customer ID, Customer Name, Segment, Country, City, State, Postal Code, and Region.

Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID	Customer Name	Segment	Country	City	State	Postal Code	Region
1	CA-2016-152156	11/8/2016	11/11/2016	Second Class	CG-12520	Claire Gite	Consumer	United States	Henderson	Kentucky	42420	South
2	CA-2016-152156	11/8/2016	11/11/2016	Second Class	CG-12520	Claire Gite	Consumer	United States	Henderson	Kentucky	42420	South
3	CA-2016-130688	6/12/2016	6/16/2016	Second Class	DV-13045	Darrin Van Huff	Corporate	United States	Los Angeles	California	90036	West
4	US-2015-108966	10/11/2015	10/18/2015	Standard Class	SO-20335	Sean O'Donnell	Consumer	United States	Fort Lauderdale	Florida	33311	South
5	US-2015-108966	10/11/2015	10/18/2015	Standard Class	SO-20335	Sean O'Donnell	Consumer	United States	Fort Lauderdale	Florida	33311	South
6	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West
7	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West
8	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West
9	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West
10	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West

-- Q2. Count total number of rows

SELECT COUNT(*) AS Total_Rows

FROM superstore;

The screenshot shows the SQL Developer interface. On the left, the 'SCHEMAS' pane displays a tree view with 'sh12', 'superstore', and 'sys' schemas. The 'superstore' schema is expanded, showing 'Tables', 'Views', 'Stored Procedures', and 'Functions'. The main query window contains the following SQL code:

```
7 -- Q1. View first 10 records
8 • SELECT * FROM superstore LIMIT 10;
9
10 -- Q2. Count total number of rows
11 • SELECT COUNT(*) AS Total_Rows
12 FROM superstore;
13
14 -- Q3. View table structure
```

Below the query window, the 'Result Grid' shows the result of the second query (Q2):

Total_Rows
9694

-- Q3. View table structure

DESC superstore;

The screenshot shows the SQL Developer interface. On the left, the 'SCHEMAS' pane displays a tree view with 'sh12', 'superstore', and 'sys' schemas. The 'superstore' schema is expanded, showing 'Tables', 'Views', 'Stored Procedures', and 'Functions'. The main query window contains the following SQL code:

```
10 -- Q2. Count total number of rows
11 • SELECT COUNT(*) AS Total_Rows
12 FROM superstore;
13
14 -- Q3. View table structure
15 • DESC superstore;
16
17 -- Q4. View distinct product categories
```

Below the query window, the 'Result Grid' shows the result of the third query (Q3):

Field	Type	Null	Key	Default	Extra
Row ID	int	YES		NULL	
Order ID	text	YES		NULL	
Order Date	text	YES		NULL	
Ship Date	text	YES		NULL	
Ship Mode	text	YES		NULL	
Customer ID	text	YES		NULL	
Customer Name	text	YES		NULL	
Segment	text	YES		NULL	
Country	text	YES		NULL	
City	text	YES		NULL	
State	text	YES		NULL	
Postal Code	int	YES		NULL	
Region	text	YES		NULL	

-- Q4. View distinct product categories

SELECT DISTINCT Category

FROM superstore;

The screenshot shows a SQL IDE interface. On the left is a 'SCHEMAS' tree with a search bar 'Filter objects'. It contains a tree structure with 'sh12' (Tables, Views, Stored Procedures, Functions) and 'superstore' (Tables, Views, Stored Procedures, Functions). Below the tree are tabs for 'Administration', 'Schemas', and 'Information'. The main editor displays a SQL query with line numbers 16 to 23. The query is:
16
17 -- Q4. View distinct product categories
18 • SELECT DISTINCT Category
19 FROM superstore;
20
21
22 -- SEC- 2: FILTERING DATA
23
Below the editor is a 'Result Grid' tab with a 'Filter Rows' input and an 'Export' button. The grid shows the results of the query:

Category
Furniture
Office Supplies
Technology

-- SEC- 2: FILTERING DATA--

-- Q5. Orders from West Region

SELECT *

FROM superstore

WHERE Region = 'West';

The screenshot shows a database management tool interface. On the left is a 'SCHEMAS' pane with a tree view containing 'sh12', 'superstore', and 'sys'. The 'superstore' schema is expanded, showing 'Tables', 'Views', 'Stored Procedures', and 'Functions'. Below this is a tabbed interface with 'Administration' and 'Schemas' tabs. The main area displays a SQL query in a text editor:

```
-- SEC- 2: FILTERING DATA
-- Q5. Orders from West Region
SELECT *
FROM superstore
WHERE Region = 'West';
-- Q6. Technology category products
```

Below the query editor is a 'Result Grid' showing the results of the query. The grid has 13 columns: Row ID, Order ID, Order Date, Ship Date, Ship Mode, Customer ID, Customer Name, Segment, Country, City, State, Postal Code, and Region. The results are filtered to show only orders from the 'West' region.

Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID	Customer Name	Segment	Country	City	State	Postal Code	Region
3	CA-2016-138688	6/12/2016	6/16/2016	Second Class	DV-13045	Darrin Van Huff	Corporate	United States	Los Angeles	California	90036	West
6	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West
7	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West
8	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West
9	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West
10	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West
11	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West
12	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West
14	CA-2016-161389	12/5/2016	12/10/2016	Standard Class	IM-15070	Irene Maddox	Consumer	United States	Seattle	Washington	98103	West
18	CA-2014-167164	5/13/2014	5/15/2014	Second Class	AG-10270	Alejandro Grove	Consumer	United States	West Jordan	Utah	84084	West
19	CA-2014-143336	8/27/2014	9/1/2014	Second Class	ZD-21925	Zuschuss Donatelli	Consumer	United States	San Francisco	California	94109	West

-- Q6. Technology category products

SELECT *

FROM superstore

WHERE Category = 'Technology';

The screenshot shows the SQL Developer interface. On the left is a schema browser for 'CHEMAS' with a tree view containing 'sh12' (Tables, Views, Stored Procedures, Functions) and 'superstore' (Tables, Views, Stored Procedures, Functions). The main window displays a SQL query:

```
28
29 -- Q6. Technology category products
30 • SELECT *
31 FROM superstore
32 WHERE Category = 'Technology';
33
34 -- Q7. Orders with sales greater than 1000
35 • SELECT *
```

Below the query is the 'Result Grid' showing a table with 13 columns: Row ID, Order ID, Order Date, Ship Date, Ship Mode, Customer ID, Customer Name, Segment, Country, City, State, Postal Code, and Region. The results are filtered to show only orders where the Category is 'Technology'.

Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID	Customer Name	Segment	Country	City	State	Postal Code	Region
8	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West
12	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West
20	CA-2014-143336	8/27/2014	9/1/2014	Second Class	ZD-21925	Zuschuss Donatelli	Consumer	United States	San Francisco	California	94109	West
27	CA-2016-121755	1/16/2016	1/20/2016	Second Class	EH-13945	Eric Hoffmann	Consumer	United States	Los Angeles	California	90049	West
36	CA-2016-117590	12/8/2016	12/10/2016	First Class	GH-14485	Gene Hale	Corporate	United States	Richardson	Texas	75080	Central
41	CA-2015-117415	12/27/2015	12/31/2015	Standard Class	SH-20710	Steve Nguyen	Home Office	United States	Houston	Texas	77041	Central
42	CA-2017-120999	9/10/2017	9/15/2017	Standard Class	LC-16930	Linda Cazamias	Corporate	United States	Naperville	Illinois	60540	Central
45	CA-2016-118255	3/11/2016	3/13/2016	First Class	ON-18715	Odella Nelson	Corporate	United States	Eagan	Minnesota	55122	Central
48	CA-2016-169194	6/20/2016	6/25/2016	Standard Class	LH-16900	Lena Hernandez	Consumer	United States	Dover	Delaware	19901	East
49	CA-2016-169194	6/20/2016	6/25/2016	Standard Class	LH-16900	Lena Hernandez	Consumer	United States	Dover	Delaware	19901	East
55	CA-2016-105816	12/11/2016	12/17/2016	Standard Class	JM-15265	Janet Molinari	Corporate	United States	New York City	New York	10024	East

-- Q7. Orders with sales greater than 1000

SELECT *

FROM superstore

WHERE Sales > 1000;

The screenshot shows the SQL Developer interface. On the left is a schema browser for 'CHEMAS' with a tree view containing 'sh12' (Tables, Views, Stored Procedures, Functions) and 'superstore' (Tables, Views, Stored Procedures, Functions). The main window displays a SQL query:

```
31 FROM superstore
32 WHERE Category = 'Technology';
33
34 -- Q7. Orders with sales greater than 1000
35 • SELECT *
36 FROM superstore
37 WHERE Sales > 1000;
38
```

Below the query is the 'Result Grid' showing a table with 13 columns: Row ID, Order ID, Order Date, Ship Date, Ship Mode, Customer ID, Customer Name, Segment, Country, City, State, Postal Code, and Region. The results are filtered to show only orders where the Sales amount is greater than 1000.

Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID	Customer Name	Segment	Country	City	State	Postal Code	Region
11	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032	West
25	CA-2015-106320	9/25/2015	9/30/2015	Standard Class	EB-13870	Emily Burns	Consumer	United States	Orem	Utah	84057	West
28	US-2015-150630	9/17/2015	9/21/2015	Standard Class	TB-21520	Tracy Blumstein	Consumer	United States	Philadelphia	Pennsylvania	19140	East
36	CA-2016-117590	12/8/2016	12/10/2016	First Class	GH-14485	Gene Hale	Corporate	United States	Richardson	Texas	75080	Central
55	CA-2016-105816	12/11/2016	12/17/2016	Standard Class	JM-15265	Janet Molinari	Corporate	United States	New York City	New York	10024	East
68	CA-2014-106376	12/5/2014	12/10/2014	Standard Class	BS-11590	Brendan Sweed	Corporate	United States	Gilbert	Arizona	85234	West
150	CA-2016-114489	12/5/2016	12/9/2016	Standard Class	JE-16165	Justin Ellison	Corporate	United States	Franklin	Wisconsin	53132	Central
166	CA-2014-139892	9/8/2014	9/12/2014	Standard Class	BM-11140	Becky Martin	Consumer	United States	San Antonio	Texas	78207	Central
168	CA-2014-139892	9/8/2014	9/12/2014	Standard Class	BM-11140	Becky Martin	Consumer	United States	San Antonio	Texas	78207	Central
216	CA-2015-146262	1/2/2015	1/9/2015	Standard Class	VW-21775	Victoria Wilson	Corporate	United States	Medina	Ohio	44256	East
245	CA-2014-131926	6/1/2014	6/6/2014	Second Class	DW-13480	Dianna Wilson	Home Off...	United States	Lakeville	Minnesota	55044	Central

-- Q8. Furniture orders from East region

SELECT *

FROM superstore

WHERE Category = 'Furniture'

AND Region = 'East';

The screenshot shows a database IDE with a SQL query editor and a result grid. The query is as follows:

```
37 WHERE Sales > 1000;  
38  
39 -- Q8. Furniture orders from East region  
40 • SELECT *  
41 FROM superstore  
42 WHERE Category = 'Furniture'  
43 AND Region = 'East';  
44
```

The result grid displays the following data:

Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID	Customer Name	Segment	Country	City	State	Postal Code
24	US-2017-156909	7/16/2017	7/18/2017	Second Class	SF-20065	Sandra Flanagan	Consumer	United States	Philadelphia	Pennsylvania	19140
28	US-2015-150630	9/17/2015	9/21/2015	Standard Class	TB-21520	Tracy Blumstein	Consumer	United States	Philadelphia	Pennsylvania	19140
30	US-2015-150630	9/17/2015	9/21/2015	Standard Class	TB-21520	Tracy Blumstein	Consumer	United States	Philadelphia	Pennsylvania	19140
58	CA-2016-111682	6/17/2016	6/18/2016	First Class	TB-21055	Ted Butterfield	Consumer	United States	Troy	New York	12180
97	CA-2017-161018	11/9/2017	11/11/2017	Second Class	PN-18775	Parhena Norris	Home Office	United States	New York City	New York	10009
111	CA-2017-146780	12/25/2017	12/30/2017	Standard Class	CV-12805	Cynthia Voltz	Corporate	United States	New York City	New York	10035
120	CA-2016-103730	6/12/2016	6/15/2016	First Class	SC-20725	Steven Cartwright	Consumer	United States	Wilmington	Delaware	19805
141	CA-2016-110366	9/5/2016	9/7/2016	Second Class	JD-15895	Jonathan Doherty	Corporate	United States	Philadelphia	Pennsylvania	19140
147	CA-2014-110072	10/22/2014	10/28/2014	Standard Class	MG-17680	Maureen Gastineau	Home Office	United States	Newark	Ohio	43055
178	US-2015-101511	11/21/2015	11/23/2015	Second Class	JE-15745	Joel Eaton	Consumer	United States	Newark	Ohio	43055
190	CA-2015-102281	10/12/2015	10/14/2015	First Class	MP-17470	Mark Packer	Home Office	United States	New York City	New York	10035

-- SEC- 3: AGGREGATION ANALYSIS--

-- Q10. Total Sales

SELECT SUM(Sales) AS Total_Sales

FROM superstore;

The screenshot shows a database IDE with a SQL query editor. The queries are as follows:

```
49 -- Q10. Total Sales  
50 • SELECT SUM(Sales) AS Total_Sales  
51 FROM superstore;  
52  
53 -- Q11. Average Sales  
54 • SELECT AVG(Sales) AS Average_Sal  
55 FROM superstore;  
56
```


The result grid at the bottom shows the following data:

Total Sales

-- Q11. Average Sales

SELECT AVG(Sales) AS Average_Sales


FROM superstore;



-- Q12. Total Quantity Sold

SELECT SUM(Quantity) AS Total_Quantity

FROM superstore;



-- Q13. Total Profit

SELECT SUM(Profit) AS Total_Profit

FROM superstore;

Navigator orders customers week 2 assignmant task ecomm...

SCHEMAS

Filter objects

- sh12
 - Tables
 - Views
 - Stored Procedures
 - Functions
- superstore**
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

```

58 • SELECT SUM(Quantity) AS Total_Quantity
59 FROM superstore;
60
61 -- Q13. Total Profit
62 • SELECT SUM(Profit) AS Total_Profit
63 FROM superstore;
64
65

```

Result Grid | Filter Rows: | Export:

Total_Profit
282857.754200001

-- SEC- 4: CATEGORY ANALYSIS--

-- Q14. Total Sales by Category

SELECT Category,

SUM(Sales) AS Total_Sales

FROM superstore

GROUP BY Category

ORDER BY Total_Sales DESC;

The screenshot shows a database management tool interface. On the left is a 'Navigator' pane with a tree view of schemas: 'sh12' (containing Tables, Views, Stored Procedures, Functions) and 'superstore' (containing Tables, Views, Stored Procedures, Functions). Below this is a 'sys' schema. At the bottom are tabs for 'Administration', 'Schemas', and 'Information'. The main area has tabs for 'orders', 'customers', and 'week 2 assignment task econ'. The 'orders' tab is active, displaying a SQL query editor with the following text:

```
67  
68  
69 -- Q14. Total Sales by Category  
70 • SELECT Category,  
71     SUM(Sales) AS Total_Sales  
72 FROM superstore  
73 GROUP BY Category  
74 ORDER BY Total_Sales DESC;
```

Below the query editor is a 'Result Grid' section with a 'Filter Rows' input field and an 'Exp' button. The result grid displays the following data:

Category	Total_Sales
Technology	835900.0669999964
Furniture	733046.8612999996
Office Supplies	703502.9280000031

-- Q15. Total Profit by Category

SELECT Category,

SUM(Profit) AS Total_Profit

FROM superstore

GROUP BY Category

ORDER BY Total_Profit DESC;

Navigator

SCHEMAS

Filter objects

- sh12
 - Tables
 - Views
 - Stored Procedures
 - Functions
- superstore**
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

Administration Schemas Information

Orders Customers week 2 assignment task 600m

76 -- Q15. Total Profit by Category

77 • **SELECT** Category,

78 **SUM**(Profit) **AS** Total_Profit

79 **FROM** superstore

80 **GROUP BY** Category

81 **ORDER BY** Total_Profit **DESC**;

82

83 -- Q16. Top Categories by Sales

Result Grid Filter Rows: Exp

	Category	Total_Profit
▶	Technology	145387.09659999999
	Office Supplies	120489.88640000001
	Furniture	16980.771199999998

-- Q16. Top Categories by Sales

SELECT Category,

SUM(Sales) **AS** Total_Sales

FROM superstore

GROUP BY Category

ORDER BY Total_Sales **DESC**

LIMIT 5;

The screenshot shows a database management tool interface. On the left is a 'Navigator' pane with a 'SCHEMAS' section. It contains a search bar 'Filter objects' and a tree view with nodes for 'sh12', 'superstore', and 'sys'. Each node has sub-nodes for 'Tables', 'Views', 'Stored Procedures', and 'Functions'. The 'superstore' node is expanded. At the bottom of the Navigator pane are tabs for 'Administration' and 'Schemas'. The main area on the right has tabs for 'orders', 'customers', and 'week 2 assignment task'. Below the tabs is a toolbar with icons for file operations and execution. The SQL editor shows a query starting at line 82, with a comment '-- Q16. Top Categories by Sale' at line 83. The query is:
84 • SELECT Category,
85 SUM(Sales) AS Total_Sales
86 FROM superstore
87 GROUP BY Category
88 ORDER BY Total_Sales DESC
89 LIMIT 5;
A tooltip 'Execute the statement under the' is visible over the execution icon. Below the editor is a 'Result Grid' tab and a 'Filter Rows:' input. The result grid shows three rows of data:

	Category	Total_Sales
▶	Technology	835900.0669999964
	Furniture	733046.8612999996
	Office Supplies	703502.9280000031

-- SEC - 5: TOP PRODUCTS--

-- Q17. Top 10 Products by Sales

SELECT Product Name,

SUM(Sales) AS Total_Sales

FROM superstore

GROUP BY Product_Name

ORDER BY Total_Sales DESC

LIMIT 10;

The screenshot shows a database management tool interface. On the left is a sidebar with a tree view of database objects. The main area displays a SQL query, and at the bottom, a 'Result Grid' shows the query's output.

Database Object Tree:

- sh12
 - Tables
 - Views
 - Stored Procedures
 - Functions
- superstore**
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

SQL Query:

```
-- Q17. Top 10 Products by Sales
SELECT Product Name,
SUM(Sales) AS Total_Sales
FROM superstore
GROUP BY Product_Name
ORDER BY Total_Sales DESC
LIMIT 10;
```

Result Grid:

Product Name	Total_Sales
Product Name	2272449.8562999545

-- SEC- 6: TOP CUSTOMERS--

-- Q18. Top 10 Customers by Sales

```
SELECT 'Customer Name',  
SUM(Sales) AS Total_Sales  
FROM superstore  
GROUP BY 'Customer Name'  
ORDER BY Total_Sales DESC  
LIMIT 10;
```

The screenshot shows a database management tool interface. On the left is a 'Navigator' pane with a 'SCHEMAS' section. It lists databases: 'sh12', 'superstore', and 'sys'. Under 'superstore', there are folders for 'Tables', 'Views', 'Stored Procedures', and 'Functions'. The main area on the right is a SQL editor with a toolbar at the top. The toolbar includes icons for file operations, execution, search, and window management. The SQL editor contains the following query:

```
109 -- Q18. Top 10 Customers by Sales  
110 • SELECT  
111 SUM(Sales) AS Total_Sales  
112 FROM superstore  
113 GROUP BY 'Customer Name'  
114 ORDER BY Total_Sales DESC  
115 LIMIT 10;  
116
```

Below the SQL editor is a 'Result Grid' section. It has a 'Filter Rows' input field. The result grid displays the following data:

Customer Name	Total_Sales
Customer Name	2272449.8562999545

At the bottom of the interface, there are tabs for 'Administration' and 'Schemas'.

--

--SEC-7: REGION ANALYSIS--

-- Q19. Sales by Region

SELECT Region,

SUM(Sales) AS Total_Sales

FROM superstore

GROUP BY Region

ORDER BY Total_Sales DESC;

The screenshot shows a database management tool interface. On the left is a 'Navigator' pane with a tree view of schemas: 'sh12' (containing Tables, Views, Stored Procedures, Functions), 'superstore' (containing Tables, Views, Stored Procedures, Functions), and 'sys'. The 'superstore' schema is selected. The main area displays a SQL query in a text editor, with line numbers 121 to 128. The query is:
121
122 -- Q19. Sales by Region
123 SELECT Region,
124 SUM(Sales) AS Total_Sales
125 FROM superstore
126 GROUP BY Region
127 ORDER BY Total_Sales DESC;
128
Below the query editor is a 'Result Grid' showing the output of the query. It has two columns: 'Region' and 'Total_Sales'. The results are:
West: 713471.3445000004
East: 672194.0539999981
Central: 497800.8728000007
South: 388983.58500000037

Region	Total_Sales
West	713471.3445000004
East	672194.0539999981
Central	497800.8728000007
South	388983.58500000037

SEC- 8: BUSINESS USE CASES

-- Q20. Monthly Sales Trend

```
SELECT MONTH(STR_TO_DATE('Order_Date', '%m/%d/%Y')) AS Month_No,  
        SUM(Sales) AS Total_Sales  
FROM superstore  
GROUP BY Month_No  
ORDER BY Month_No;
```

The screenshot shows a SQL IDE window with a tab labeled "SQL File 8". The query editor contains the following SQL code:

```
133  
134 -- Q20. Monthly Sales Trend  
135 • SELECT MONTH(STR_TO_DATE('Order_Date', '%m/%d/%Y')) AS Month_No,  
136      SUM(Sales) AS Total_Sales  
137 FROM superstore  
138 GROUP BY Month_No  
139 ORDER BY Month_No;  
140
```

The query is highlighted in blue. A tooltip above the cursor says "Execute the statement under the keyboard cursor". Below the query editor is the "Result Grid" section, which shows the following data:

Month_No	Total_Sales
NULL	2272449.8562999545

-- Q21. Monthly Profit Trend

```
SELECT MONTH(STR_TO_DATE('Order Date', '%m/%d/%Y')) AS Month_No,  
        SUM(Profit) AS Total_Profit
```

FROM superstore

GROUP BY Month_No

ORDER BY Month_No;

The screenshot shows a SQL IDE interface. On the left is a 'HEMAS' sidebar with a tree view containing 'sh12' (Tables, Views, Stored Procedures, Functions), 'superstore' (Tables, Views, Stored Procedures, Functions), and 'sys'. The main window has a tab labeled 'SQL File 8' and a toolbar with icons for file operations and a 'Limit to 1000 rows' dropdown. The query editor contains the following SQL code:

```
142 • SELECT MONTH(STR_TO_DATE('Order Date', '%m/%d/%Y')) AS Month_No,  
143 SUM(Profit) AS Total_Profit  
144 FROM superstore  
145 GROUP BY Month_No  
146 ORDER BY Month_No;  
147  
148 -- Q22. Top 5 Most Profitable Products  
149 • SELECT 'Product Name',
```

Below the query editor is a 'Result Grid' section. It includes a 'Filter Rows:' input field, an 'Export:' button, and a 'Wrap Cell Content:' checkbox. The grid displays the following data:

Month_No	Total_Profit
NULL	282857.754200001

At the bottom left, there are tabs for 'Administration' and 'Schemas'.

-- Q22. Top 5 Most Profitable Products

SELECT 'Product Name',

SUM(Profit) AS Total_Profit

FROM superstore

GROUP BY 'Product Name'

ORDER BY Total_Profit DESC

LIMIT 5;

Navigator

SCHEMAS

Filter objects

sh12

Tables

Views

Stored Procedures

Functions

superstore

Tables

Views

Stored Procedures

Functions

sys

orderscustomersweek 2 assignment task ecomm...

Limit to

148

-- Q22. Top 5 Most Profitable Products

149

SELECT 'Product Name',

150

SUM(Profit) AS Total_Profit

151

FROM superstore

152

GROUP BY 'Product Name'

153

ORDER BY Total_Profit DESC

154

LIMIT 5;

155

Result Grid

Filter Rows:

Export:

	Product Name	Total_Profit
▶	Product Name	282857.754200001

AdministrationSchemas

-- SEC-9: DATA VALIDATION--

Q23. Find Duplicate Order IDs

```
SELECT 'Order ID',  
COUNT(*) AS Duplicate_Count  
FROM superstore  
GROUP BY 'Order ID'  
HAVING COUNT(*) > 1;
```

The screenshot shows a database management tool interface. On the left is a 'Navigator' pane with a tree view of schemas: 'sh12', 'superstore', and 'sys'. The 'superstore' schema is expanded, showing 'Tables', 'Views', 'Stored Procedures', and 'Functions'. The main pane displays a SQL query for finding duplicate order IDs. Below the query is a 'Result Grid' showing one row of results.

Navigator

Filter objects

sh12

- Tables
- Views
- Stored Procedures
- Functions

superstore

- Tables
- Views
- Stored Procedures
- Functions

sys

orders customers week 2 assignment task ec

```
160  
161 -- Q23. Find Duplicate Order IDs  
162 • SELECT 'Order ID',  
163 COUNT(*) AS Duplicate_Count  
164 FROM superstore  
165 GROUP BY 'Order ID'  
166 HAVING COUNT(*) > 1;  
167
```


Result Grid

	Order ID	Duplicate_Count
▶	Order ID	9694

Administration Schemas

-- Q24. Check Missing Sales Values

```
SELECT *  
FROM superstore  
WHERE Sales IS NULL;
```



-- Q25. Verify Total Row Count

SELECT COUNT(*) AS Total_Rows

FROM superstore;

