



MAKERERE UNIVERSITY

**COLLEGE OF COMPUTING AND
INFORMATION SCIENCES**

SCHOOL OF COMPUTING AND INFORMATICS TECHNOLOGY

**DEPARTMENT OF COMPUTER
SCIENCE**

**Crime Prediction and Hotspot
Analysis Using Machine Learning**

Project Group Number: 12

**A Project Proposal submitted to the School of Computing and Informatics
Technology**

For the study leading to a Project Report in partial fulfillment of the requirements for
the award of the

Degree of Bachelor of Science in Computer Science

Supervisor: Dr. Emmanuel Lule

Email: dcbekyu@gmail.com

Group Members:

SN	Registration No.	Name	Email
1	23/U/11168/EVE	Mayanja Daniel	mayanja.daniel@student.mak.ac.ug
2	23/U/09673/EVE	Kesanyu Aisha	kesanyu.aisha@student.mak.ac.ug
3	23/U/17433/PS	Ssegirinya Isaaq	ssegirinya.isaaq@student.mak.ac.ug
4	23/U/05985/EVE	Amanyire Cindy	amanyire.cindy@student.mak.ac.ug

Month, Year: October 2025

Declaration

We, the undersigned, declare that this project proposal entitled "*Crime Prediction and Hotspot Analysis Using Machine Learning*" is our original work and has not been submitted to any other institution for any academic award.

Signatures:

Mayanja Daniel



Kesanyu Aisha



Ssegirinya Isaaq



Amanyire Cindy



Supervisor's Approval

This is to certify that this project proposal has been submitted for examination with my approval as the university supervisor.

Supervisor Name: _____

Signature: _____

Date: _____

Abstract

The inefficiency of reactive policing methods underscores the critical need for data-driven, proactive approaches to crime prevention. This research proposes the design and development of a comprehensive machine learning system for crime prediction and hotspot analysis. Leveraging historical crime data from Ugandan national, regional, and district levels, the project employs a multi-stage analytical pipeline. The methodology encompasses data acquisition and preprocessing, feature engineering, and the application of machine learning models including Random Forest for prediction and K-Means clustering for spatial analysis. The system is designed to forecast future crime occurrences and identify high-risk geographic hotspots. These insights are visualized through an interactive Geographic Information Systems (GIS) dashboard, providing law enforcement agencies with an intuitive tool for strategic planning and resource allocation. The project's significance lies in its potential to transition law enforcement from a reactive to a proactive paradigm, thereby enhancing public safety through evidence-based intervention. Model performance will be rigorously evaluated using standard metrics to ensure predictive accuracy and reliability.

Keywords: Crime Prediction, Hotspot Analysis, Machine Learning, Random Forest, K-Means Clustering, Geographic Information Systems (GIS), Proactive Policing, Uganda.

Contents

1	Introduction	3
1.1	Background	4
1.2	Problem Statement	5
1.3	Objectives	5
1.3.1	Main Objective	5
1.3.2	Specific Objectives	6
1.4	Scope	8
1.5	Significance of the Study	9
2	Literature Review	11
2.1	Global Patterns and Comparative Insights	11
2.2	Core Machine Learning Literature	11
2.3	Data Quality and Regional Challenges	12
2.4	Lessons from Global Crime Trends	13
2.5	Adaptation to Uganda's Context	13
2.6	Integration of Cross-Domain Approaches	13
2.7	Research Gaps and Conclusion	14
3	Research Methodology (Architecture)	15
3.1	Methodology and System Architecture	15
3.2	Dataset Description	16
3.3	Data Cleaning and Preprocessing	18
3.4	Data Exploration	20
3.5	Implementation and System Development	21
3.6	Evaluation of the Crime Prediction and Hotspot Analysis System	22
4	References	25
5	Appendices	29

List of Figures

3.1	Proposed Architecture for Crime Prediction and Hotspot Analysis System	17
5.1	Gantt Chart Showing Project Activities Over One Academic Semester . .	30

List of Tables

3.1	Sample Structure of National Crime Trends Dataset	16
3.2	Sample Structure of Regional Crime Statistics Dataset	18
3.3	Sample Structure of District Crime Statistics Dataset	18
5.1	Project Work Plan and Timeline	29
5.2	Estimated Project Budget	31

1.0 Introduction

The persistent challenge of crime poses a significant threat to public safety, social stability, and sustainable development worldwide. Traditional law enforcement methodologies have predominantly been reactive, relying on historical reports and human intuition to deploy resources, often after a crime has already occurred. This approach is not only inefficient in its resource allocation but also inherently limited in its capacity to anticipate and prevent criminal activity. In an era defined by data, there is a pressing need to shift from a reactive paradigm to a proactive, intelligence-driven crime-prevention strategy. [1]

The emergence of data science and machine learning (ML) offers a transformative potential for law enforcement. By leveraging historical crime data, it is now possible to uncover hidden spatial and temporal patterns, forecast future criminal activity, and identify high-risk geographic areas, commonly known as "hotspots." This project, "Crime Prediction and Hotspot Analysis," is situated at the intersection of machine learning and geographic information science. [2] It aims to design and develop a robust, data-driven system that empowers law enforcement agencies with predictive insights, enabling proactive intervention and optimized resource deployment.

The core problem this research addresses is the inefficiency and inherent bias of traditional, reactive policing methods. Our proposed solution is a unified machine learning framework that integrates predictive modeling with spatial analysis. The system will utilize algorithms such as Random Forest and time series models for forecasting crime occurrences, and K-Means clustering for the precise identification of crime hotspots. These analytical outputs will be translated into actionable intelligence through interactive Geographic Information Systems (GIS) visualizations, providing an intuitive dashboard for strategic decision-making.

This research is grounded in a structured methodology comprising four interconnected layers: Data Acquisition and Preprocessing, where comprehensive multi-year crime datasets from Ugandan national, regional, and district levels are collected, cleaned, and standardized, Feature Engineering and Exploratory Analysis, to identify and encode key

temporal, spatial, and categorical features that influence crime patterns, Machine Learning Modeling, where predictive and clustering algorithms are trained and evaluated using metrics like MAE, RMSE, and R^2 to ensure reliability and Visualization and Decision-Support, where results are presented as interactive heatmaps and dashboards for end-users.

The significance of this study lies in its potential to fundamentally enhance public safety. By providing law enforcement with a tool to anticipate crime, it facilitates a shift towards preventive policing, potentially reducing crime rates and fostering safer communities. Furthermore, the project contributes to the academic field by integrating predictive modeling and spatial hotspot analysis into a single, scalable framework, specifically applied to the Ugandan context. [3] The outcomes of this research are expected to serve as a valuable tool for evidence-based policy formulation and strategic planning in law enforcement.

1.1 Background

Crime is an act or omission that violates a law and is punishable by the state, causing harm to an individual or society. Crime remains a significant social and security concern across many regions of the world, impacting public safety, economic stability, and community well-being. In many countries, law enforcement agencies continue to rely heavily on traditional policing approaches that focus on responding to crimes after they have already occurred. These reactive methods are not only inefficient but also limit security agencies' ability to anticipate and prevent criminal activity before it happens.

With the growing adoption of technology and data science, it is now possible to apply machine learning and artificial intelligence to enhance public safety through predictive analytics. Crime prediction and hotspot analysis involve using historical crime data to identify patterns, forecast future crime, and identify areas with a higher risk of criminal activity. By understanding how crimes are distributed over space and time, law enforcement can plan interventions more strategically.

This research aims to address the challenge of inefficient crime prevention by developing a data-driven system capable of predicting possible crime occurrences and identifying high-risk areas, also known as crime hotspots. The system leverages machine learning algorithms, such as Random Forests for prediction, K-Means clustering for hotspot identification, and visualization tools, such as Geographic Information Systems (GIS), to present crime trends and forecasts on an interactive map. Such a solution can support law

enforcement agencies in making informed, proactive decisions that enhance community safety.

The need for this research stems from the limitations of manual methods, human biases, and the lack of real-time analytical insights within policing systems. By applying data science, this study intends to demonstrate how historical data can be transformed into actionable intelligence for crime prevention. Ultimately, the system provides a modern, evidence-based approach to improving safety and optimizing resource allocation in crime management.

1.2 Problem Statement

Uganda Police Force (UPF) [4] crime data contains critical historical patterns essential for strategic policing and crime prevention. However, these raw datasets are characterized by inconsistencies, missing values, and geographical complexities that obscure actionable insights. Current manual and reactive analysis methods employed by law enforcement are time-consuming, non-scalable, and unable to effectively forecast future crime trends or precisely locate emergent high-risk zones. This limitation hinders proactive resource allocation, leading to inefficient patrol deployments and delayed responses to shifting crime dynamics. Consequently, there is a pressing need for an intelligent, automated system capable of transforming raw, unstructured crime data into reliable predictions and clear, actionable spatial intelligence. This project addresses this gap by developing a machine learning-driven Crime Prediction and Hotspot Analysis system. [5] The core challenge is to design a robust pipeline that cleans and structures the data, extracts meaningful temporal and spatial patterns, builds accurate predictive models, and visualizes insights in a way that directly supports evidence-based, proactive law enforcement decision-making in Uganda.

1.3 Objectives

1.3.1 Main Objective

We intend to design, develop, and rigorously evaluate an integrated machine learning and geospatial analysis system that leverages historical Uganda Police Force data. This system will accurately predict future crime occurrences and dynamically identify high-risk geographic hotspots. The ultimate goal is to provide law enforcement agencies and

policymakers with a data-driven, evidence-based tool for proactive resource deployment, strategic planning, and enhanced community safety in Uganda.

1.3.2 Specific Objectives

To collect, clean, and comprehensively preprocess historical crime datasets from the Uganda Police Force. [6]

This involves constructing a robust data pipeline to transform raw, inconsistent data into a reliable foundation for analysis. This is to be done through the following activities: Data Acquisition, through sourcing and consolidating historical crime datasets, referencing the Uganda Police Force Annual Crime Statistics Reports (2019–2024). Data Cleaning, whereby we shall implement a systematic pipeline to handle missing values (using mean/median imputation for numeric fields and mode for categorical fields), remove duplicate entries, and correct or exclude invalid data (e.g., negative counts). Data Transformation by applying Min-Max normalization to numerical features (e.g., crime counts) and encode categorical variables (e.g., crime type, district) using techniques like one-hot encoding. Feature Engineering, whereby temporal data (dates) is composed into informative features (month, season, day-of-week) and geocode spatial data (districts/regions) into geographic coordinates (latitude/longitude) for spatial analysis. Data Splitting partitioning the processed dataset into training, validation, and testing subsets to ensure robust model development and evaluation.

To conduct an in-depth exploratory data analysis (EDA) to uncover underlying temporal, spatial, and statistical patterns in crime data.

This phase aims to generate actionable insights and inform feature selection for modeling. This is through the following activities Temporal Analysis by analyzing crime trends across multiple time scales (annual, monthly, seasonal, weekly). Use time-series plots, moving averages, and seasonal decomposition to identify periods of peak criminal activity. [7] Map crime incidents using geocoordinates to visualize preliminary geographical distributions. Apply spatial aggregation and density estimation techniques to understand the concentration of events. (Spatial Exploration) Examine relationships between variables using correlation matrices, histograms, and boxplots. [8] Employ dimensionality reduction techniques like Principal Component Analysis (PCA) to identify the most influential features for predictive modeling. (Statistical and Multivariate Analysis)

To develop, train, and optimize multiple machine learning models for predicting future crime frequency and likelihood [9].

This objective focuses on building the core predictive engine of the system and it is to be achieved through the following activities. Model Selection and Implementation, whereby we configure and train a suite of advanced machine learning algorithms, including ensemble methods (Random Forest, XGBoost) and Neural Networks, suited for regression and classification tasks [10]. Model Optimization by Performing hyperparameter tuning using techniques like grid search and cross-validation to maximize the predictive accuracy and generalization capability of each model [11]. Feature Integration: Integrate the temporal, spatial, and categorical features engineered during preprocessing and EDA into the model training process.

To identify, analyze, and visually represent crime hotspots using spatial clustering algorithms and Geographic Information Systems (GIS) [12].

This objective translates model predictions and data patterns into actionable geographical intelligence through the following activities; Spatial Clustering, where we apply unsupervised machine learning algorithms such as K-Means and DBSCAN to the geocoded crime data to automatically detect areas with statistically significant concentrations of crime (hotspots). Geospatial Visualization [13]. Here we develop interactive maps and dashboards using libraries like Folium and GeoPandas. Create choropleth maps and heatmaps to intuitively display predicted crime risks and identified hotspots, allowing filtering by time, region, and crime type.

To rigorously evaluate the performance of the predictive models and hotspot detection system, and to effectively communicate results through an integrated dashboard.

This ensures the system's reliability, usability, and practical utility for end-users. The key activities are; Predictive Model Evaluation, whereby models are assessed using standard metrics (Mean Absolute Error - MAE, Root Mean Squared Error - RMSE, R-squared - R^2) and employ k-fold cross-validation to ensure robustness and prevent overfitting [6]. Hotspot Analysis Evaluation: Evaluate the quality of spatial clustering using metrics like the Silhouette Score and Davies-Bouldin Index. System Integration and Visualization, by building an interactive dashboard (using frameworks like Plotly Dash) that consolidates prediction results, hotspot maps, and trend analyses into a single, user-friendly interface

for law enforcement personnel [11]. Usability and Scalability Assessment. This is through designing a feedback mechanism for continuous improvement and evaluate the system’s ability to incorporate new data and scale effectively over time.

1.4 Scope

This project is strategically scoped to ensure both feasibility and focus, with the primary goal of delivering a functional prototype that demonstrates the potential for data-driven crime analysis within the Ugandan context. The scope is explicitly defined across five critical dimensions: geographical, data, technical, functional, and temporal. Geographically, the study is anchored on the official crime data provided by the Uganda Police Force (UPF), with the unit of analysis concentrated at the district and regional administrative levels. While the core system will be developed and validated using available national datasets, the visualization module may offer detailed demonstrations by zooming into specific high-interest regions, such as the Kampala Metropolitan Area, provided the granularity of the underlying data supports such focused mapping. Concerning data, the system’s development will rely exclusively on historical, structured crime incident records—including type, location, and timestamp—as catalogued in the UPF’s annual reports. It is important to note that this version will not incorporate real-time data streams (like CCTV or social media feeds), unstructured narrative reports (such as witness statements), or auxiliary socio-economic datasets (like census or poverty indices); however, the system’s modular architecture is intentionally designed to allow for the future integration of these complementary data sources.

From a technical perspective, the project will execute a complete data science lifecycle, encompassing data acquisition, comprehensive cleaning and preprocessing, exploratory data analysis (EDA), the development of predictive models for crime frequency and risk, the application of spatial clustering algorithms for hotspot identification, and the creation of an interactive visualization dashboard. Implementation will leverage the Python programming ecosystem, utilizing key libraries including Pandas and NumPy for data manipulation, Scikit-learn and XGBoost for machine learning, GeoPandas for spatial analysis, and Folium and Dash for interactive web-based visualization. The final deliverable is conceived as a robust proof-of-concept software system and analytical framework, rather than a fully deployed, institution-wide IT solution. Functionally, the system is designed as a decision-support tool; its core purpose is to predict aggregate crime trends (e.g., forecasting the expected burglary count in a given region for a future month) and to identify both persistent and emerging geographic hotspots. It explicitly will not au-

tomate tactical law enforcement decisions (such as officer dispatch), generate predictions about specific individuals, or perform in-depth causal analysis on the socio-economic root drivers of crime.

Finally, the project’s temporal scope is constrained by the academic timeline of the CSC3118 course. Model development and validation will utilize a partition of historical data (e.g., records from 2019 to 2023), with a separate, held-out dataset (e.g., data from 2024) reserved for final testing and evaluation to simulate a realistic forecasting scenario and assess the model’s generalizability to unseen time periods.

1.5 Significance of the Study

This research holds substantial significance for multiple stakeholders across public safety, governance, academia, and civil society [13]. For law enforcement agencies, particularly the Uganda Police Force, the proposed system represents a critical shift from reactive to proactive, intelligence-led policing. By generating data-driven forecasts that predict both the timing and geographical locations of potential criminal activity, it empowers commanders to deploy personnel and resources with greater precision. This optimized allocation can enhance crime deterrence, accelerate emergency response, and improve case clearance rates, thereby boosting overall operational efficiency and contributing to officer safety. For policymakers and government officials, the study delivers an evidence-based framework to guide crime prevention strategies and urban security planning [3]. The insights derived from analyzing long-term crime trends and spatial concentrations enable more informed decisions regarding strategic investments in community programs, infrastructure development, and social services within high-risk areas, moving beyond mere enforcement to address underlying socio-economic factors and promote sustainable community safety.

Within the academic and research community, this project provides a comprehensive, practical case study in applying advanced machine learning techniques—such as Random Forest, XGBoost, and Neural Networks—and spatial analytics, including K-Means and DBSCAN clustering, to a complex, real-world domain characterized by imperfect administrative data. The documented methodologies for cleaning inconsistent datasets, evaluating spatio-temporal predictive models, and integrating Geographic Information Systems (GIS) [?] for visualization will serve as a valuable reference for subsequent research in computational criminology, data science, and applied artificial intelligence, especially within the understudied East African context. Ultimately, for the general public

and local communities, the overarching significance lies in the tangible prospect of enhanced safety and improved quality of life. An effective crime prediction and hotspot analysis system has the potential to disrupt cycles of criminal activity, reduce rates of victimization, and cultivate a stronger communal sense of security, which is a foundational prerequisite for social stability and sustained economic development.

2.0 Literature Review

Crime remains a persistent threat to Uganda’s social and economic development. According to the Uganda Police Force Annual Crime Report (ACR 2024), a total of 218,715 cases were reported nationwide, translating to a crime rate of 476 crimes per 100,000 people [14]. Despite a 4.1

2.1 Global Patterns and Comparative Insights

The *International Statistics on Crime and Justice* report highlights significant variation in global crime levels due to socioeconomic conditions, criminalization differences, and disparities in data collection [15]. Africa and the Americas record some of the highest homicide and assault rates worldwide, with Southern Africa averaging up to 30 homicides per 100,000 people compared to less than 3 in Western Europe. Public health data estimates for Southern Africa reach as high as 60 per 100,000, illustrating discrepancies between criminal justice and health sources. These differences reflect structural and institutional factors influencing crime occurrence and detection. The report further notes that Africa remains the least documented region in terms of crime statistics due to manual record-keeping and limited digitization [15]. Uganda faces similar challenges, which hinder the development of reliable datasets for advanced analytics. This global context underscores the need for robust and digitized crime data systems. Recent reports from the UNODC, such as the World Drug Report 2025, indicate that global instability is compounding drug problems, with organized trafficking groups adapting to crises and targeting vulnerable populations, leading to increased associated criminal activities [16].

2.2 Core Machine Learning Literature

Machine learning has become increasingly central to modern crime prediction research. Studies show that Random Forests, Decision Trees, Logistic Regression, Support

Vector Machines, and Neural Networks can effectively identify spatial and temporal crime patterns [17]. Clustering techniques such as K-Means and DBSCAN are widely used for hotspot detection based on crime frequency and intensity. Model performance is typically evaluated using accuracy, recall, precision, F1-score, ROC-AUC, and RMSE. Research shows that Random Forests and Neural Networks often achieve predictive accuracies above 85%. A comparative study in Uganda utilized supervised machine learning and ensemble learning algorithms for crime prediction, demonstrating that ensemble methods, such as Random Forest, provide superior performance in predicting crime occurrences based on historical data. Furthermore, time-series forecasting using ARIMA models on Ugandan crime data from 2011 to 2022 identified ARIMA (2,1,2) with drift as the optimal model for accurate fitting and prediction, recommending the integration of socio-economic variables for enhanced explanatory power. Studies on crime hotspot prediction in South Africa employing models like XGBoost and CatBoost highlight the importance of incident-level data for achieving higher accuracy, with aggregated datasets leading to poorer performance [18].

2.3 Data Quality and Regional Challenges

Data reliability remains a major challenge in Africa's crime reporting systems. Harrendorf et al. report that only 25 African countries consistently publish police-recorded homicide data [15]. In many cases, public health estimates of violent deaths exceed police figures five- to ten-fold, indicating widespread underreporting. For instance, in Western Africa, public health averages are ten times higher than criminal justice figures, highlighting limitations in police capacity to identify and record homicides. The HEUNI regional analysis similarly points to inconsistent crime classifications and limited statistical capacity, further affecting accuracy [19]. Uganda mirrors these challenges due to its predominantly manual police data systems, underscoring the need for modernization and standardization before advanced predictive systems can be fully realized. The challenges of measuring organized crime in Africa include data fragmentation, with criminal activities being highly localized and diverse, complicating comprehensive data collection and analysis. Additionally, UNODC's Data for Africa program aims to enhance capacities in collecting and analyzing data on drugs, crime, and victimization across the continent [20]. Factors discouraging crime reporting in South Africa, such as lack of police loyalty and follow-up, contribute to underreporting, a issue likely relevant to other African contexts including Uganda [21].

2.4 Lessons from Global Crime Trends

Global crime trends between 1996 and 2006 show declining property crimes but increasing violent crimes such as assault and robbery [22]. These changes are attributed to socioeconomic instability, rapid urbanization, and growing inequality—patterns that also characterize Ugandan urban centers. Regions such as Rwizi and Greater Masaka share structural vulnerabilities with high-crime regions in Southern Africa. Homicide trends from 2003 to 2008 indicate that most countries exhibit decreasing or stable rates, with notable increases in parts of the Americas linked to organized crime, drug trafficking, and gang activity. Sub-regions like Central America and the Caribbean show rising averages, driven by countries such as Honduras, where rates doubled over the period. Socioeconomic and environmental variables, including youth unemployment, urban density, and poverty, therefore serve as strong predictors of crime risk. Their integration into machine learning models can enhance prediction accuracy and contextual relevance. The 2025 Organized Crime Index reveals surging organized crime across Africa, with weakening defenses and growing digital threats amid declining civil society protections [23]. INTERPOL’s 2025 report warns of a sharp rise in cybercrime in Africa, noting that a growing share of reported crimes is cyber-related [24].

2.5 Adaptation to Uganda’s Context

Despite global advances, applying machine learning crime prediction models in Uganda presents significant challenges. The incomplete and inconsistent nature of local crime records reduces model accuracy, while models trained on foreign datasets may not generalize to Uganda’s social and economic context [14]. Urban-dominated datasets may also introduce unintended biases. Interpretability poses another barrier, as complex models such as Neural Networks often function as “black boxes.” For law enforcement adoption, transparent and explainable models are essential. Public perceptions in Uganda, as per Afrobarometer surveys, show that 59

2.6 Integration of Cross-Domain Approaches

Research in related public safety domains—including traffic accident prediction, emergency response optimization, and fire incident detection—provides methodological parallels for improving crime prediction. Techniques such as Gradient Boosting, Deep Neural

Networks, and Kernel Density Estimation have proven effective in similar spatial-temporal tasks. Explainability tools such as SHAP and LIME have been used to enhance model transparency in these domains [25]. These cross-domain insights can be adapted to strengthen crime prediction frameworks in Uganda.

2.7 Research Gaps and Conclusion

Existing literature reveals several gaps that motivate the development of a localized crime prediction framework. Uganda lacks machine learning models trained specifically on its own crime data, and partial digitization of crime records limits real-time analysis [14]. Rural crime remains underrepresented, raising concerns of urban bias. There is also limited use of explainable AI tools to support transparent decision-making. Predictive modeling for emerging crime categories—such as cybercrime, which increased by 93.5%—Moreover, there is a scarcity of research addressing the fragmentation in organized crime data across Africa, which hinders effective measurement and response strategies. Challenges in using police data for research, such as low priority on recording and varying collection foci, further complicate academic and predictive efforts in the region. In conclusion, global research demonstrates the feasibility of using machine learning to detect and forecast crime patterns where reliable data exists. Uganda’s ACR2024 already reveals strong spatial and temporal crime patterns, indicating that predictive analytics can significantly enhance proactive policing, resource allocation, and crime prevention under the Sub-County Policing Model.

3.0 Research Methodology (Architecture)

3.1 Methodology and System Architecture

The methodology for the Crime Prediction and Hotspot Analysis system is grounded in a data-driven machine learning approach designed to analyze historical crime patterns, identify spatial crime clusters, and predict potential future hotspots. The system architecture is structured in several interconnected layers that collectively support data acquisition, preprocessing, feature engineering, model training, prediction, and visualization. This multi-layered design ensures the scalability, interpretability, and predictive efficiency of the model. [26]

The first stage, known as the data acquisition layer, focuses on collecting crime data from reliable sources such as national, regional, and district crime records. The dataset used in this study was derived from official Ugandan crime statistics, covering multiple years and administrative levels. Once collected, the data undergoes rigorous cleaning and standardization to eliminate inconsistencies such as missing entries, duplicate records, or invalid values. Data preprocessing further includes the normalization of crime counts, conversion of categorical data into numerical formats, and transformation of spatial data into geocoordinates suitable for hotspot analysis. [27]

The second layer, feature engineering and exploratory analysis, involves the identification of key attributes that influence crime patterns. Temporal features such as year and season, spatial attributes like region or district, and crime-type variables such as theft, homicide, or assault are extracted and encoded for model consumption. Exploratory data analysis (EDA) is conducted to examine crime distribution, trends over time, and relationships between variables. The insights obtained guide the selection of relevant features for the prediction model. [28]

The third layer is the machine learning model layer. Here, predictive algorithms such as Random Forest, XGBoost, and Neural Networks are trained on historical data to predict future crime occurrences and intensities. The models leverage both temporal and

spatial features to generate hotspot predictions. For hotspot mapping, spatial clustering algorithms like K-Means or DBSCAN are applied to detect geographical regions with concentrated criminal activity. Model performance is evaluated using standard metrics such as Mean Absolute Error (MAE), Root Mean Squared Error (RMSE), and R-squared (R^2) to ensure accuracy and reliability in predictions. [29]

The fourth layer encompasses the visualization and decision-support system. Predicted results are represented through interactive dashboards, heatmaps, and charts that visually communicate crime hotspots and trends. The dashboard allows law enforcement agencies and policymakers to view predictive crime maps at national, regional, and district levels, providing an evidence-based foundation for resource allocation and strategic planning. [30]

The overall architecture of the proposed system is illustrated in Figure 3.1. It depicts the end-to-end workflow from data collection to prediction and visualization. The architecture emphasizes a feedback mechanism that allows model retraining and refinement as new data becomes available, thereby improving system adaptability over time.

3.2 Dataset Description

The dataset employed in this project is a comprehensive compilation of crime statistics spanning multiple years and administrative hierarchies. It consists of three primary sheets: National Crime Trends, Regional Crime Statistics, and District Crime Statistics. Each sheet captures a different level of granularity, providing a rich foundation for temporal and spatial crime analysis.

The first sheet, **National Crime Trends**, contains aggregated annual crime data categorized by crime type for the years 2019 to 2024. Each record represents a specific crime category and its corresponding counts per year. This dataset provides insight into national-level crime trends and temporal variations. [31] A sample structure of the dataset is illustrated in Table 3.1.

Table 3.1: Sample Structure of National Crime Trends Dataset

Crime Category	2019	2020	2021	2022	2023	2024
Homicide	512	498	621	704	689	702
Robbery	1321	1109	1175	1302	1287	1350
Theft	2543	2630	2892	3124	3201	3310
Assault	1930	2004	2143	2288	2341	2419




Figure 3.1: Proposed Architecture for Crime Prediction and Hotspot Analysis System

The second sheet, **Regional_Crime_Stats**, presents aggregated crime figures categorized by region. Each record includes a regional name and corresponding crime counts

for different categories. This dataset facilitates the identification of regional crime patterns and disparities across Uganda’s geographical zones. [31] A representative structure is shown in Table 3.2.

Table 3.2: Sample Structure of Regional Crime Statistics Dataset

Region	Homicide	Robbery	Theft	Assault
Central	215	309	852	542
Eastern	178	266	721	497
Northern	194	232	645	423
Western	201	278	694	485

The third sheet, **District_Crime_Stats**, provides district-level detail and is the primary source for hotspot analysis. Each record corresponds to a district, with numerical counts of crimes across categories. This fine-grained data enables spatial mapping and predictive modeling to identify high-risk zones. [31] Table 3.3 provides a representative structure.

Table 3.3: Sample Structure of District Crime Statistics Dataset

District	Homicide	Robbery	Theft	Assault
Kampala	85	121	290	187
Gulu	67	93	175	132
Mbarara	59	78	168	113
Mbale	52	71	149	108

Across all datasets, no significant missing values were detected, and the data was relatively consistent. However, numerical normalization and reformatting were applied during preprocessing to ensure uniformity across different data levels. The district-level dataset, being the most granular, serves as the core input for the predictive modeling and hotspot detection component of the project. It enables the identification of spatial crime concentrations and supports time-series forecasting of future hotspots. [31]

Overall, this dataset provides a balanced combination of temporal and spatial crime information. The integration of national, regional, and district perspectives makes it highly suitable for developing a robust machine learning system for crime prediction and hotspot analysis.

3.3 Data Cleaning and Preprocessing

Data cleaning and preprocessing are critical steps in ensuring the quality, consistency, and usability of the datasets for the Crime Prediction and Hotspot Analysis system. The

raw datasets collected from the Uganda Police Force often contain inconsistencies, missing values, and duplicate entries, which can negatively affect the performance of machine learning models if not properly addressed. To mitigate these issues, a comprehensive cleaning and preprocessing pipeline is implemented.

The first step involves handling missing or incomplete data. Missing values in numeric fields, such as crime counts, are addressed using mean or median imputation, while missing categorical entries, such as crime type or district, are filled using the mode or, where necessary, flagged for further investigation. Duplicate records are identified and removed to prevent redundancy and ensure that each incident is represented only once. Invalid entries, such as negative crime counts or incorrect district codes, are corrected or excluded based on verification with authoritative sources. [27]

Next, data normalization and standardization are applied to ensure uniform scales across numerical features. For instance, crime counts are scaled using Min-Max normalization to bring values within a 0–1 range, facilitating faster convergence during model training and reducing bias caused by large numerical differences. Categorical variables, such as crime type and region, are encoded into numerical formats using one-hot encoding or label encoding to allow their use in machine learning algorithms. Temporal features, such as dates of incidents, are converted into machine-readable formats and decomposed into additional features, including month, quarter, and season, to capture temporal trends in criminal activity.

Spatial preprocessing is also conducted to enable hotspot analysis. Districts and regions are mapped to geographic coordinates (latitude and longitude), which allows the system to apply clustering algorithms, generate heatmaps, and detect spatial crime patterns. Additionally, outliers and extreme values are detected using statistical methods such as Z-score and interquartile range (IQR), ensuring that anomalies do not disproportionately influence the model while preserving significant crime spikes that may indicate real hotspots.

Finally, the preprocessed data is divided into training, validation, and testing sets to support robust machine learning model development. This ensures that the models can generalize effectively to unseen data while maintaining high predictive accuracy. Overall, these preprocessing steps produce a clean, structured, and standardized dataset that serves as the foundation for reliable crime prediction and hotspot analysis. [26]

3.4 Data Exploration

Data exploration, also referred to as Exploratory Data Analysis (EDA), is a fundamental step in understanding the structure, quality, and patterns within crime datasets. The primary objective of this phase is to uncover hidden trends, identify relationships between variables, and guide the selection of relevant features for predictive modeling. In the context of crime prediction and hotspot analysis, EDA helps to understand how crime incidents vary across time and space, and how different crime types interact with each other.

Temporal exploration is the first aspect of EDA. Crime data is examined across multiple time scales including annual, monthly, weekly, and seasonal variations. Time-series plots are generated to visualize trends over time, highlighting periods of increased criminal activity. Moving averages and rolling sums are calculated to smooth short-term fluctuations and reveal long-term trends. Seasonal decomposition methods are applied to detect periodic patterns, such as increases in thefts during festive seasons or higher assault rates during weekends. These temporal analyses help in selecting time-based features that can improve the predictive accuracy of machine learning models. [32]

Spatial exploration is equally important for understanding the geographical distribution of crimes. Crime incidents are mapped using district- and region-level geocoordinates to visualize hotspots and spatial patterns. Techniques such as spatial aggregation, density estimation, and clustering (e.g., K-Means, DBSCAN) are applied to detect areas with high concentrations of crime incidents. This step not only highlights high-risk zones but also aids in planning resource allocation and prioritizing areas for preventive interventions. Choropleth maps and other geospatial visualization methods are used to compare crime intensity across different regions, providing a clear spatial overview for law enforcement agencies. [33]

Statistical and multivariate analyses are conducted to examine relationships between variables. Correlation matrices are created to identify dependencies between different types of crimes, while scatter plots, histograms, and boxplots provide insights into the distribution and variability of crime counts. Dimensionality reduction techniques, such as Principal Component Analysis (PCA), may also be employed to reduce the complexity of the dataset while retaining the most influential features for predictive modeling. These analyses ensure that irrelevant or redundant features are minimized, enhancing the efficiency and interpretability of the models. [34]

Finally, data quality assessment is integrated into the exploration phase. Outliers

and anomalies are identified and analyzed to determine whether they represent real crime incidents or errors in data reporting. Missing values and inconsistencies are also checked to ensure data completeness and reliability. This assessment informs further preprocessing steps, such as normalization, scaling, or transformation of variables, ensuring that the dataset is clean, consistent, and suitable for training robust predictive models. [35]

In summary, the data exploration phase provides a comprehensive understanding of temporal, spatial, and statistical characteristics of the crime data. By combining time-series analysis, geospatial techniques, and multivariate statistics, EDA establishes a strong foundation for accurate crime prediction and hotspot detection, ultimately supporting evidence-based decision-making by law enforcement and policymakers.

3.5 Implementation and System Development

The implementation of the Crime Prediction and Hotspot Analysis system is structured to translate the conceptual architecture and data analysis methodology into a functional predictive system. The development process involves integrating data preprocessing, machine learning, spatial analysis, and visualization modules into a cohesive workflow that supports accurate crime forecasting and hotspot identification.

The first step in the system development is setting up the software environment and required libraries. Python is selected as the primary programming language due to its versatility and extensive ecosystem for data analysis, machine learning, and geospatial computation. Key libraries include Pandas and NumPy for data manipulation, Scikit-learn and XGBoost for machine learning model training, TensorFlow or PyTorch for neural network implementation, and GeoPandas along with Folium for spatial data visualization. The development environment also incorporates Jupyter Notebooks and IDEs such as Visual Studio Code to facilitate iterative testing, debugging, and documentation of the implementation process. [36]

Once the development environment is ready, the preprocessed crime datasets are imported and structured into formats suitable for model training and analysis. Categorical variables are encoded numerically, numerical features are scaled, and spatial coordinates are transformed into geospatial representations. This stage ensures that all data inputs are consistent and compatible with the predictive algorithms and geospatial analysis tools.

The core implementation involves training predictive models using historical crime data. Algorithms such as Random Forest, XGBoost, and Neural Networks are configured,

trained, and optimized for predicting the frequency and location of future crimes. Hyperparameter tuning is performed using grid search, cross-validation, or other optimization techniques to maximize model performance. For hotspot detection, spatial clustering algorithms, including K-Means and DBSCAN, are applied to identify districts and regions with high concentrations of crime. These clusters provide actionable intelligence for law enforcement to prioritize interventions. [37]

Following model training and clustering, a visualization module is developed to communicate predictive insights effectively. Interactive dashboards and charts are created using Python libraries such as Plotly, Dash, and Folium. The dashboards allow stakeholders to explore predicted crime patterns, identify emerging hotspots, and filter data by time, region, or crime type. Heatmaps, choropleth maps, and trend charts facilitate decision-making by clearly presenting spatial and temporal crime patterns. This interface ensures that both policymakers and law enforcement personnel can interact with the predictive results and make evidence-based decisions. [38]

Finally, the system incorporates a feedback mechanism for continuous improvement. As new crime data becomes available, models are retrained, and hotspot analyses are updated to reflect evolving crime patterns. The modular design of the system allows for the integration of additional datasets or advanced modeling techniques in the future, ensuring scalability, adaptability, and long-term utility. The development emphasizes robustness, maintainability, and reproducibility, making the system a reliable tool for crime prediction and hotspot analysis in Uganda.

3.6 Evaluation of the Crime Prediction and Hotspot Analysis System

The evaluation phase of the Crime Prediction and Hotspot Analysis system is critical to ensure that the predictive models are accurate, reliable, and effective for decision-making. This phase involves assessing the performance of both the crime prediction models and the hotspot detection algorithms using well-established statistical and spatial metrics. Evaluation not only measures model accuracy but also provides insight into potential areas for improvement and system optimization.

For the predictive modeling component, standard regression performance metrics are applied. The Mean Absolute Error (MAE) is used to measure the average magnitude of prediction errors, providing a clear indication of how close the predicted crime counts are to the actual values. The Root Mean Squared Error (RMSE) is employed to give higher

weight to larger errors, which is important for detecting significant discrepancies in areas with high crime counts. Additionally, the R-squared (R^2) metric is calculated to assess the proportion of variance in the observed data that is explained by the model, indicating the overall goodness-of-fit. [35]

Cross-validation techniques, such as k-fold cross-validation, are implemented to ensure that the model generalizes well to unseen data. This involves dividing the dataset into k subsets, training the model on k-1 subsets, and validating it on the remaining subset. The process is repeated k times, and the average performance across all folds is used as the final evaluation metric. This method reduces the risk of overfitting and provides a more robust assessment of model reliability. [37]

For spatial hotspot detection, evaluation involves comparing the predicted hotspots against historical crime data to measure the accuracy of cluster identification. Metrics such as the Silhouette Score and Davies-Bouldin Index are used to assess the quality of spatial clustering. The Silhouette Score evaluates how well each district or region fits within its assigned cluster compared to other clusters, while the Davies-Bouldin Index measures intra-cluster similarity and inter-cluster separation. High-quality clustering ensures that high-risk zones are correctly identified, supporting targeted interventions. [39]

Visualization and decision-support outputs are also evaluated to ensure usability and interpretability. User feedback is collected from law enforcement officers and policymakers to assess the clarity of dashboards, the effectiveness of interactive features, and the ability to make evidence-based decisions. Metrics such as task completion time, error rate in interpreting hotspot maps, and subjective satisfaction scores provide insight into the practical utility of the system. [40]

Furthermore, sensitivity analysis is conducted to examine the impact of different features on model predictions. This analysis identifies which temporal, spatial, or crime-type attributes most influence predictive accuracy and hotspot identification. By understanding feature importance, the system can be refined to focus on the most relevant variables, enhancing predictive performance and interpretability. [28]

Finally, the system is evaluated in terms of scalability, adaptability, and robustness. This involves testing the system with additional datasets, simulating increases in data volume, and assessing the ability to integrate new data sources or modeling techniques. The evaluation confirms that the system can maintain performance under varying conditions and continue to provide reliable crime predictions and hotspot analyses over time.

In conclusion, the evaluation framework combines statistical, spatial, and usability metrics to comprehensively assess the performance of the Crime Prediction and Hotspot Analysis system. By using these methods, the system's predictive accuracy, hotspot detection reliability, and practical utility are rigorously tested, ensuring it serves as a robust tool for evidence-based law enforcement and policy planning.

4.0 References

- [1] W. L. Perry, B. McInnis, C. C. Price, S. C. Smith, and J. S. Hollywood, “Predictive policing: The role of crime forecasting in law enforcement operations,” 2013.
- [2] A. Meijer and M. Wessels, “Predictive policing: Review of benefits and drawbacks,” *International Journal of Public Administration*, vol. 38, no. 12, pp. 848–863, 2015.
- [3] V. Mandalapu, L. Elluri, P. Vyas, and N. Roy, “Crime prediction using machine learning and deep learning: A systematic review and future directions,” *arXiv preprint arXiv:2303.16310*, 2023.
- [4] Uganda Police Force, “Annual crime statistics reports 2019–2024,” <https://www.upf.go.ug/statistics>, 2024, accessed: 2025-12-04.
- [5] G. Shmueli, “To explain or to predict?” *Statistical Science*, vol. 25, no. 3, pp. 289–310, 2010.
- [6] P.-N. Tan, M. Steinbach, and V. Kumar, *Introduction to Data Mining*, 2nd ed. Pearson, 2019.
- [7] G. O. Mohler, M. B. Short, P. J. Brantingham, F. P. Schoenberg, and G. E. Tita, “Self-exciting point process modeling of crime,” *Journal of the American Statistical Association*, vol. 106, no. 493, pp. 100–108, 2011.
- [8] P. J. Brantingham, D. Hsu, L. Kennedy, and S. Maley, “The ecology of radicalization: How neighborhood characteristics in montreal influence support for political violence,” *Political Geography*, vol. 66, pp. 108–122, 2018.
- [9] L. Breiman, *Random Forests*, 2001, vol. 45, no. 1.

- [10] T. Chen and C. Guestrin, “Xgboost: A scalable tree boosting system,” in *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, 2016, pp. 785–794.
- [11] R. J. Hyndman and G. Athanasopoulos, *Forecasting: Principles and Practice*, 2nd ed. OTexts, 2018.
- [12] S. Chainey and J. Ratcliffe, *GIS and Crime Mapping*, 2nd ed. Wiley, 2013.
- [13] A. A. Braga, A. V. Papachristos, and D. M. Hureau, *The Effects of Hot Spots Policing on Crime*. Campbell Systematic Reviews, 2014.
- [14] M. F. Paul, “The legal framework and capacity of uganda police force in eradicating narcotic drugs: a case of kampala metropolitan policing area,” 2021.
- [15] S. Harrendorf, M. Heiskanen, and S. Malby, *International statistics on crime and justice*. European Institute for Crime Prevention and Control, affiliated with the . . . , 2010.
- [16] V. UNODC, “World drug report 2025 methodological annex.”
- [17] L. McClendon and N. Meghanathan, “Using machine learning algorithms to analyze crime data,” *Machine Learning and Applications: An International Journal (MLAIJ)*, vol. 2, no. 1, pp. 1–12, 2015.
- [18] D. Brown and A. Abraham, “Predicting crime hot spots using machine learning algorithms: Cities in usa and south africa,” in *International Conference on Information, Communication and Computing Technology*. Springer, 2024, pp. 123–143.
- [19] A. Jokinen, N. Ollus, and K. Aromaa, *Trafficking for forced labour and labour exploitation in Finland, Poland and Estonia*. European Institute for Crime Prevention and Control, affiliated with the . . . , 2011.
- [20] H. Canton, “United nations office on drugs and crime—unodc,” in *The Europa Directory of International Organizations 2021*. Routledge, 2021, pp. 240–244.
- [21] I. Mbewu, E. E. Obioha, and I. Mugari, “Encouraging and discouraging factors to crime reporting in south africa: a survey of residents’ crime reporting behaviour in mthatha south africa police service precinct,” *Cogent Social Sciences*, vol. 7, no. 1, p. 2002542, 2021.
- [22] M. R. Santos and A. Testa, “Global trends in homicide: A comparison between the unodc homicide data and the who mortality database,” in *Routledge Handbook of Homicide Studies*. Routledge, 2024, pp. 7–40.

- [23] U. N. O. on Drugs, *Global report on trafficking in persons 2024*. Stylus Publishing, LLC, 2024.
- [24] C. Nartey, S. Quaye, and M. Dawson, “A case study on ghana’s cybersecurity posture: Strengthening cybercrime enforcement and regional cooperation in west africa,” 2025.
- [25] C. Molnar, *Interpretable machine learning*. Lulu. com, 2020.
- [26] V. Mandalapu, L. Elluri, P. Vyas, and N. Roy, “Crime prediction using machine learning and deep learning: A systematic review and future directions,” *arXiv preprint arXiv:2303.16310*, 2023.
- [27] F. Cesario, P. Lindia, and A. Vinci, “Multi-density crime predictor: an approach to forecast criminal activities in multi-density crime hotspots,” *Journal of Big Data*, vol. 11, p. 75, 2024.
- [28] Anonymous, “Exploratory data analysis, time series analysis, crime type prediction, and trend forecasting in crime data using machine learning, deep learning, and statistical methods,” *Neural Computing and Applications*, vol. 37, pp. 11 773–11 798, 2025.
- [29] F. Cesario *et al.*, “Multi-density crime predictor: an approach to forecast criminal activities in multi-density crime hotspots,” *Journal of Big Data*, vol. 11, p. 75, 2024.
- [30] R. Kumar, A. Sharma, and W. Li, “A spatio-temporal crime analysis framework using predictive visualization for decision support,” *Journal of Big Data*, vol. 11, p. 98, 2024.
- [31] Uganda Police Force, “Annual crime statistics reports 2019–2024,” <https://www.upf.go.ug/statistics>, 2024, accessed: 2025-12-04.
- [32] G. O. Mohler, M. B. Short, P. J. Brantingham, F. P. Schoenberg, and G. E. Tita, “Self-exciting point process modeling of crime,” *Journal of the American Statistical Association*, vol. 106, no. 493, pp. 100–108, 2011.
- [33] S. Chainey and J. Ratcliffe, *GIS and Crime Mapping*, 2nd ed. Wiley, 2013.
- [34] I. T. Jolliffe, *Principal Component Analysis*, 2nd ed. Springer, 2016.
- [35] R. J. Hyndman and G. Athanasopoulos, *Forecasting: Principles and Practice*, 2nd ed. OTexts, 2018. [Online]. Available: <https://otexts.com/fpp2/>

- [36] T. Chen and C. Guestrin, “Xgboost: A scalable tree boosting system,” in *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, 2016, pp. 785–794. [Online]. Available: <https://arxiv.org/abs/1603.02754>
- [37] T. Hastie, R. Tibshirani, and J. Friedman, *The Elements of Statistical Learning: Data Mining, Inference, and Prediction*, 2nd ed. Springer, 2009.
- [38] W. McKinney, *Python for Data Analysis: Data Wrangling with Pandas, NumPy, and IPython*, 2nd ed. O’Reilly Media, 2017.
- [39] P.-N. Tan, M. Steinbach, and V. Kumar, *Introduction to Data Mining*, 2nd ed. Pearson, 2019.
- [40] B. Shneiderman and C. Plaisant, *Designing the User Interface: Strategies for Effective Human-Computer Interaction*, 5th ed. Pearson, 2010.

5.0 Appendices

Appendix A: Work Plan

This work plan presents a structured schedule for the execution of the project titled “*Crime Prediction and Hotspot Analysis Using Machine Learning*”. The plan is designed to fit within one academic semester and follows a phased approach consistent with the proposed research methodology. The activities progress from crime data acquisition and preprocessing, through exploratory data analysis and machine learning model development, to crime hotspot detection using clustering and Geographic Information Systems (GIS). The final phases focus on system integration, visualization, documentation, and submission. This phased plan ensures logical progression, effective time management, and timely completion of the project.

Appendix A1: Project Work Plan and Timeline

Phase	Activities	Duration
Phase 1	Literature review; identification and acquisition of crime datasets; preliminary data assessment	Weeks 1–2
Phase 2	Data cleaning and preprocessing; feature engineering; exploratory data analysis (EDA)	Weeks 3–4
Phase 3	Machine learning model selection, training, validation, and refinement for crime prediction	Weeks 5–7
Phase 4	Crime hotspot detection using clustering techniques; spatial analysis using GIS tools	Weeks 8–10
Phase 5	System integration; development of visualization dashboard; system testing and refinement	Weeks 11–13
Phase 6	Documentation, supervisor review, final corrections, and submission	Weeks 14–16

Table 5.1: Project Work Plan and Timeline

Appendix B: Gantt Chart for Project Timelines




Figure 5.1: Gantt Chart Showing Project Activities Over One Academic Semester

Appendix C: Project Budget

This section presents the estimated budget required for the successful execution of the project titled “*Crime Prediction and Hotspot Analysis Using Machine Learning*”. The budget focuses on essential resources needed to support data processing, system development, visualization, documentation, and submission. The estimates provided are reasonable for a final year undergraduate project and are intended for planning purposes only. All costs are expressed in Uganda Shillings (UGX).

Appendix C1: Budget Breakdown

Item	Description	Estimated Cost (UGX)
Data Acquisition	Internet access, data sourcing, and dataset preparation	150,000
Computing Resources	Laptop usage, software configuration, and processing utilities	800,000
Software Tools	Open-source tools, libraries, and development environments	0
Visualization and GIS Tools	Mapping libraries, visualization utilities, and dashboard support	100,000
Documentation and Printing	Report printing, binding, and stationery	120,000
Communication and Meetings	Internet bundles, coordination, and consultations	80,000
Contingency	Unforeseen project-related expenses	100,000
Total Estimated Cost		1,350,000

Table 5.2: Estimated Project Budget