

C-IMMSIM simulation results

January 5, 2026

Abstract

This document includes the plots relative to the simulation and the outcome of the epitope/peptide prediction used.

Produced by the C-IMMSIM Online server available at
<http://c-immsim.iac.rm.cnr.it> (alias to <http://kraken.iac.rm.cnr.it/C-IMMSIM>)

CITATIONS: For publication of results, please cite the following:

Nicolas Rapin, Ole Lund, Massimo Bernaschi, Filippo Castiglione. Computational Immunology Meets Bioinformatics: The Use of Prediction Tools for Molecular Binding in the Simulation of the Immune System. PLoS ONE 5(4): e9862
doi:10.1371/journal.pone.0009862, 2010

A retrospective validation

In-silico evaluation of adenoviral COVID-19 vaccination protocols: Assessment of immunological memory up to 6 months after the third dose. P. Stolfi, F. Castiglione, E. Mastrostefano, I. Di Biase, S. Di Biase, G. Palmieri, A. Prisco. Frontiers in Immunology, 13 (2022) doi: 10.3389/fimmu.2022.998262
<https://www.frontiersin.org/articles/10.3389/fimmu.2022.998262>

An in vivo validation

Identification and validation of viral antigens sharing sequence and structural homology with tumor associated antigens (TAAs). C. Ragone, C. Manolio, B. Cavalluzzo, A. Petrizzo, A. Mauriello, M-L. Tornesello, F. M. Buonaguro, F. Castiglione, L. Vitagliano, M. Ruvo, M. Tagliamonte, L. Buonaguro. Journal for ImmunoTherapy of Cancer. 9:e002694 (2021)
<https://jitc.bmj.com/content/9/5/e002694>

Original C-IMMSIM model: www.iac.cnr.it/~filippo/c-immsim

GETTING HELP:

Scientific problems: Filippo Castiglione ([filippo dot castiglione at cnr dot it](mailto:filippo.castiglione@cnr.it))

Technical problems: Ilaria Gonnella ([ilaria dot gonnella at cnr dot it](mailto:ilaria.gonnella@cnr.it))




Figure 1: Cell counts shown. Legend: Act=active, Intern=internalized the Ag, Pres II = presenting on MHC II, Dup = in the mitotic cycle, Anergic = anergic, Resting = not active.




Figure 2: Legend: symbols as figure above.




Figure 3: The virus, the immunoglobulins and the immunocomplexes.




Figure 4: Concentration of cytokines and interleukins. Inset plot shows danger signal together with leukocyte growth factor IL-2.

Antigen sequence file: /opt/lampp/htdocs/C-IMMSIM/Jobs/input/44265_20260105-012922_5_53ZSx5p6ZYLx.FSA_1_001

[illegible]

```

Epitopes of protein 0 -----
1]      pos=15 len=4      SDLE
2]      pos=37 len=4      GTGP
3]      pos=44 len=53     LGEKGDTSGPEGSGGSGFPQRRGGDNHGRGRGRGRGRGGGRPGAPGGSGSGPRH
4]      pos=98 len=4      DGVF
5]      pos=114 len=66    GTHGGTGAGAGAGGAGAGGAGAGGGGAGAGGGAGGAGGAGAGAGGGGAGAGGGAGGAGAGGGAG

```

```
DoPeptideList_I:
    Given the antigen injected creates the list of peptides for all the
    NumAgProts proteins and for all i.e., 4 MHCI molecules

    Read class I peptide list from file? NO
```

Allele: A0101
Pseudo sequence: KAVHAEQRNKAQTRA
Threshold: 9.456400
Max score: 29.236000

Antigen sequence file: /opt/lampp/htdocs/C-IMMSIM/Jobs/input/44265_20260105-012922_5_53ZSx5p6ZYLx.FSA_1_001

```
Epitopes of protein 0 -----
0]      pos=  -1 score=1.000000 unnormalised=104.8410000000      non-binding event
```

Allele: A0101
Pseudo sequence: KAVHAEQRNKAQTRA
Threshold: 9.456400
Max score: 29.236000

Antigen sequence file: /opt/lampp/htdocs/C-IMMSIM/Jobs/input/44265_20260105-012922_5_53ZSx5p6ZYLx.FSA_1_001

AKFVAAWTLKAAAGGSDLERGPGRPRRPPPLSGPGTGPNGLGEKGDTSGPESGGSGPQRRGGDNHGRGRGRGRGR
GGGRPGAPGGSGSGPRHRDGVRRPQKRPSICGCKGTHGGTGAGAGAGGAGAGAGGGAGAGGGAGGAGGAGAGGG
AGAGGGAGGAGGAGAGGGAGAAEAAPKPNVEVWGPGRQIPKIQNFGPGPMVFLQTHIFAEVLKDGPGPGSALIAG
GSILQTNFKEAAAKNEIFLTKKMTEVCQA

Epitopes of protein 0 -----

0] pos= -1 score=1.000000 unnormalised=104.8410000000 non-binding event

=====

Allele: B0702
Pseudo sequence: KAAREEQIKAQTRE
Threshold: 8.702800
Max score: 28.406000

Antigen sequence file: /opt/lampp/htdocs/C-IMMSIM/Jobs/input/44265_20260105-012922_5_53ZSx5p6ZYLx.FSA_1_001

AKFVAAWTLKAAAGGSDLERGPGRPRRPPPLSGPGTGPNGLGEKGDTSGPESGGSGPQRRGGDNHGRGRGRGRGR
GGGRPGAPGGSGSGPRHRDGVRRPQKRPSICGCKGTHGGTGAGAGAGGAGAGAGGGAGAGGGAGGAGGAGAGGG
AGAGGGAGGAGGAGAGGGAGAAEAAPKPNVEVWGPGRQIPKIQNFGPGPMVFLQTHIFAEVLKDGPGPGSALIAG
GSILQTNFKEAAAKNEIFLTKKMTEVCQA

Epitopes of protein 0 -----

0] pos= 83 score=0.002813 unnormalised=0.3012000000 RPGAPGGSG
1] pos= 102 score=0.018045 unnormalised=1.9322000000 RPQKRPSCI
2] pos= -1 score=0.979142 unnormalised=104.8410000000 non-binding event

=====

Allele: B0702
Pseudo sequence: KAAREEQIKAQTRE
Threshold: 8.702800
Max score: 28.406000

Antigen sequence file: /opt/lampp/htdocs/C-IMMSIM/Jobs/input/44265_20260105-012922_5_53ZSx5p6ZYLx.FSA_1_001

AKFVAAWTLKAAAGGSDLERGPGRPRRPPPLSGPGTGPNGLGEKGDTSGPESGGSGPQRRGGDNHGRGRGRGRGR
GGGRPGAPGGSGSGPRHRDGVRRPQKRPSICGCKGTHGGTGAGAGAGGAGAGAGGGAGAGGGAGGAGGAGAGGG
AGAGGGAGGAGGAGAGGGAGAAEAAPKPNVEVWGPGRQIPKIQNFGPGPMVFLQTHIFAEVLKDGPGPGSALIAG
GSILQTNFKEAAAKNEIFLTKKMTEVCQA

Epitopes of protein 0 -----

0] pos= 83 score=0.002813 unnormalised=0.3012000000 RPGAPGGSG
1] pos= 102 score=0.018045 unnormalised=1.9322000000 RPQKRPSCI
2] pos= -1 score=0.979142 unnormalised=104.8410000000 non-binding event

DoPeptideList_II:

Given the antigen injected creates the list of peptides for all the

NumAgProts proteins and for all i.e., 2 MHCII molecules

Read class II peptide list from file? NO

=====
Allele: DRB1_0101
Pseudo sequence: KAFHVEQRKAQTRV
Threshold: 2.392440
Max score: 26.461000

Antigen sequence file: /opt/lampp/htdocs/C-IMMSIM/Jobs/input/44265_20260105-012922_5_53ZSx5p6ZYLx.FSA_1_001

AKFVAAWTLKAAAGGSDLERGPGRPRPPRPLSGPGTGPGNGLGEKGDTSGPESGGSGPQRRGGDNHGRGRGRGRGR
GGGRPGAPGGSGSPRHRDGVRRPQKRPSICGCKGTHGGTGAGAGAGGAGAGAGGGAGAGGGAGGAGGAGAGGG
AGAGGGAGGAGGAGAGGGAGAAAKVPPNVEVWGPGRQIPKIQNFPGPGMVFLQTHIFAEVLKDGPGPGSALIAG
GSILQTNFKEAAAKNEIFLTKKMTEVCQA

Epitopes of protein 0 -----
0] pos= 2 score=0.047318 unnormalised=3.3845600000 FVAAWTLKA
1] pos= 6 score=0.006453 unnormalised=0.4615600000 WTLKAAAGG
2] pos= 194 score=0.021160 unnormalised=1.5135600000 WGPGRQI
3] pos= -1 score=0.925068 unnormalised=66.1680000000 non-binding event

=====
Allele: DRB1_0101
Pseudo sequence: KAFHVEQRKAQTRV
Threshold: 2.392440
Max score: 26.461000

Antigen sequence file: /opt/lampp/htdocs/C-IMMSIM/Jobs/input/44265_20260105-012922_5_53ZSx5p6ZYLx.FSA_1_001

AKFVAAWTLKAAAGGSDLERGPGRPRPPRPLSGPGTGPGNGLGEKGDTSGPESGGSGPQRRGGDNHGRGRGRGRGR
GGGRPGAPGGSGSPRHRDGVRRPQKRPSICGCKGTHGGTGAGAGAGGAGAGAGGGAGAGGGAGGAGGAGAGGG
AGAGGGAGGAGGAGAGGGAGAAAKVPPNVEVWGPGRQIPKIQNFPGPGMVFLQTHIFAEVLKDGPGPGSALIAG
GSILQTNFKEAAAKNEIFLTKKMTEVCQA

Epitopes of protein 0 -----
0] pos= 2 score=0.047318 unnormalised=3.3845600000 FVAAWTLKA
1] pos= 6 score=0.006453 unnormalised=0.4615600000 WTLKAAAGG
2] pos= 194 score=0.021160 unnormalised=1.5135600000 WGPGRQI
3] pos= -1 score=0.925068 unnormalised=66.1680000000 non-binding event
