



Lango Sub-Region. Weekly Epidemiological Bulletin. Epi WEEK 17 (21–27Apr) 2025.

Dear Reader, we are share the latest edition of Lango Sub Region's weekly epidemiological bulletin for **Week 17, 2025**. This edition of the weekly epidemiological bulletin provides key updates on disease trends, surveillance activities, and public health responses across Lango Sub-Region.

Reporting Rates



Trends of Reporting Rates by WK17.



Epidemic Prone Diseases Reported in Wk17

Disease	Alebtong	Amolatar	Apac	Dokolo	Kole	Kwania	Lira City	Lira	Otuke	Oyam
Dysentery	0	7	0	6	1	2	5	0	1	2
AnimalBites	0	0	1	0	1	0	1	3	3	0
Bacterial_Meningitis	0	9	0	0	0	0	0	0	0	0
Measles	0	0	2	0	0	0	0	2	0	0
Typhoid	0	1	4	0	0	0	2	0	0	0
HepatitisB	0	1	0	0	0	0	0	0	0	1
Plague	0	3	0	0	0	0	0	0	0	0
Diarr_dehydration<5	0	2	1	1	0	0	0	0	0	5
Svr_pneumonia<5	0	1	0	0	0	0	1	0	0	2
Brucellosis	0	0	0	1	0	0	0	0	0	2

Bacterial Meningitis and Plague suspected in Amolatar at Amolatar HC IV and Etam HC III respectively. DSFP been reached and is yet to provide feedback.

The region is currently responding to Measles in Lira District cases reported have been line-listed accordingly. We continue to monitor surgency of Wash Diseases such as Dysentery given the geographical nature of Lango that is vulnerable to floods and other natural disasters.

Tuberculosis Indicators – Epi Week 17

District	% OPD Screened ¹	Presumptive Cases	% Cases Diagnosed ²	New TB Cases	% Linkage to Rx ³	TB Incidence (/100k)	Expected Cases/Wk	% Missed TB Cases ⁴
Alebtong	99	34	21	7	100	2	7	0
Amolatar	94	13	15	2	100	1	3	33
Apac	83	63	8	5	100	2	9	44
Dokolo	99	23	9	2	100	1	5	60
Kole	92	20	20	4	100	1	5	20
Kwania	103	242	4	9	100	4	6	0
Lira City	100	110	13	14	100	6	20	30
Lira	99	127	5	6	100	2	7	14
Otuke	99	119	3	3	100	2	7	57
Oyam	99	114	10	11	100	2	11	0
REGION	97	865	7	63	100	2	80	21

¹ Screening rate out of total OPD attendance. MOH Target is >90%. Fell short in Apac

² At least 7% Presumptive cases were diagnosed.

³ All clients newly diagnosed cases this week were initiated on anti-Koch's treatment.

⁴ An estimated 21% of expected TB cases were missed during WK17, indicating substantial diagnostic gaps. Highest number of missed diagnoses observed in Dokolo and Otuke. District TB & Leprosy Focal Persons urged to follow up and assess functionality of diagnostic services; GeneXpert utilization, sputum collection, & result turnaround time.

Malaria Indicators During Epi_WK 14.

District	OPD	Suspects Tested		Percent Tested ¹	Malaria Dx	Malaria Pos	Pos.Rate ²	Positive Treated	%Positive Treated	Neg.Results Treated ³
Alebtong	2456	1806	1817	101	1110	1014	56	1054	104	56
Amolatar	2361	1627	1632	100	515	513	31	513	100	2
Apac	2772	1678	1678	100	841	830	49	781	94	60
Dokolo	3911	3104	3106	100	1433	1439	46	1439	100	0
Kole	811	570	570	100	334	334	59	334	100	0
Kwania	1847	1438	1369	95	536	466	34	415	89	121
Lira City	2362	1180	1176	100	416	468	40	468	100	0
Lira	2876	2261	2261	100	1470	1466	65	1470	100	0
Otuke	1917	1722	1726	100	940	912	53	912	100	28
Oyam	7137	5443	7582	139	3259	3159	42	3258	103	1
REGION	28450	20829	22917	110	10854	10601	46	10644	100	268

¹ More than 100% Outpatients Suspected to have Malaria were tested, indicates good health service coverage, crucial for Diagnosis, treatment and effective disease control.

² Lira, Kole, Alebtong, and Otuke — recorded malaria positivity rates above 50%, exceeding the set threshold. This signals intensified transmission, calls for investigation and strengthened interventions

³ At regional level, 3 out of every 100 patients treated for malaria had negative test results (3%, 268/10,854), indicating a lapse in adherence to the Test & Treat policy — a cornerstone of effective malaria control. Malaria Focal Persons in Alebtong, Apac, Kwania, and Otuke to follow up on HCW's compliance with standard treatment guidelines.

Acronyms: Dx Diagnosed, Neg Negative, Pos. Positive, Pos.Rate Positivity Rate

Event Based Surveillance (EBS)



No signals received via the SMS platform across Lango



Platform Status:



Underutilized



Call to Action;

IPs, DHTs, DSFPs

Maternal Perinatal Deaths Surveillance & Reporting - Week 17

District	MD ¹	MSB	FSB ²	END	Pending Reviews ³	Trends of MDs by wk17 ⁴
Alebtong	0	0	1	0	0	
Amolatar	0	0	0	0	0	
Apac	0	0	1	1	0	
Dokolo	0	0	1	0	0	
Kole	0	0	0	0	0	
Kwania	0	0	0	0	0	
Lira City	2	0	1	0	0	
Lira	0	0	0	0	0	
Otuke	0	1	0	0	0	
Oyam	0	3	2	4	0	
REGION	2	4	6	5	0	

¹ Two Maternal Deaths were registered in Lira City during reporting WK17. The previous Week 01 MD was registered in Alebtong. We note that three Maternal Deaths are clearly documented in the Maternal Events Review form but not in the 033B Weekly Report—LRRH Biostatistician to follow up with reporting standard.

² Fresh Stillbirths was the highest form of Perinatal Death 40%(6/15), Oyam most affected.

³ There are currently no Pending Maternal Audit reviews in the region

⁴ Alebtong, Dokolo & Lira City have registered more spikes of Maternal Deaths by WK17.


MD:MaternalDeaths, **FSB:**FreshStillBirths, **MSB:**MaceratedStillBirths, **END:**EarlyNeonatalDeaths

Lango Mpx Summary Updates, 06/MAY/2025.

New Mpx cases last Week = 01, Cumulative Cases = 49, On admission = 06, HBC = 00, Recoveries = 41, Cum. Deaths = 02, CFR=5.3%, Cum. HCW infections = 01.

Mpx Epi Curve, 06MAY2025.


| N=49, n=02 |.




Key points:

- Mpx was first confirmed **201 days** ago in Dokolo for Lango Sub-region.
- Lira City** confirm new cases last 72hrs
- Kole & Lira City with active transmission**; <21days since last case.
- Lira City is the epicenter in Lango, highest **Attack Rate (12/100K persons)** (For every 100,000 people in Lira City, 12 have been infected).
- Lira City Western Division accounts for 41% of cases in Lango (20/49).
- Case Fatality Rate (CFR) = **5%** (Approximately **5 out of every 100 people diagnosed with Mpx would die in Lango alone**).
- Majority cases are **Males 55%**, and 90% are adults aged 20-55 yrs.
- Response teams constrained with inadequacy of resources


Distribution of Cases by districts.



Mpx Case Load and Deaths in Lango's affected Sub-Counties.




Age-Sex Distribution




Lango Measles Summary Updates, 06/MAY/2025.

Epi Curve for Measles , n=44



Measles Case load in affected districts



Key points:

- **Lira District** confirmed measles cases approximately two months ago and remains the most affected district to date.
- Within Lira, the epicenter is **Itek Subcounty** (formerly known as Barr), with cases concentrated in just two parishes: **Onywako** and **Tetyang**.
- **Agweng Subcounty** (also in Lira) has reported new cases in the past 24 hours, indicating potential spread beyond Itek.
- In **Kwania District**, measles was confirmed just two days ago after 4 out of 5 suspected cases tested positive. So far, only **Nambieso Subcounty** has reported cases.
- **Two suspected measles-related deaths** occurred earlier in Barr, before laboratory confirmation of the outbreak.
- The majority of reported cases are **children under 10 years of age**, raising significant concern for this vulnerable group.
- The outbreak is largely attributed to **poor access to immunization services**, with many affected children identified as **zero-dosed**.

Age-Sex distribution for Measles Cases.

