



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To search for available seats on the website	1	0	1	0	1.282 s
2	Login into the KSRTC website	2	0	2	0	1.571 s

SCENARIOS SUMMARY



-- 3 --


#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To search for available seats on the website	Plan for a journey between two cities	7	0	0	7	1.275 s
2	Login into the KSRTC website	Login using different sets of data	5	0	0	5	0.812 s
3	Login into the KSRTC website	Login using different sets of data	5	0	0	5	0.749 s

DETAILED SECTION -- 4 --

(F)- To search for available seats on the website

FAILED	DURATION - 1.282 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 7:23:06.794 pn	n // 7:23:08.076 pm /	Pass - 0	1	Pass - 0	7
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 7	

(S)- Plan for a journey between two cities




#	Step / Hook Details	Status	Duration
	BEFORE - CucumberFrameworkKSRTC.stepDefinations.MasterHooks.setup()		1.235 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "CucumberFrameworkKSRTC.utils. DriverFactory.driver" is null at CucumberFrameworkKSRTC.utils.DriverFactory.getDriver(DriverFactory.java:61) at CucumberFrameworkKSRTC.stepDefinations.MasterHooks.setup(MasterHooks.java:19)		
1	Given User navigates to the "https://ksrtc.in/oprs-web/" website	SKIPPED	0.002 s
2	When User enter the "BENGALURU" from city	SKIPPED	0.001 s
3	And User selects the "TRICHY" destination city	SKIPPED	0.001 s
4	And User selects the departure date	SKIPPED	0.001 s
5	And User selects the return date	SKIPPED	0.000 s
6	When User clicks on the search button	SKIPPED	0.000 s
7	Then he should be displayed with a successful search result	SKIPPED	0.002 s

DETAILED SECTION -- 5 --

(F)- Login into the KSRTC website

FAILED	DURATION - 1.571 s	Scenarios		Steps	
		Total - 2		Total - 10	
ر 7:23:08.115	om // 7:23:09.686 pm /	Pass - 0	2	Pass - 0	10
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 10	


(S)- Login using different sets of data



#	Step / Hook Details	Status	Duration
	BEFORE - CucumberFrameworkKSRTC.stepDefinations.MasterHooks.setup()	FAILED	0.800 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "CucumberFrameworkKSRTC.utils. DriverFactory.driver" is null at CucumberFrameworkKSRTC.utils.DriverFactory.getDriver(DriverFactory.java:61) at CucumberFrameworkKSRTC.stepDefinations.MasterHooks.setup(MasterHooks.java:19)		
1	Given User navigates to the KSRTC website	SKIPPED	0.001 s
2	When User clicks the Sign In button	SKIPPED	0.001 s
3	And fills the form with the given sheetname "Sheet1" and rownumber 0	SKIPPED	0.001 s
4	When User clicks on the Login button	SKIPPED	0.001 s
5	Then the username will be visible on the website upon successful login otherwise not	SKIPPED	0.001 s

DETAILED SECTION -- 6 --

(S)- Login using different sets of data



#	Step / Hook Details	Status	Duration
	BEFORE - CucumberFrameworkKSRTC.stepDefinations.MasterHooks.setup()	FAILED	0.743 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "CucumberFrameworkKSRTC.utils. DriverFactory.driver" is null at CucumberFrameworkKSRTC.utils.DriverFactory.getDriver(DriverFactory.java:61) at CucumberFrameworkKSRTC.stepDefinations.MasterHooks.setup(MasterHooks.java:19)		
1	Given User navigates to the KSRTC website	SKIPPED	0.000 s
2	When User clicks the Sign In button	SKIPPED	0.000 s
3	And fills the form with the given sheetname "Sheet1" and rownumber 1	SKIPPED	0.001 s
4	When User clicks on the Login button	SKIPPED	0.000 s
5	Then the username will be visible on the website upon successful login otherwise not	SKIPPED	0.000 s