TranslatorAwareInterface + setTranslator(?Translator Interface \$translator=null, \$textDomain=null) ValidatorInterface + getTranslator() + hasTranslator() + isValid(\$value) + setTranslatorEnabled + getMessages() (\$enabled=true) + isTranslatorEnabled() + setTranslatorTextDomain (\$textDomain='default') + getTranslatorTextDomain() **AbstractValidator** # \$value # \$abstractOptions # static \$defaultTranslator # static \$defaultTranslator TextDomain # static \$messageLength _construct(\$options =null) + getOption(\$option) + getOptions() + setOptions(\$options=[]) + getMessages() + __invoke(\$value) + getMessageVariables() + getMessageTemplates() + setMessage(\$messageString, \$messageKey=null) + setMessages(array \$messages) et 10 de plus... + static setDefaultTranslator (?Translator\TranslatorInterface \$translator=null, \$textDomain=null) + static getDefaultTranslator() + static hasDefaultTranslator() static setDefaultTranslator TextDomain(\$textDomain='default') + static getDefaultTranslator TextDomain() + static getMessageLength() + static setMessageLength (\$length=-1) # createMessage(\$messageKey, \$value) # error(\$messageKey, \$value=null) # getValue() # setValue(\$value) # translateMessage(\$messageKey, \$message) Size + const TOO_BIG + const TOO_SMALL + const NOT_FOUND # \$messageTemplates # \$messageVariables # \$size # \$options _construct(\$options

=null) + useByteString(\$byteString =true) + getByteString() + getMin(\$raw=false) + setMin(\$min) + getMax(\$raw=false) + setMax(\$max) + isValid(\$value, \$file =null) # getSize() # setSize(\$size)



- + const TOO_BIG

toByteString(\$size) # fromByteString(\$size) Δ

- + const TOO_SMALL
- + const NOT_READABLE
- # \$messageTemplates
- # \$files + __construct(\$options
- =null) + isValid(\$value, \$file
- =null) # throwError(\$file, \$errorType)