

+\$items_id

+\$itemtype

+ static canView() + static canUpdate() + static canDelete() + static canPurge() + static canChild(\$method) + static displayRecursiveItems (array \$recursiveItems, \$elementToDisplay, bool \$display=true) + static getJSCodeToAddFor ItemChild(\$field_name, \$child_count_js_var) + static showAddChildButton ForItemForm(CommonDBTM \$item, \$field_name, \$canedit =null, \$display=true) + static getItemField (\$itemtype) # autoinventoryInformation() NotificationTarget + \$prefix + \$table + \$notification_targets + \$notification_targets _labels + \$notificationoptions + \$data + \$tag_descriptions + \$dohistory

+ \$target + \$entity et 6 de plus... _construct(\$entity =", \$event=", \$object =null, \$options=[]) + getFromDBForTarget (\$notifications_id, \$type, \$ID) + validateSendTo(\$event, array \$infos, \$notify _me=false, \$emitter=null) + getSubjectPrefix(\$event=") + getContentHeader() + getContentFooter() + getMessageID() + showForNotification (Notification \$notification) + addAdditionnalInfosForTarget() + addAdditionnalUserInfo (array \$data) et 35 de plus... + static getTable(\$classname =null) + static getMessageIdForEvent (?string \$itemtype, ?int \$items_id, ?string \$event) + static getTypeName (\$nb=0)+ static getInstance (\$item, \$event=", \$options=[]) + static getInstanceClass (string \$itemtype) + static getInstanceByType (\$itemtype, \$event=", \$options=[]) + static updateTargets (\$input) static displayTabContent ForItem(CommonGLPI \$item, \$tabnum=1, \$withtemplate=0) # computeFriendlyName() # isMailMode() # isTargetItemRecursive() NotificationTargetCommon **ITILObject** + \$private_profiles + \$central_profiles + __construct(\$entity =", \$event=", \$object =null, \$options=[])

HaddadditionalTargets

+ \$private_profiles

+ \$central_profiles

+ __construct(\$entity
=", \$event=", \$object
=null, \$options=[])

+ validateSendTo(\$event,
array \$infos, \$notify
_me=false, \$emitter=null)

+ getSubjectPrefix(
\$event=")

+ addItemAuthor()

+ addRecipientAddress()

+ addAdditionnalUserInfo
(array \$data)

+ getProfileJoinCriteria()

+ addAdditionalTargets
(\$event=")

+ addAdditionalTargets (\$event=") + addSpecificTargets (\$data, \$options) + addDataForTemplate (\$event, \$options=[]) + getTags() # addMentionnedUser

getActorData(CommonDBTM \$actor, int \$actortype, string \$key_prefix)

(array \$options)