ArrayAccess

Countable

IteratorAggregate

RRuleInterface

+ getOccurrences($limit
  =null)
+ getOccurrencesBetween
  ($begin, $end, $limit=null)
+ getOccurrencesAfter
  ($date, $inclusive=false,
  $limit=null)
+ getNthOccurrenceAfter
  ($date, $index)
+ getOccurrencesBefore
  ($date, $inclusive=false,
  $limit=null)
+ getNthOccurrenceBefore
  ($date, $index)
+ getNthOccurrenceFrom
  ($date, $index)
+ occursAt($date)
+ isFinite()
+ isInfinite()

const

static

+DAILY
+FREQUENCIES
+HOURLY
+LAST_DAY_OF_MONTH
+LAST_DAY_OF_MONTH
  _366
+MAX_CYCLES
+MINUTELY
+MONTHDAY_MASK
+MONTHDAY_MASK
  _366
+MONTHLY
  …

#$i18n
#$intl_loaded

RRule

+ const SECONDLY
+ const WEEKLY
+ const YEARLY
+ const WEEKDAYS
+ const MONTH_MASK
+ const MONTH_MASK_366
+ const NEGATIVE_MONTHDAY_MASK
+ const NEGATIVE_MONTHDAY
  _MASK_366
+ const WEEKDAY_MASK
# $rule
# $dtstart
# $freq
# $until
# $count
# $interval
# $bysecond
# $byminute
# $byhour
# $byweekday
  et 11 de plus…

+ __construct($parts,
  $dtstart=null)
+ getRule()
+ __toString()
+ rfcString($include
  _timezone=true)
+ clearCache()
+ isFinite()
+ isInfinite()
+ occursAt($date)
+ offsetExists($offset)
+ offsetGet($offset)
+ offsetSet($offset,
  $value)
+ offsetUnset($offset)
+ count()
+ getIterator()
+ humanReadable(array
  $opt=array())
+ static parseRfcString
  ($string)
+ static createFromRfcString
  ($string, $force_rset=false)
getDaySet($year,
  $month, $day, array
  $masks)
buildNthWeekdayMask
  ($year, $month, $day,
  array & $masks)
buildWeeknoMask($year,
  $month, $day, array &
  $masks)
getTimeSet($hour,
  $minute, $second)
static i18nSelect(
  $array, $n)
static i18nList(array
  $array, $and='and ')
static intlLoaded()
static i18nFilesToLoad
  ($locale, $use_intl=null)
static i18nLoad($locale,
  $fallback=null, $use
  _intl=null, $custom_path=null)