

```
+ $fields
+ $input
+ $updates
+ $oldvalues
+ $dohistory
+ $history_blacklist
+ $auto_message_on_action
+ $no_form_page

    + $taborientation

+ $get_item_to_display_tab
+ $deduplicate_queued
+ $right
+ static $undisclosedFields
# $fkfield
# $searchopt
# $usenotepad
# static $notable
# static $forward_entity_to
# static $plugins_forward
  _entity
# static $tables_of
# static $foreign_key
   _fields__of
+ getFromResultSet($rs)
+ getID()
+ post_getFromDB()
+ showForm($ID, array
  $options=[])
+ getSNMPCredential()
+ getLockedFields()
+ post_getEmpty()
+ getLogTypeID()
+ post_deleteFromDB()
+ cleanDBonPurge()
  et 87 de plus...
+ static getTable($classname
```

=null)

\$table)

+ static forceTable(

static getTableField

+ static getFromIter (DBmysqlIterator \$iter) static unsetUndisclosedFields

+ static getIndexName() + static isNewID(\$ID) + static getNameField()

et 26 de plus... # saveInput()

# clearSavedInput() # restoreInput(array \$default=[]) # restoreSavedValues (array \$saved=[]) # cleanLockedsOnAdd()

# cleanLockeds()

+ \$dohistory

(\$input)

(\$nb=0)+ static getIcon()

static getTypeName

+ static \$rightname + getCloneRelations() + defineTabs(\$options=[]) + rawSearchOptions() + cleanDBonPurge() prepareInputForAdd

# computeFriendlyName()

**PDU** 

+ static getCompleteNameField()

(&\$fields)

+ static getForeignKeyField()

(\$field, \$classname=null)