const static +FAILURE #\$defaultDescription +INVALID #\$defaultName Command _construct(string \$name=null) + ignoreValidationErrors() + setApplication(Application \$application=null) + setHelperSet(HelperSet \$helperSet) + getHelperSet() + getApplication() + isEnabled() + run(InputInterface \$input, OutputInterface \$output) GlpiCommandInterface + complete(CompletionInput \$input, CompletionSuggestions + mustCheckMandatoryRequirements() \$suggestions) + requiresUpToDateDb() + setCode(callable \$code) et 22 de plus... + static getDefaultName() + static getDefaultDescription() # configure() # execute(InputInterface \$input, OutputInterface \$output) # interact(InputInterface \$input, OutputInterface \$output) # initialize(InputInterface \$input, OutputInterface \$output) +ERROR_PLUGIN_IMPORT FAILED +ERROR_PLUGIN_VERSION OR_DATA_INVALID +OTHER_TYPE_CHOICE COMPUTER +OTHER_TYPE_CHOICE _IGNORE +OTHER_TYPE_CHOICE MONITOR +OTHER_TYPE_CHOICE NETWORKEQUIPEMENT +OTHER_TYPE_CHOICE PASSIVEDCEQUIPEMENT +OTHER TYPE CHOICE PDU +OTHER_TYPE_CHOICE_PERIPHERAL +RACKS_REQUIRED_VERSION

AbstractCommand

- # \$db # \$input
- # \$output
- # \$requires_db
- # \$requires_db_up_to_date
- # \$progress_bar
- + mustCheckMandatoryRequirements()
- + requiresUpToDateDb()
- # initialize(InputInterface
- \$input, OutputInterface
 \$output)
 # writeInOutputWithProgress
- Bar(\$messages, ProgressBar \$progress_bar, \$verbosity =OutputInterface::VERBOSITY_NORMAL)
- # outputSessionBufferedMessages (\$levels_to_output=[INFO, WARNING, ERROR])
- # outputWarningOnMissingOptionnal Requirements()
- (bool \$default_to_yes=true)
 # warnAboutExecutionTime()

askForConfirmation

- # iterate(iterable \$iterable, ?callable
- \$message_callback=null, ?int \$count=null) # outputMessage(string \$message, int \$verbosity

NORMAL)

=OutputInterface::VERBOSITY

- # configure()
- # execute(InputInterface \$input, OutputInterface

\$output)

RacksPluginToCoreCommand