PsrContainerInterface ContainerInterface ServiceLocatorInterface build(\$name, ?array \$options=null) ServiceManager # \$abstractFactories # \$allowOverride # \$creationContext # \$delegators # \$lazyServices # \$sharedByDefault # \$configured PluginManagerInterface + __construct(array + validate(\$instance) + getServiceLocator() + build(\$name, ?array \$options=null) + has(\$name) + setAllowOverride(+ getAllowOverride() + configure(array \$config) + setAlias(\$alias, + setInvokableClass (\$name, \$class=null) et 7 de plus... AbstractPluginManager

\$aliases

\$factories # \$initializers

\$services # \$shared

\$config=[])

+ get(\$name)

\$flag)

\$target)

- # \$autoAddInvokableClass
- # \$instanceOf
- _construct(\$configInstance OrParentLocator=null, array \$config=[])
- + configure(array \$config)
- + setService(\$name, \$service)
- + get(\$name, ?array \$options=null)
- + validate(\$instance)
- + setServiceLocator (ContainerInterface \$container)

LoaderPluginManager

- # \$aliases
- # \$factories
- + validate(\$plugin)
- + validatePlugin(\$plugin)

SmtpPluginManager

- # \$aliases
- # \$factories
- # \$instanceOf
- + validatePlugin(\$plugin)

+ validate(\$instance)

ValidatorPluginManager

- # \$aliases
- # \$factories
- # \$shareByDefault
- # \$sharedByDefault
- # \$instanceOf
- _construct(\$configOrContainer Instance=null, array \$v3config=[])
- + validate(\$instance) + validatePlugin(\$plugin)
- + injectTranslator(\$first, \$second)
- + injectValidatorPluginManager (\$first, \$second)