

+ static getForeignKeyField() + static getTableField (\$field, \$classname=null) + static getFromIter (DBmysqlIterator \$iter) + static unsetUndisclosedFields (&\$fields) + static getIndexName() + static isNewID(\$ID) + static getNameField() + static getCompleteNameField() et 26 de plus... # saveInput() # clearSavedInput() # restoreInput(array \$default=[]) # restoreSavedValues (array \$saved=[]) # cleanLockedsOnAdd()

+ static getTable(\$classname

+ getLogTypeID() + post_deleteFromDB() + cleanDBonPurge() et 87 de plus...

+ static forceTable(

=null)

\$table)

+ defineTabs(\$options=[])

+ \$dohistory

+ getTabNameForItem (CommonGLPI \$item, \$withtemplate=0)

Link

cleanLockeds()

computeFriendlyName()

- + cleanDBonPurge()
- \$options=[])
- + getEmpty() + showForm(\$ID, array
- + rawSearchOptions() + static getTypeName
- (\$nb=0)
- static registerTag (\$tag)
- + static displayTabContent ForItem(CommonGLPI \$item, \$tabnum=1, \$withtemplate=0)
- + static rawSearchOptionsTo Add(\$itemtype=null)
- + static getEntityRestrict ForItem(CommonGLPI \$item) + static getIcon()