```
CommonGLPIInterface
                __construct()
             CommonGLPI
    + $showdebug
    + $taborientation
    + $get_item_to_display_tab
    + static $rightname
    # $type
    # $displaylist
    # static $showTitleInNavigation
      Header
    # static $othertabs
    + __construct()
    + can($ID, $right, array
       &$input=null)
    + defineTabs($options=[])
    + addStandardTab($itemtype,
       array &$ong, array $options)
    + addDefaultFormTab
      (array &$ong)
    + getTabNameForItem
       (CommonGLPI $item,
      $withtemplate=0)
    + isNewItem()
    + showTabsContent($options=[])
    + getHeaderName()
    + display($options=[])
    + getErrorMessage($error,
       $object=")

    static getTypeName

      ($nb=0)
    + static getFieldLabel()
    + static getType()
    + static canCreate()
    + static canView()
    + static canUpdate()
    + static canDelete()
    + static canPurge()
    + static registerStandardTab
      ($typeform, $typetab)
    + static getOtherTabs
      ($typeform)
      et 17 de plus...
    # getFormHeaderToolbar()
             CommonDBTM
    + $fields
    + $input
    + $updates
    + $oldvalues
    + $dohistory
    + $history_blacklist
    + $auto_message_on_action
    + $no_form_page
    + $additional
       _for_dictionnary

    + $taborientation

    + $get_item_to_display_tab
    + $deduplicate_queued
       _notifications
    + $right
    + static $undisclosedFields
    # $fkfield
    # $searchopt
    # $usenotepad
    # static $notable
    # static $forward_entity_to
    # static $plugins_forward
      _entity
    # static $tables of
    # static $foreign_key
       _fields__of
    + getFromResultSet($rs)
    + getID()
    + post_getFromDB()
    + showForm($ID, array
       $options=[])
    + getSNMPCredential()
    + getLockedFields()
    + post_getEmpty()
    + getLogTypeID()
    + post_deleteFromDB()
    + cleanDBonPurge()
      et 87 de plus...
    + static getTable($classname
       =null)
    + static forceTable(
      $table)
    + static getForeignKeyField()

    static getTableField

      ($field, $classname=null)

    static getFromIter

      (DBmysqlIterator $iter)
    + static unsetUndisclosedFields
      (&$fields)
    + static getIndexName()
    + static isNewID($ID)
    + static getNameField()
    + static getCompleteNameField()
      et 26 de plus...
    # saveInput()
    # clearSavedInput()
    # restoreInput(array
       $default=[])
    # restoreSavedValues
      (array $saved=[])
    # cleanLockedsOnAdd()
    # cleanLockeds()
    # computeFriendlyName()
               Certificate
+ $dohistory
+ static $rightname
# $usenotepad
+ getCloneRelations()
+ cleanDBonPurge()
+ rawSearchOptions()
+ defineTabs($options=[])
+ prepareInputForAdd
  ($input)
```

+ showForm(\$ID, array \$options=[])

+ showDebug()

=true)

(\$nb=0)

+ getSpecificMassiveActions (\$checkitem=null)

+ post_updateItem(\$history

 + static rawSearchOptionsTo Add(\$itemtype=null)
 + static showMassiveActions SubForm(MassiveAction \$ma)
 + static processMassiveActions ForOneItemtype(MassiveAction

+ static cronInfo(\$name)

+ static getIcon()

\$ma, CommonDBTM \$item, array \$ids)

+ static getTypeName