## PsrContainerInterface ContainerInterface **PsrContainerDecorator** ServiceLocatorInterface \_construct(PsrContainer Interface \$container) build(\$name, ?array + get(\$id) \$options=null) + has(\$id) + getContainer() ServiceManager # \$abstractFactories # \$aliases # \$allowOverride # \$creationContext # \$delegators # \$factories # \$initializers # \$lazyServices # \$services # \$shared # \$sharedByDefault # \$configured PluginManagerInterface \_construct(array \$config=[]) + validate(\$instance) + getServiceLocator() + get(\$name) + build(\$name, ?array \$options=null) + has(\$name) + setAllowOverride( \$flag) + getAllowOverride() + configure(array \$config) + setAlias(\$alias, \$target) + setInvokableClass (\$name, \$class=null) et 7 de plus... AbstractPluginManager # \$autoAddInvokableClass # \$instanceOf \_construct(\$configInstance OrParentLocator=null, array \$config=[]) configure(array \$config) + setService(\$name, \$service) + get(\$name, ?array \$options=null) + validate(\$instance) + setServiceLocator (ContainerInterface \$container) # \$aliases # \$factories

## LoaderPluginManager

- # \$aliases
- # \$factories
- + validate(\$plugin)
- + validatePlugin(\$plugin)

## SmtpPluginManager

- # \$aliases
- # \$factories
- # \$instanceOf
- + validate(\$instance)
- + validatePlugin(\$plugin)

## ValidatorPluginManager

- # \$shareByDefault
- # \$sharedByDefault
- # \$instanceOf
- \_construct(\$configOrContainer Instance=null, array \$v3config=[])
- + validate(\$instance)
- + validatePlugin(\$plugin)
- + injectTranslator( \$first, \$second)
- + injectValidatorPluginManager (\$first, \$second)