ServerPlugin + initialize(Server \$server) const + getFeatures() + getHTTPMethods(\$path) + getPluginName() + getSupportedReportSet (\$uri) + getPluginInfo() +R PARENT +R RECURSIVE +R RECURSIVEPARENTS Plugin + \$principalCollectionSet + \$hideNodesFromListings + \$principalSearchPropertySet + \$adminPrincipals + \$allowUnauthenticatedAccess # \$server # \$defaultAcl # \$principalMembershipCache + getFeatures() + getMethods(\$uri) + getPluginName() + getSupportedReportSet (\$uri) + checkPrivileges(\$uri, \$privileges, \$recursion =self::R PARENT, \$throwExceptions=true) + getCurrentUserPrincipals() + setDefaultAcl(array \$acl) + getDefaultAcl() + getPrincipalMembership (\$mainPrincipal) + principalMatchesPrincipal (\$checkPrincipal, \$currentPrincipal=null) et 17 de plus... # principalMatchReport (\$path, Xml\Request\Principal MatchReport \$report) # expandPropertyReport (\$path, \$report) # expandProperties(\$path, array \$requestedProperties, \$depth) # principalSearchProperty SetReport(\$path, \$report) # principalPropertySearch Report(\$path, Xml\Request \PrincipalPropertySearchReport \$report) # aclPrincipalPropSetReport (\$path, Xml\Request\AclPrincipal PropSetReport \$report)