### LoggerInterface

- + emergency(\$message, array \$context=array())
- + alert(\$message, array \$context=array())
- + critical(\$message, array \$context=array())
- + error(\$message, array \$context=array())
- + warning(\$message, array \$context=array())
- + notice(\$message, array \$context=array())
- + info(\$message, array \$context=array())
- + debug(\$message, array \$context=array())
- + log(\$level, \$message, array \$context=array())

# AbstractLogger

- + emergency(\$message, array \$context=array())
- + alert(\$message, array \$context=array())
- + critical(\$message, array \$context=array())
- + error(\$message, array \$context=array())
- + warning(\$message, array \$context=array())
- + notice(\$message, array \$context=array())
- + info(\$message, array \$context=array())
- + debug(\$message, array \$context=array())

# TestLogger

- + \$records
- + \$recordsByLevel
- + log(\$level, \$message, array \$context=[])
- + hasRecords(\$level)
- + hasRecord(\$record, \$level)
- + hasRecordThatContains (\$message, \$level)
- + hasRecordThatMatches (\$regex, \$level)
- + hasRecordThatPasses (callable \$predicate, \$level)
- + \_\_call(\$method, \$args)
- + reset()

### ConsoleLogger

- + const INFO
- + const ERROR
- + \_\_construct(OutputInterface \$output, array \$verbosityLevelMap =[], array \$formatLevelMap=[])
- + log(\$level, \$message, array \$context=[])
- + hasErrored()

### NullLogger

+ log(\$level, \$message, array \$context=array())