```
CommonGLPIInterface
           _construct()
         CommonGLPI
+ $showdebug
+ $taborientation
+ $get_item_to_display_tab
+ static $rightname
# $type
# $displaylist
# static $showTitleInNavigation
  Header
# static $othertabs
  __construct()
+ can($ID, $right, array
  &$input=null)
+ defineTabs($options=[])
+ addStandardTab($itemtype,
  array &$ong, array $options)
+ addDefaultFormTab
  (array &$ong)
+ getTabNameForItem
  (CommonGLPI $item,
  $withtemplate=0)
+ isNewItem()
+ showTabsContent($options=[])
+ getHeaderName()
+ display($options=[])
+ getErrorMessage($error,
  $object=")
+ static getTypeName
  ($nb=0)
+ static getFieldLabel()
+ static getType()
+ static canCreate()
+ static canView()
+ static canUpdate()
+ static canDelete()
+ static canPurge()
+ static registerStandardTab
  ($typeform, $typetab)
+ static getOtherTabs
  ($typeform)
  et 17 de plus...
# getFormHeaderToolbar()
        CommonDBTM
  _for_dictionnary
  _notifications
  _entity
```

+ \$fields + \$input + \$updates + \$oldvalues + \$dohistory + \$history_blacklist + \$auto_message_on_action + \$no_form_page ⊦ \$additional + \$taborientation + \$get_item_to_display_tab + \$deduplicate_queued + \$right + static \$undisclosedFields # \$fkfield # \$searchopt # \$usenotepad # static \$notable # static \$forward_entity_to # static \$plugins_forward # static \$tables of # static \$foreign_key _fields__of + getFromResultSet(\$rs) + getID() + post_getFromDB() + showForm(\$ID, array \$options=[]) + getSNMPCredential() + getLockedFields() + post_getEmpty() + getLogTypeID() + post_deleteFromDB() + cleanDBonPurge() et 87 de plus... + static getTable(\$classname =null) + static forceTable(\$table) + static getForeignKeyField() static getTableField (\$field, \$classname=null) + static getFromIter (DBmysqlIterator \$iter) + static unsetUndisclosedFields (&\$fields) + static getIndexName() + static isNewID(\$ID) + static getNameField()

\$usenotepad # static \$forward_entity_to + getCloneRelations() + useDeletedToLockIfDynamic() + defineTabs(\$options=[]) + prepareInputForAdd (\$input) prepareInputForUpdate (\$input) showForm(\$ID, array \$options=[]) getSpecificMassiveActions (\$checkitem=null) + rawSearchOptions() + removeFromTrash(\$ID) + static getTypeName (\$nb=0)

static rawSearchOptionsTo Add(\$itemtype=null)

+ static getIcon()

+ static getCompleteNameField()

et 26 de plus... # saveInput()

cleanLockeds()

+ \$dohistory

+ static \$rightname

computeFriendlyName()

Printer