
EmitterInterface

- on(string \$eventName, callable \$callBack, int \$priority=100)
- once(string \$eventName, callable \$callBack, int \$priority=100)
- + emit(string \$eventName, array \$arguments=[], callable \$continueCallBack=null)
- + listeners(string \$eventName)
- + removeListener(string \$eventName, callable \$listener)
- + removeAllListeners (string \$eventName=null)



Client

- # \$curlSettings
- # \$throwExceptions
- # \$maxRedirects
- # \$headerLinesMap
- + __construct()
- + send(RequestInterface \$request)
- + sendAsync(RequestInterface \$request, callable \$success =null, callable \$error=null)
- + poll()
- + wait()
- + setThrowExceptions (bool \$throwExceptions)
- + addCurlSetting(int \$name, \$value)
- # receiveCurlHeader
 (\$curlHandle, \$headerLine)
- # doRequest(RequestInterface \$request)
- # createCurlSettingsArray (RequestInterface \$request)
- # parseCurlResponse
 (array \$headerLines,
 string \$body, \$curlHandle)
- # parseCurlResult(string \$response, \$curlHandle)
- # sendAsyncInternal (RequestInterface \$request, callable \$success, callable \$error, int \$retryCount=0)
- # curlExec(\$curlHandle)
- # curlStuff(\$curlHandle)