

+ post\_getFromDB() + showForm(\$ID, array \$options=[]) + getSNMPCredential() + getLockedFields() + post\_getEmpty() + getLogTypeID()

+ post\_deleteFromDB() + cleanDBonPurge() et 87 de plus...

+ static forceTable(

+ static getTableField

+ static getFromIter (DBmysqlIterator \$iter) + static unsetUndisclosedFields

+ static getIndexName() + static isNewID(\$ID) + static getNameField()

et 26 de plus... # saveInput()

# clearSavedInput() # restoreInput(array \$default=[]) # restoreSavedValues (array \$saved=[]) # cleanLockedsOnAdd()

# cleanLockeds()

# computeFriendlyName()

+ static getCompleteNameField()

(&\$fields)

=null)

\$table)

+ static getTable(\$classname

+ static getForeignKeyField()

(\$field, \$classname=null)

+\$rightname

```
+ $second_level_menu
+ $third_level_menu
```

CommonDropdown

+ \$dohistory

- + \$display\_dropdowntitle
- + \$can\_be\_translated + maybeTranslated()

+ \$must\_be\_replace + \$first\_level\_menu

- + getAdditionalField (string \$name)
- + defineTabs(\$options=[]) + displayHeader()
- + prepareInputForUpdate
- + post addItem() + post\_updateItem(\$history

(\$input)

- =true) + cleanDBonPurge()
- + showForm(\$ID, array \$options=[])

+ displaySpecificTypeField

- (\$ID, \$field=[], array \$options=[])
- et 7 de plus...
- + static getTypeName (\$nb=0)
- + static getMenuShorcut() + static getMenuContent()
- + static displayCentralHeader
- (?string \$title=null, ?array \$menus=null) + static showMassiveActions
- SubForm(MassiveAction \$ma) + static getIcon()

SsoVariable + \$can be translated

+ cleanRelationData()

+ static getTypeName

+ static canCreate() + static canPurge()

+ isUsed()

(\$nb=0)