```
CommonGLPIInterface
            _construct()
         CommonGLPI
+ $showdebug
+ $taborientation
+ $get_item_to_display_tab
+ static $rightname
# $type
# $displaylist
# static $showTitleInNavigation
  Header
# static $othertabs
  __construct()
+ can($ID, $right, array
   &$input=null)
+ defineTabs($options=[])
+ addStandardTab($itemtype,
   array &$ong, array $options)
+ addDefaultFormTab
  (array &$ong)
+ getTabNameForItem
  (CommonGLPI $item,
  $withtemplate=0)
+ isNewItem()
+ showTabsContent($options=[])
+ getHeaderName()
+ display($options=[])
+ getErrorMessage($error,
   $object='')
+ static getTypeName
  ($nb=0)
+ static getFieldLabel()
+ static getType()
+ static canCreate()
+ static canView()
+ static canUpdate()
+ static canDelete()
+ static canPurge()
+ static registerStandardTab
  ($typeform, $typetab)
+ static getOtherTabs
  ($typeform)
  et 17 de plus...
# getFormHeaderToolbar()
        CommonDBTM
+ $fields
+ $input
+ $updates
+ $oldvalues
+ $dohistory
+ $history_blacklist
+ $auto_message_on_action
+ $no_form_page
 $additional
  _for_dictionnary
+ $taborientation
+ $get_item_to_display_tab
+ $deduplicate queued
  _notifications
+ $right
  _entity
   _fields_of
  $options=[])
  et 87 de plus...
   =null)
  $table)
  ($field, $classname=null)
  (DBmysqlIterator $iter)
  (&$fields)
```

## + static \$undisclosedFields # \$fkfield # \$searchopt # \$usenotepad # static \$notable # static \$forward\_entity\_to # static \$plugins\_forward # static \$tables\_of # static \$foreign\_key + getFromResultSet(\$rs) + getID() + post\_getFromDB() + showForm(\$ID, array + getSNMPCredential() + getLockedFields() + post\_getEmpty() + getLogTypeID() + post\_deleteFromDB() + cleanDBonPurge() + static getTable(\$classname + static forceTable( + static getForeignKeyField() + static getTableField + static getFromIter + static unsetUndisclosedFields + static getIndexName() + static isNewID(\$ID) + static getNameField() + static getCompleteNameField() et 26 de plus... # saveInput() # clearSavedInput() # restoreInput(array \$default=[]) # restoreSavedValues (array \$saved=[]) # cleanLockedsOnAdd() # cleanLockeds() # computeFriendlyName() CommonDropdown + \$dohistory + \$must\_be\_replace + \$first\_level\_menu + \$second\_level\_menu + \$third\_level\_menu + \$display\_dropdowntitle + \$can\_be\_translated + static \$rightname + maybeTranslated() + getAdditionalField (string \$name) + defineTabs(\$options=[]) + displayHeader() + prepareInputForUpdate (\$input) + post\_addItem() + post\_updateItem(\$history =true) + cleanDBonPurge() + showForm(\$ID, array \$options=[]) + displaySpecificTypeField (\$ID, \$field=[], array \$options=[]) et 7 de plus..

+ static getTypeName

\$menus=null)

+ static getIcon()

+ static getMenuShorcut()
+ static getMenuContent()
+ static displayCentralHeader (?string \$title=null, ?array

static showMassiveActions SubForm(MassiveAction \$ma)

CableType

+ static getTypeName

+ static getFieldLabel()+ static getIcon()

(\$nb=0)

(\$nb=0)