## LoggerAwareInterface

+ setLogger(LoggerInterface \$logger)

## EmitterInterface

- on(string \$eventName, callable \$callBack, int \$priority=100)
- + once(string \$eventName, callable \$callBack, int \$priority=100)
- + emit(string \$eventName, array \$arguments=[], callable \$continueCallBack=null)
- + listeners(string \$eventName)
- + removeListener(string \$eventName, callable \$listener)
- + removeAllListeners (string \$eventName=null)

## Server

- + const DEPTH\_INFINITY + const NS SABREDAV
- + \$tree
- + \$httpResponse
- + \$httpRequest
- + \$sapi
- + \$protectedProperties
- + \$debugExceptions

+ \$transactionType

- + \$resourceTypeMapping
- + \$enablePropfindDepthInfinity
- + \$xml
- + static \$exposeVersion
- + static \$streamMultiStatus
- # \$baseUri
- # \$plugins
- + \_\_construct(\$treeOrNode =null, HTTP\Sapi \$sapi=null)
- + start()
- + exec()
- + setBaseUri(\$uri)
- + getBaseUri() + guessBaseUri()
- + addPlugin(ServerPlugin
- \$plugin(Serverriugin
- + getPlugin(\$name)
- + getPlugins()
  + getLogger()
- et 24 de plus...