

+ canUpdateItem()

+ canDeleteItem() + canChildItem(\$methodItem, \$methodNotItem)

+ getItem(\$getFromDB

=true, \$getEmpty=true) + recursivelyGetItems()

+ getEntityID() + isEntityAssign()

+ maybeRecursive() et 12 de plus...

+ static getSQLCriteriaToSearch ForItem(\$itemtype, \$items\_id)

+ static canCreate() + static canView()

+ static canUpdate() + static canDelete() + static canPurge()

+ static canChild(\$method) + static displayRecursiveItems (array \$recursiveItems,

+ static getJSCodeToAddFor ItemChild(\$field\_name, \$child\_count\_js\_var) + static showAddChildButton

ForItemForm(CommonDBTM

\$elementToDisplay, bool \$display=true)

\$item, \$field\_name, \$canedit =null, \$display=true) + static getItemField

(\$itemtype)

# autoinventoryInformation()

CommonITILCost + \$dohistory

+ getItilObjectItemType()

+ getTabNameForItem

(CommonGLPI \$item, \$withtemplate=0) + rawSearchOptions()

+ initBasedOnPrevious() + showForm(\$ID, array \$options=[])

+ static getTypeName (\$nb=0)+ static displayTabContent ForItem(CommonGLPI \$item,

+ static computeTotalCost ( \$actiontime, \$cost\_time, \$cost\_fixed, \$cost\_material, \$edit=true)

\$tabnum=1, \$withtemplate=0)

TicketCost