## INode + delete() + getName() + setName(\$name) + getLastModified() **ICollection** + createFile(\$name, \$data=null) + createDirectory(\$name) + getChild(\$name) + getChildren() + childExists(\$name) **IPrincipalCollection** + searchPrincipals(array \$searchProperties, \$test ='allof') + findByUri(\$uri) AbstractPrincipalCollection + \$disableListing # \$principalBackend # \$principalPrefix \_construct(PrincipalBackend \BackendInterface \\$principalBackend, \$principalPrefix='principals') + getChildForPrincipal (array \$principalInfo) + getName() + getChildren() + getChild(\$name) + searchPrincipals(array \$searchProperties, \$test ='allof') + findByUri(\$uri) AddressBookRoot HomeCollection + \$collectionName PrincipalCollection # \$storagePath \_construct(BackendInterface + getChildForPrincipal \PrincipalBackend\BackendInterface \$principalBackend, \$storagePath, \$principalBackend, Backend (array \$principal) \$principalPrefix='principals') BackendInterface \$carddavBackend, + createExtendedCollection + getName() \$principalPrefix='principals') (\$name, MkCol \$mkCol) + getChildForPrincipal + getACL() (array \$principalInfo) + getACL() Collection + getChildForPrincipal (array \$principalInfo)

CalendarRoot

Backend\BackendInterface \\$caldavBackend,

CalendarRoot

+ getName()

\_construct(PrincipalBackend

\$principalPrefix='principals')

\BackendInterface \principalBackend,

# \$caldavBackend

+ getName()

+ getChildForPrincipal

(array \$principal)

# \$principalBackend

# \$carddavBackend

+ getChildForPrincipal

(array \$principal)

+ getName()

\_construct(DAVACL