

## + \$oldvalues + \$dohistory + \$history\_blacklist + \$auto\_message\_on\_action + \$no\_form\_page + \$additional fields \_for\_dictionnary + \$taborientation + \$get\_item\_to\_display\_tab + \$deduplicate\_queued \_notifications + \$right + static \$undisclosedFields # \$fkfield # \$searchopt # \$usenotepad # static \$notable # static \$forward\_entity\_to # static \$plugins\_forward \_entity # static \$tables\_of # static \$foreign\_key \_fields\_of + getFromResultSet(\$rs)

+ getID()

+ post\_getFromDB()

\$options=[])

+ getLockedFields()

+ post\_getEmpty()

+ getLogTypeID() + post\_deleteFromDB()

+ showForm(\$ID, array

+ getSNMPCredential()

CalDAVCompatibleItemInterface

+ static getGroupItemsAsVCalendars

+ static getUserItemsAsVCalendars

+ getAsVCalendar()

(\$groups\_id)

(\$users\_id)

+ getInputFromVCalendar

(VCalendar \$vcalendar)

- + cleanDBonPurge() et 87 de plus... + static getTable(\$classname =null) + static forceTable( \$table) + static getForeignKeyField() + static getTableField (\$field, \$classname=null) + static getFromIter (DBmysqlIterator \$iter) + static unsetUndisclosedFields (&\$fields) + static getIndexName() + static isNewID(\$ID) + static getNameField() + static getCompleteNameField()
- # restoreInput(array \$default=[]) # restoreSavedValues (array \$saved=[]) # cleanLockedsOnAdd()

et 26 de plus... # saveInput()

# clearSavedInput()

- # cleanLockeds() # computeFriendlyName()
  - + const SEEPRIVATE + getItilObjectItemType() + canViewPrivates() + canEditAll() + getItem() + canReadITILItem()

(\$input)

(\$input) + post\_getEmpty()

+ canUpdatelTILItem() + prepareInputForUpdate

+ prepareInputForAdd

+ cleanDBonPurge()

CommonITILTask

+ \$auto\_message\_on\_action

+ const SEEPUBLIC + const UPDATEMY + const UPDATEALL + const ADDALLITEM

- et 6 de plus... + static getNameField() + static getIcon()
- (\$nb=0)+ static getSpecificValueTo Display(\$field, \$values,

array \$options=[])

+ static getTypeName

+ static getSpecificValueTo Select(\$field, \$name=", \$values=", array \$options=[])

+ static rawSearchOptionsTo Add(\$itemtype=null)

+ static genericPopulateNot Planned(\$itemtype, \$options=[])

(\$groups\_id)

(\$users\_id) # computeFriendlyName()

+ static getUserItemsAsVCalendars

+ static getGroupItemsAsVCalendars

- ChangeTask + static \$rightname
  - + canViewPrivates() + canEditAll() + canViewItem()
  - + canCreateItem()
  - + canUpdateItem() + canPurgeItem()
  - + static getTypeName (\$nb=0)
  - + static canCreate() + static canView()
  - + static canUpdate() + static populatePlanning
  - + static displayPlanningItem (array \$val, \$who, \$type

(\$options=[])

- ="", \$complete=0) + static populateNotPlanned
- (\$options=[])