

## CommonDBTM + \$fields + \$input + \$updates + \$oldvalues + \$dohistory + \$history\_blacklist + \$auto\_message\_on\_action + \$no\_form\_page \$additional \_for\_dictionnary + \$taborientation + \$get\_item\_to\_display\_tab + \$deduplicate\_queued \_notifications + \$right + static \$undisclosedFields # \$fkfield # \$searchopt # \$usenotepad # static \$notable # static \$forward\_entity\_to # static \$plugins\_forward \_entity # static \$tables of # static \$foreign\_key \_fields\_\_of + getFromResultSet(\$rs) + getID() + post\_getFromDB() + showForm(\$ID, array \$options=[]) + getSNMPCredential() + getLockedFields() + post\_getEmpty() + getLogTypeID() + post\_deleteFromDB() + cleanDBonPurge() et 87 de plus...

+ static getTable(\$classname

+ static getForeignKeyField()

(\$field, \$classname=null)

=null)

\$table)

+ static forceTable(

static getTableField

+ static getFromIter (DBmysqlIterator \$iter)+ static unsetUndisclosedFields

(&\$fields)

(CommonGLPI \$item, \$withtemplate=0) + createNew(KnowbaseItem \$item) + createNewTranslated (KnowbaseItemTranslation \$item) + static getTypeName

KnowbaseItem\_Revision

+ static \$rightname+ getTabNameForItem

(\$nb=0)
+ static displayTabContent
ForItem(CommonGLPI \$item,
\$tabnum=1, \$withtemplate=0)