const static

+FAILURE +INVALID +SUCCESS

#\$defaultDescription #\$defaultName

## Command

- + \_\_construct(string \$name=null)
- + ignoreValidationErrors()
- + setApplication(Application \$application=null)
- + setHelperSet(HelperSet \$helperSet)
- + getHelperSet()
- + getApplication()
- + isEnabled()
- + run(InputInterface \$input, OutputInterface \$output)
- + complete(CompletionInput \$input, CompletionSuggestions \$suggestions)
- + setCode(callable \$code)
  - et 22 de plus...
- + static getDefaultName()
- + static getDefaultDescription()
- # configure()
- # execute(InputInterface \$input, OutputInterface \$output)
- # interact(InputInterface \$input, OutputInterface \$output)
- # initialize(InputInterface \$input, OutputInterface \$output)

## GlpiCommandInterface

- + mustCheckMandatoryRequirements()
- + requiresUpToDateDb()

+ERROR\_INVALID\_CONTEXT

## AbstractCommand

- # \$db
- # \$input
- # \$output
- # \$requires\_db
- # \$requires\_db\_up\_to\_date
- # \$progress\_bar
- + mustCheckMandatoryRequirements()
- + requiresUpToDateDb()
- # initialize(InputInterface \$input, OutputInterface \$output)
- # writeInOutputWithProgress
  Bar( \$messages, ProgressBar
  \$progress\_bar, \$verbosity
  =OutputInterface::VERBOSITY\_NORMAL)
- # outputSessionBufferedMessages
  (\$levels\_to\_output=[INFO,
   WARNING, ERROR])
- # outputWarningOnMissingOptionnal Requirements()
- # askForConfirmation (bool \$default\_to\_yes=true)
- # warnAboutExecutionTime()
- # iterate(iterable \$iterable, ?callable \$message\_callback=null, ?int \$count=null)
- # outputMessage(string
   \$message, int \$verbosity
   =OutputInterface::VERBOSITY
   \_NORMAL)

## SetCommand

- # configure()
- # execute(InputInterface \$input, OutputInterface \$output)