```
_construct()
              CommonGLPI
     + $showdebug

    + $taborientation

     + $get_item_to_display_tab
     + static $rightname
     # $type
     # $displaylist
     # static $showTitleInNavigation
       Header
     # static $othertabs
     + __construct()
     + can($ID, $right, array
       &$input=null)
     + defineTabs($options=[])
     + addStandardTab($itemtype,
       array &$ong, array $options)
     + addDefaultFormTab
       (array &$ong)
     + getTabNameForItem
       (CommonGLPI $item,
       $withtemplate=0)
     + isNewItem()
     + showTabsContent($options=[])
     + getHeaderName()
     + display($options=[])
     + getErrorMessage($error,
        $object=")
     + static getTypeName
       ($nb=0)
     + static getFieldLabel()
     + static getType()
     + static canCreate()
     + static canView()
     + static canUpdate()
     + static canDelete()
     + static canPurge()
     + static registerStandardTab
       ($typeform, $typetab)

    static getOtherTabs

       ($typeform)
       et 17 de plus...
     # getFormHeaderToolbar()
             CommonDBTM
     + $fields
    + $input
    + $updates
    + $oldvalues
    + $dohistory
    + $history_blacklist
     + $auto_message_on_action
     + $no_form_page
      $additional
       _for_dictionnary
    + $taborientation
     + $get_item_to_display_tab
     + $deduplicate_queued
       _notifications
     + $right
    + static $undisclosedFields
    # $fkfield
    # $searchopt
    # $usenotepad
    # static $notable
    # static $forward_entity_to
     # static $plugins_forward
       _entity
    # static $tables_of
     # static $foreign_key
        _fields__of
    + getFromResultSet($rs)
     + getID()
    + post_getFromDB()
     + showForm($ID, array
       $options=[])
    + getSNMPCredential()
     + getLockedFields()
    + post_getEmpty()
    + getLogTypeID()
    + post_deleteFromDB()
    + cleanDBonPurge()
       et 87 de plus...
     + static getTable($classname
       =null)
     + static forceTable(
       $table)
    + static getForeignKeyField()

    static getTableField

       ($field, $classname=null)
    + static getFromIter
       (DBmysqlIterator $iter)

    static unsetUndisclosedFields

       (&$fields)
     + static getIndexName()
    + static isNewID($ID)
     + static getNameField()
     + static getCompleteNameField()
       et 26 de plus...
     # saveInput()
     # clearSavedInput()
     # restoreInput(array
       $default=[])
    # restoreSavedValues
       (array $saved=[])
     # cleanLockedsOnAdd()
     # cleanLockeds()
     # computeFriendlyName()
          CommonDBConnexity
+ const DONT_CHECK_ITEM
   RIGHTS
+ const HAVE_VIEW_RIGHT
  _ON_ITEM
+ const HAVE_SAME_RIGHT
  _ON_ITEM
+ static $canDeleteOnItemClean
+ static $disableAutoEntity
  Forwarding
+ getCloneRelations()
+ getConnexityItem(
   $itemtype, $items_
   $getFromDB=true, $getEmpty
  =true, $getFromDBOrEmpty=false)
+ checkAttachedItemChanges
  Allowed(array $input, array
   $fields)
+ tryEntityForwarding()
+ canConnexityItem(
   $methodItem, $methodNotItem,
   $item_right, $itemtype,
   $items_id, CommonDBTM &$item=null)
+ getHistoryChangeWhenUpdate
  Field($field)
+ getItemsForLog($itemtype,
   $items_id)
+ static getSQLCriteriaToSearch
  ForItem($itemtype, $items_id)
+ static getItemsAssociated
  To ($itemtype, $items_id)
+ static getItemField
  ($itemtype)
+ static getItemFromArray
  ($itemtype, $items_id,
  array $array, $getFromDB
  =true, $getEmpty=true, $getFromDBOr
  Empty=false)
+ static canConnexity
  ($method, $item_right,
   $itemtype, $items_id)
+ static getConnexityMassive
  ActionsSpecificities()
+ static getMassiveActions
  ForItemtype(array &$actions,
   $itemtype, $is_deleted=false,
   CommonDBTM $checkitem=null)
+ static showMassiveActions
  SubForm(MassiveAction $ma)
+ static getConnexityInput
  ForProcessingOfMassiveActions
  ($action, CommonDBTM $item,
   array $ids, array $input)

    static processMassiveActions

  ForOneItemtype(MassiveAction
   $ma, CommonDBTM $item, array $ids)
            CommonDBChild
 + static $itemtype
 + static $items_id
 + static $checkParentRights
 + static $mustBeAttached
 + static $logs_for_parent
 + static $log_history_add
 + static $log_history
   _update
 + static $log_history
   delete
 + static $log_history_lock
 + static $log_history
   _unlock
 + canCreateItem()
 + canViewItem()
  canUpdateItem()
 + canDeleteItem()
 + canChildItem($methodItem,
   $methodNotItem)
 + getItem($getFromDB
   =true, $getEmpty=true)
 + recursivelyGetItems()
 + getEntityID()
 + isEntityAssign()
 + maybeRecursive()
   et 12 de plus...
 + static getSQLCriteriaToSearch
   ForItem($itemtype, $items_id)
 + static canCreate()
 + static canView()
 + static canUpdate()
 + static canDelete()
 + static canPurge()
 + static canChild($method)
 + static displayRecursiveItems
   (array $recursiveItems,
   $elementToDisplay, bool $display=true)

    static getJSCodeToAddFor

   ItemChild($field_name,
   $child_count_js_var)

    static showAddChildButton

   ForItemForm(CommonDBTM
   $item, $field_name, $canedit
   =null, $display=true)
 + static getItemField
   ($itemtype)
 # autoinventoryInformation()
         NetworkPortInstantiation
+ $auto_message_on_action
+ $dohistory
+ $canHaveVLAN
+ $canHaveVirtualPort
+ $haveMAC
+ static $itemtype
+ static $items_id
+ showInstantiationForm
  (NetworkPort $netport,
   $options, $recursiveItems)
+ prepareInput($input)
+ prepareInputForAdd
  ($input)
+ prepareInputForUpdate
  ($input)
+ post_addItem()
+ post_updateItem($history
  =true)
+ manageSocket()

    getInstantiationHTMLTable

  Headers(HTMLTableGroup
   $group, HTMLTableSuperHeader
  $super, HTMLTableSuperHeader
  $internet_super=null, HTMLTableHeader
  $father=null, array $options=[])
+ getInstantiationHTMLTable
  WithPeer(NetworkPort $netport,
   HTMLTableRow $row, HTMLTableCell
  $father=null, array $options=[])

    getNetworkCardInteresting

  Fields()
+ showMacField(NetworkPort
  $netport, $options=[])
+ showSocketField(Network
  Port $netport, $options
  =[], $recursiveItems=[])
+ getInstantiationNetwork
  PortHTMLTable()
+ getTabNameForItem
  (CommonGLPI $item,
  $withtemplate=0)
+ static getIndexName()
+ static getInstantiationNetwork
  PortDisplayOptions()
+ static getGlobalInstantiation
  NetworkPortDisplayOptions()

    static getUniqueItemByMac

  ($value, $entity)
+ static displayTabContent
  ForItem(CommonGLPI $item,
  $tabnum=1, $withtemplate=0)

    static getSearchOptionsTo

  AddForInstantiation(array
   &$tab, array $joinparams)
+ static showConnection
  ($netport, $edit=false)
# getPeerInstantiationHTMLTable
  (NetworkPort $netport, HTMLTableRow $row, HTMLTableCell $father=null,
  array $options=[])
          NetworkPortAggregate
+ prepareInputForAdd
```

(\$input)

(\$input)

+ prepareInputForUpdate

 + showInstantiationForm (NetworkPort \$netport, \$options, \$recursiveItems)
 + getInstantiationHTMLTable

Headers(HTMLTableGroup \$group, HTMLTableSuperHeader \$super, HTMLTableSuperHeader \$internet\_super=null, HTMLTableHeader

\$father=null, array \$options=[])

(NetworkPort \$netport, HTMLTable Row \$row, HTMLTableCell \$father

+ getInstantiationHTMLTable

=null, array \$options=[])

+ static getTypeName

(\$nb=0)

CommonGLPIInterface