```
CommonGLPIInterface
            _construct()
         CommonGLPI
+ $showdebug
+ $taborientation
+ $get_item_to_display_tab
+ static $rightname
# $type
# $displaylist
# static $showTitleInNavigation
  Header
# static $othertabs
  __construct()
+ can($ID, $right, array
   &$input=null)
+ defineTabs($options=[])
+ addStandardTab($itemtype,
   array &$ong, array $options)
+ addDefaultFormTab
  (array &$ong)
+ getTabNameForItem
  (CommonGLPI $item,
  $withtemplate=0)
+ isNewItem()
+ showTabsContent($options=[])
+ getHeaderName()
+ display($options=[])
+ getErrorMessage($error,
   $object='')
+ static getTypeName
  ($nb=0)
+ static getFieldLabel()
+ static getType()
+ static canCreate()
+ static canView()
+ static canUpdate()
+ static canDelete()
+ static canPurge()
+ static registerStandardTab
  ($typeform, $typetab)
+ static getOtherTabs
  ($typeform)
  et 17 de plus...
# getFormHeaderToolbar()
        CommonDBTM
+ $fields
+ $input
+ $updates
+ $oldvalues
+ $dohistory
+ $history_blacklist
+ $auto_message_on_action
+ $no_form_page
 $additional
  _for_dictionnary
+ $taborientation
  _notifications
  _entity
   _fields__of
  $options=[])
  et 87 de plus...
   =null)
  $table)
  ($field, $classname=null)
  (DBmysqlIterator $iter)
  (&$fields)
  et 26 de plus...
  $default=[])
  (array $saved=[])
```

+ \$get_item_to_display_tab + \$deduplicate_queued + \$right + static \$undisclosedFields # \$fkfield # \$searchopt # \$usenotepad # static \$notable # static \$forward_entity_to # static \$plugins_forward # static \$tables_of # static \$foreign_key + getFromResultSet(\$rs) + getID() + post_getFromDB() + showForm(\$ID, array + getSNMPCredential() + getLockedFields() + post_getEmpty() + getLogTypeID() + post_deleteFromDB() + cleanDBonPurge() + static getTable(\$classname + static forceTable(+ static getForeignKeyField() + static getTableField static getFromIter + static unsetUndisclosedFields + static getIndexName() + static isNewID(\$ID) + static getNameField() + static getCompleteNameField() # saveInput() # clearSavedInput() # restoreInput(array # restoreSavedValues # cleanLockedsOnAdd() # cleanLockeds() # computeFriendlyName() CommonDropdown + \$dohistory + \$must_be_replace + \$first_level_menu + \$second_level_menu + \$third_level_menu + \$display_dropdowntitle + \$can_be_translated + static \$rightname + maybeTranslated() + getAdditionalField (string \$name) + defineTabs(\$options=[]) + displayHeader() + prepareInputForUpdate (\$input) + post_addItem() + post_updateItem(\$history =true)

+ cleanDBonPurge() + showForm(\$ID, array \$options=[]) + displaySpecificTypeField (\$ID, \$field=[], array \$options=[]) et 7 de plus.. + static getTypeName (\$nb=0)+ static getMenuShorcut() + static getMenuContent() + static displayCentralHeader (?string \$title=null, ?array \$menus=null) + static showMassiveActions SubForm(MassiveAction \$ma) + static getIcon() VirtualMachineSystem + \$can_be_translated static getTypeName (\$nb=0)