BackendInterface

- + getCalendarsForUser (\$principalUri)
- + createCalendar(\$principal Uri, \$calendarUri, array
- \$properties) + updateCalendar(\$calendar Id, \Sabre\DAV\PropPatch
- \$propPatch) + deleteCalendar(\$calendarId)
- + getCalendarObjects (\$calendarId)
- + getCalendarObject
- (\$calendarld, \$objectUri)
- + getMultipleCalendarObjects (\$calendarld, array \$uris)
- + createCalendarObject
- (\$calendarld, \$objectUri,
- \$calendarData) + updateCalendarObject
- (\$calendarld, \$objectUri, \$calendarData)
- + deleteCalendarObject (\$calendarld, \$objectUri) + calendarQuery(\$calendar
- Id, array \$filters)
- + getCalendarObjectByUID (\$principalUri, \$uid)

SharingSupport

- + updateInvites(\$calendar Id, array \$sharees)
- + getInvites(\$calendarId)
- + setPublishStatus(\$calendarld, \$value)

PDO

+ const MAX_DATE

- + \$calendarTableName
- + \$calendarInstancesTableName
- + \$calendarObjectTableName
- + \$calendarChangesTableName
- + \$schedulingObjectTableName
- + \$calendarSubscriptionsTableName + \$propertyMap
- + \$subscriptionPropertyMap
- # \$pdo
- _construct(\PDO \$pdo)
- getCalendarsForUser

(\$principalUri)

calendarId

- + createCalendar(\$principal
 - Uri, \$calendarUri, array \$properties)
- + updateCalendar(\$calendar
- Id, PropPatch \$propPatch)
- + deleteCalendar(\$calendarId)
- + getCalendarObjects
- + getCalendarObject
- (\$calendarId, \$objectUri)
- getMultipleCalendarObjects
- (\$calendarld, array \$uris)
- + createCalendarObject (\$calendarld, \$objectUri,
- \$calendarData)
- updateCalendarObject (\$calendarld, \$objectUri, \$calendarData)
- et 15 de plus... # getDenormalizedData
- (\$calendarData) # addChange(\$calendarId, \$objectUri, \$operation)