

+ static getSQLCriteriaToSearch ForItem(\$itemtype, \$items_id) + static canCreate() + static canView() + static canUpdate() + static canDelete() + static canPurge() + static canChild(\$method) + static displayRecursiveItems (array \$recursiveItems, \$elementToDisplay, bool \$display=true) + static getJSCodeToAddFor ItemChild(\$field_name, \$child_count_js_var) + static showAddChildButton ForItemForm(CommonDBTM \$item, \$field_name, \$canedit =null, \$display=true) + static getItemField (\$itemtype) # autoinventoryInformation() NotificationTarget + \$prefix + \$table + \$notification_targets + \$notification_targets _labels + \$notificationoptions + \$data + \$tag_descriptions

> =", \$event=", \$object =null, \$options=[]) + getFromDBForTarget (\$notifications_id, \$type, \$ID) + validateSendTo(\$event, array \$infos, \$notify _me=false, \$emitter=null) + getSubjectPrefix(\$event=") + getContentHeader() + getContentFooter() + getMessageID() + showForNotification (Notification \$notification) + addAdditionnalInfosForTarget() + addAdditionnalUserInfo

+ \$dohistory + \$target + \$entity

et 6 de plus...

_construct(\$entity

(array \$data)

et 35 de plus... + static getTable(\$classname =null) + static getMessageIdForEvent

(?string \$itemtype, ?int \$items_id, ?string \$event) + static getTypeName (\$nb=0)+ static getInstance (\$item, \$event=",

\$options=[]) + static getInstanceClass (string \$itemtype) + static getInstanceByType

(\$itemtype, \$event=", \$options=[]) + static updateTargets (\$input) $static\ display Tab Content$

ForItem(CommonGLPI \$item, \$tabnum=1, \$withtemplate=0) # computeFriendlyName() # isMailMode()

isTargetItemRecursive()

getEvents() addDataForTemplate (\$event, \$options=[])

getTags()

NotificationTargetConsumableItem