```
Command
+ const SUCCESS
+ const FAILURE
+ const INVALID
# static $defaultName
# static $defaultDescription
    construct(string
  $name=null)
+ ignoreValidationErrors()
+ setApplication(Application
  $application=null)
+ setHelperSet(HelperSet
  $helperSet)
+ getHelperSet()
+ getApplication()
+ isEnabled()
+ run(InputInterface
  $input, OutputInterface
  $output)
+ complete(CompletionInput
  $input, CompletionSuggestions
  $suggestions)
+ setCode(callable
  $code)
  et 22 de plus...
+ static getDefaultName()
+ static getDefaultDescription()
# configure()
# execute(InputInterface
  $input, OutputInterface
  $output)
# interact(InputInterface
  $input, OutputInterface
  $output)
# initialize(InputInterface
  $input, OutputInterface
  $output)
         BaseCommand
   # static $abilitiesLabels
   # static $abilitiesShortCuts
   + formatDate($unixtime)
   + formatSize($bytes,
      $precision=2)
   # open($file, $password
     =null)
     getMimeTypeByStream
     ($stream)
   # getDriverBaseName
     ($driverClass)
     resolveDriverName
     ($driver)
     BaseArchiveCommand
   # configure()
   # getArchive(InputInterface
      $input, OutputInterface
      $output)
     getDriverFormatAbilities
     ($driver, $format)
       BaseFileCommand
            configure()
        DetailsCommand
    # static $defaultName
    + execute(InputInterface
       $input, OutputInterface
       $output)
```

configure()