

- # \$usenotepad
- + getFromResultSet(\$rs)
- + getID()
- + post_getFromDB()
 + showForm(\$ID, array
- \$options=[])
 + getSNMPCredential()
- + getLockedFields()+ post_getEmpty()
- + getLogTypeID()+ post_deleteFromDB()
- + cleanDBonPurge()et 87 de plus...+ static getTable(\$classname

=null)

+ static forceTable(\$table)

+ static getForeignKeyField()

+ static getTableField (\$field, \$classname=null)

+ static getFromIter

- (DBmysqlIterator \$iter)+ static unsetUndisclosedFields (&\$fields)
- + static isNewID(\$ID)+ static getNameField()

+ static getIndexName()

- + static getCompleteNameField()
 et 26 de plus...
- # saveInput()
 # clearSavedInput()
 # restoreInput(array
- # restoreSavedValues
 (array \$saved=[])

cleanLockedsOnAdd()

\$default=[])

computeFriendlyName()

cleanLockeds()

- + \$first_level_menu + \$second_level_menu

CommonDropdown

+ \$dohistory

+ \$must_be_replace

+ \$third_level_menu+ \$display_dropdowntitle

- + \$can_be_translated + maybeTranslated()
- (string \$name)
 + defineTabs(\$options=[])

+ displayHeader()

+ getAdditionalField

- + prepareInputForUpdate (\$input)+ post_addItem()
- + cleanDBonPurge()+ showForm(\$ID, array \$options=[])
- + displaySpecificTypeField (\$ID, \$field=[], array
- \$options=[])
 et 7 de plus...
- (\$nb=0) + static getMenuShorcut()

+ static getTypeName

- + static getMenuContent()+ static displayCentralHeader
- \$menus=null)
 + static showMassiveActions
 SubForm(MassiveAction \$ma)

(?string \$title=null, ?array

- + static getIcon()
- ProjectState
 - + post_getEmpty()
 + getAdditionalFields()
 - + rawSearchOptions()
 - + static getTypeName (\$nb=0) + static getIcon()