```
CommonGLPIInterface
            _construct()
         CommonGLPI
+ $showdebug
+ $taborientation
+ $get_item_to_display_tab
+ static $rightname
# $type
# $displaylist
# static $showTitleInNavigation
  Header
# static $othertabs
  __construct()
+ can($ID, $right, array
   &$input=null)
+ defineTabs($options=[])
+ addStandardTab($itemtype,
   array &$ong, array $options)
+ addDefaultFormTab
  (array &$ong)
+ getTabNameForItem
  (CommonGLPI $item,
  $withtemplate=0)
+ isNewItem()
+ showTabsContent($options=[])
+ getHeaderName()
+ display($options=[])
+ getErrorMessage($error,
   $object=")
+ static getTypeName
  ($nb=0)
+ static getFieldLabel()
+ static getType()
+ static canCreate()
+ static canView()
+ static canUpdate()
+ static canDelete()
+ static canPurge()
+ static registerStandardTab
  ($typeform, $typetab)
+ static getOtherTabs
  ($typeform)
  et 17 de plus...
# getFormHeaderToolbar()
        CommonDBTM
+ $fields
+ $input
+ $updates
+ $oldvalues
+ $dohistory
+ $history_blacklist
+ $auto_message_on_action
+ $no_form_page

    + $additional

  _for_dictionnary
  _notifications
  _entity
   _fields__of
  $options=[])
```

```
+ $taborientation
+ $get_item_to_display_tab
+ $deduplicate_queued
+ $right

    + static $undisclosedFields

# $fkfield
# $searchopt
# $usenotepad
# static $notable
# static $forward_entity_to
# static $plugins_forward
# static $tables of
# static $foreign_key
+ getFromResultSet($rs)
+ getID()
+ post_getFromDB()
+ showForm($ID, array
+ getSNMPCredential()
+ getLockedFields()
+ post_getEmpty()
+ getLogTypeID()
+ post_deleteFromDB()
+ cleanDBonPurge()
  et 87 de plus...
+ static getTable($classname
  =null)
+ static forceTable(
  $table)
+ static getForeignKeyField()

    static getTableField

  ($field, $classname=null)
+ static getFromIter
  (DBmysqlIterator $iter)
+ static unsetUndisclosedFields
  (&$fields)
+ static getIndexName()
+ static isNewID($ID)
+ static getNameField()
```

+ static getCompleteNameField()

et 26 de plus... # saveInput()

# clearSavedInput() # restoreInput(array \$default=[]) # restoreSavedValues (array \$saved=[]) # cleanLockedsOnAdd()

# cleanLockeds()

+ \$dohistory

(\$input)

(\$input)

(\$nb=0)

Add()

\$input)

+ static getIcon() # prepareInputs(array

prepareInputForUpdate

+ static rawSearchOptionsTo

+ static getTypeName

+ static \$rightname + rawSearchOptions() + defineTabs(\$options=[]) + showForm(\$ID, array \$options=[]) + getRealVersion() + getAuthProtocol() + getEncryption() + prepareInputForAdd

# computeFriendlyName()

**SNMPCredential**