```
CommonGLPIInterface
            _construct()
         CommonGLPI
+ $showdebug
+ $taborientation
+ $get_item_to_display_tab
+ static $rightname
# $type
# $displaylist
# static $showTitleInNavigation
  Header
# static $othertabs
  __construct()
+ can($ID, $right, array
   &$input=null)
+ defineTabs($options=[])
+ addStandardTab($itemtype,
   array &$ong, array $options)
+ addDefaultFormTab
  (array &$ong)
+ getTabNameForItem
  (CommonGLPI $item,
  $withtemplate=0)
+ isNewItem()
+ showTabsContent($options=[])
+ getHeaderName()
+ display($options=[])
+ getErrorMessage($error,
   $object=")
+ static getTypeName
  ($nb=0)
+ static getFieldLabel()
+ static getType()
+ static canCreate()
+ static canView()
+ static canUpdate()
+ static canDelete()
+ static canPurge()
+ static registerStandardTab
  ($typeform, $typetab)
+ static getOtherTabs
  ($typeform)
  et 17 de plus...
# getFormHeaderToolbar()
        CommonDBTM
+ $fields
+ $input
+ $updates
+ $oldvalues
+ $dohistory
+ $history_blacklist
+ $auto_message_on_action
+ $no_form_page
  _for_dictionnary

    + $taborientation

+ $get_item_to_display_tab
+ $deduplicate_queued
  _notifications
+ $right

    + static $undisclosedFields

# $fkfield
# $searchopt
# $usenotepad
# static $notable
# static $forward_entity_to
# static $plugins_forward
  _entity
   _fields_of
  $options=[])
  et 87 de plus...
   =null)
  $table)
  ($field, $classname=null)
  (DBmysqlIterator $iter)
```

static \$tables of # static \$foreign_key + getFromResultSet(\$rs) + getID() + post_getFromDB() + showForm(\$ID, array + getSNMPCredential() + getLockedFields() + post_getEmpty() + getLogTypeID() + post_deleteFromDB() + cleanDBonPurge() + static getTable(\$classname + static forceTable(+ static getForeignKeyField() static getTableField + static getFromIter static unsetUndisclosedFields (&\$fields) + static getIndexName() + static isNewID(\$ID) + static getNameField() + static getCompleteNameField() et 26 de plus... # saveInput() # clearSavedInput() # restoreInput(array \$default=[]) # restoreSavedValues (array \$saved=[]) # cleanLockedsOnAdd() # cleanLockeds() # computeFriendlyName() RuleCollection + const MOVE_BEFORE + const MOVE_AFTER + \$sub_type + \$stop_on_first_match + \$orderby + \$use_output_rule_process _as_next_input + \$can_replay_rules + \$RuleList + \$menu_type + \$menu_option + \$entity + \$taborientation + static \$rightname

	OnExistingDB(\$target)
+	replayRulesOnExistingDB
	(\$offset=0, \$maxtime=0,
	\$items=[], \$params=[])
+	getTitle()

+ isRuleEntityAssigned() et 18 de plus...

=null)

Form()

+

(\$items=[])

+ static getTable(\$classname

static exportRulesToXML

static displayImportRules

warningBeforeReplayRules

+ setEntity(\$entity=0)

+ isEntityAssign() + getRuleListCriteria (\$options=[]) + getRuleClassName() + getRuleClass()

+ canList()

(\$available_criteria, \$condition, \$criterion) static displayTabContent ForItem(CommonGLPI \$item \$tabnum=1, \$withtemplate=0)

static isCriteraADropdown

+ static getDictionnaries()

RuleImportComputerCollection \$stop_on_first_match

- \$menu_option static \$rightname
- canList()

getTitle()