

+ static getTableField

+ static getFromIter (DBmysqlIterator \$iter) + static unsetUndisclosedFields

+ static getIndexName() + static isNewID(\$ID) + static getNameField()

et 26 de plus... # saveInput()

# clearSavedInput() # restoreInput(array \$default=[]) # restoreSavedValues (array \$saved=[]) # cleanLockedsOnAdd()

# cleanLockeds()

# computeFriendlyName()

+ static getCompleteNameField()

(&\$fields)

(\$field, \$classname=null)

+\$rightname

+ \$display\_dropdowntitle + \$can\_be\_translated

CommonDropdown

+ maybeTranslated()

+ \$must\_be\_replace + \$first\_level\_menu + \$second\_level\_menu + \$third\_level\_menu

+ \$dohistory

+ getAdditionalField (string \$name)

+ displayHeader() + prepareInputForUpdate (\$input)

+ defineTabs(\$options=[])

+ post\_addItem() + post\_updateItem(\$history =true)

+ showForm(\$ID, array \$options=[])

et 7 de plus...

+ cleanDBonPurge()

+ displaySpecificTypeField (\$ID, \$field=[], array \$options=[])

+ static getTypeName (\$nb=0)+ static getMenuShorcut()

+ static getMenuContent() + static displayCentralHeader (?string \$title=null, ?array

\$menus=null) static showMassiveActions SubForm(MassiveAction \$ma)

+ static getIcon()

+ \$dohistory

+ \$first\_level\_menu + \$second\_level\_menu + \$third\_level\_menu + displaySpecificTypeField (\$ID, \$field=[], array \$options=[]) + getAdditionalFields() + rawSearchOptions() + title() + getHTMLTableCellForItem (HTMLTableRow \$row=null,

CommonDevice

+ \$can\_be\_translated

CommonDBTM \$item=null,

HTMLTableCell \$father=null,

array \$options=[]) + getImportCriteria()

+ defineTabs(\$options=[]) + post\_workOnItem()

+ post\_addItem()

+ post\_updateItem(\$history

(\$nb=0)

=true) + static getTypeName

+ static getItem\_DeviceType (\$devicetype=null)

+ static getMenuContent() + static getNameField()

+ static getHTMLTableHeader (\$itemtype, HTMLTableBase \$base, HTMLTableSuperHeader \$super=null, HTMLTableHeader

\$father=null, array \$options=[]) + static getIcon()